

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
 (scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Azollaceae (mosquito fern)</b>						
<i>Azolla caroliniana</i>	mosquito fern	native			R	
<b>Family: Blechnaceae (mid-sorus fern)</b>						
<i>Blechnum serrulatum</i>	swamp fern	native				
<i>Woodwardia virginica</i>	Virginia chain fern	native			R	
<b>Family: Dennstaedtiaceae (cuplet fern)</b>						
<i>Pteridium aquilinum</i> var. <i>caudatum</i>	lacy bracken fern	native				
<i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i>	tailed bracken fern	native			R	
<b>Family: Nephrolepidaceae (sword fern)</b>						
<i>Nephrolepis biserrata</i>	giant sword fern	native	T		R	
<i>Nephrolepis cordifolia</i>	tuberous sword fern	exotic				I
<i>Nephrolepis exaltata</i>	sword fern	native				
<b>Family: Osmundaceae (royal fern)</b>						
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern	native	CE		R	
<b>Family: Polypodiaceae (polypody)</b>						
<i>Campyloneurum phyllitidis</i>	long strap fern	native			R	
<i>Phlebodium aureum</i>	golden polypody	native				
<i>Pleopeltis polypodioides</i> var. <i>michauxiana</i>	resurrection fern	native				
<b>Family: Psilotaceae (whisk-fern)</b>						
<i>Psilotum nudum</i>	whisk-fern	native				
<b>Family: Pteridaceae (brake fern)</b>						
<i>Acrostichum danaeifolium</i>	giant leather fern	native				
<i>Pteris vittata</i>	Chinese ladder brake	exotic				I
<b>Family: Salviniaceae (floating fern)</b>						
<i>Salvinia minima</i>	water spangles	exotic				
<b>Family: Schizaeaceae (curly-grass)</b>						
<i>Lygodium microphyllum</i>	old world climbing fern	exotic				I
<b>Family: Thelypteridaceae (marsh fern)</b>						
<i>Thelypteris dentata</i>	downy maiden fern	exotic				
<i>Thelypteris interrupta</i>	hottentot fern	native			R	
<i>Thelypteris kunthii</i>	widespread maiden fern	native				
<i>Thelypteris palustris</i> var. <i>pubescens</i>	marsh fern	native			R	
<b>Family: Vittariaceae (shoestring fern)</b>						
<i>Vittaria lineata</i>	shoestring fern	native				
<b>Family: Cupressaceae (cedar)</b>						
<i>Juniperus virginiana</i>	red cedar	native				
<i>Taxodium ascendens</i>	pond-cypress	native				
<i>Taxodium distichum</i>	bald-cypress	native				
<b>Family: Pinaceae (pine)</b>						
<i>Pinus elliotii</i> var. <i>densa</i>	south Florida slash pine	native				
<b>Family: Agavaceae (agave)</b>						
<i>Yucca aloifolia</i>	Spanish bayonet	native				
<b>Family: Alismataceae (water plantain)</b>						
<i>Sagittaria filiformis</i>	threadleaf arrowhead	native				
<i>Sagittaria graminea</i> var. <i>chapmanii</i>	Chapman's arrowhead	native			I	
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	native				
<i>Sagittaria latifolia</i>	broadleaf arrowhead	native				
<b>Family: Alliaceae (garlic)</b>						
<i>Nothoscordum bivalve</i>	false-garlic, crowpoison	native			CI	

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
 (scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Amaryllidaceae (amaryllis)</b>						
<i>Crinum americanum</i>	string-lily	native				
<b>Family: Araceae (arum)</b>						
<i>Landoltia punctata</i>	dotted duckweed	exotic				II
<i>Lemna valdiviana</i>	valdivia duckweed	native				
<i>Pistia stratiotes</i>	water lettuce	exotic				I
<i>Spirodela polyrhiza</i>	common duckweed	native				
<i>Wolffiella gladiata</i>	Florida mudmidget	native				
<b>Family: Arecaceae (palm)</b>						
<i>Caryota mitis</i>	Burmese fishtail palm	exotic				
<i>Dyopsis lutescens</i>	areca palm	exotic				
<i>Phoenix reclinata</i>	Senegal date palm	exotic				II
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
<i>Roystonea regia</i>	Florida royal palm	native?				
<i>Syagrus romanzoffiana</i>	queen palm	exotic				II
<b>Family: Bromeliaceae (pineapple)</b>						
<i>Tillandsia balbisiiana</i>	northern needleleaf	native	T			
<i>Tillandsia fasciculata var. densispica</i>	cardinal airplant	native	E			
<i>Tillandsia flexuosa</i>	twisted airplant	native	T	G5/S3	R	
<i>Tillandsia paucifolia</i>	potbelly airplant	native				
<i>Tillandsia recurvata</i>	ball-moss	native				
<i>Tillandsia setacea</i>	southern needleleaf	native				
<i>Tillandsia usneoides</i>	Spanish moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native	E			
<i>Tillandsia variabilis</i>	leatherleaf airplant	native				
<b>Family: Burmanniaceae (burmannia)</b>						
<i>Burmannia capitata</i>	southern bluethead	native			R	
<b>Family: Cannaceae (canna)</b>						
<i>Canna flaccida</i>	bandana-of-the-everglades	native				
<b>Family: Commelinaceae (spiderwort)</b>						
<i>Commelina diffusa</i>	common dayflower	exotic				
<i>Commelina diffusa var. gigas</i>	climbing dayflower	exotic				
<i>Murdannia nudiflora</i>	nakedstem dewflower	exotic				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Cyperaceae (sedge)</b>						
<i>Carex gigantea</i>	giant sedge	native			CI	
<i>Carex lupuliformis</i>	false hop sedge	native			I	
<i>Carex gigantea x lupuliformis</i>	no common name	native				
<i>Carex vexans</i>	Florida hammock sedge	native			I	
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	native				
<i>Cyperus articulatus</i>	jointed flatsedge	native			I	
<i>Cyperus croceus</i>	Baldwin's flatsedge	native				
<i>Cyperus distinctus</i>	swamp flatsedge	native			I	
<i>Cyperus erythrorhizos</i>	redroot flatsedge	native				
<i>Cyperus esculentus</i>	yellow nutgrass	exotic				
<i>Cyperus haspan</i>	haspan flatsedge	native				
<i>Cyperus ligularis</i>	swamp flatsedge	native				
<i>Cyperus odoratus</i>	fragrant flagsedge	native				
<i>Cyperus ovatus</i>	pinebarren flatsedge	native				
<i>Cyperus polystachyos</i>	manyspike flatsedge	native				
<i>Cyperus surinamensis</i>	tropical flatsedge	native				
<i>Eleocharis baldwinii</i>	Baldwin's spikerush	native			R	
<i>Eleocharis cellulosa</i>	Gulfcoast spikerush	native				
<i>Eleocharis geniculata</i>	Canada spikerush	native				
<i>Eleocharis interstincta</i>	knotted spikerush	native				
<i>Eleocharis nigrescens</i>	black spikerush	exotic				
<i>Fimbristylis autumnalis</i>	slender fimbry	native			R	
<i>Fimbristylis puberula</i>	hairy fimbry	native			I	
<i>Fimbristylis spadiacea</i>	marsh fimbry	native				
<i>Fuirena breviseta</i>	saltmarsh umbrellasedge	native			R	
<i>Fuirena pumila</i>	dwarf umbrellasedge	native			I	
<i>Fuirena scirpoidea</i>	southern umbrellasedge	native			R	
<i>Lipocarpa micrantha</i>	smallflower halfchaff sedge	native			I	
<i>Rhynchospora colorata</i>	starrush whitetop	native				
<i>Rhynchospora corniculata</i>	shortistle horned beaksedge	native			I	
<i>Rhynchospora divergens</i>	spreading beaksedge	native				
<i>Rhynchospora fascicularis</i>	fascicled beaksedge	native			R	
<i>Rhynchospora fernaldii</i>	Fernald's beaksedge	native			CI	
<i>Rhynchospora intermedia</i>	pinebarren beaksedge	native			I	
<i>Rhynchospora inundata</i>	narrowfruit horned beaksedge	native			R	
<i>Rhynchospora microcarpa</i>	southern beaksedge	native			R	
<i>Rhynchospora miliacea</i>	millet beaksedge	native			R	
<i>Rhynchospora nitens</i>	shortbeak beaksedge	native			R	
<i>Rhynchospora odorata</i>	fragrant beaksedge	native			R	
<i>Rhynchospora tracyi</i>	Tracy's beaksedge	native			R	
<i>Schoenoplectus pungens</i>	threesquare bulrush	native				
<i>Schoenoplectus tabernaemontani</i>	softstem bulrush	native			R	
<i>Schoenus nigricans</i>	black bogrush	native			R	
<i>Scleria baldwinii</i>	Baldwin's nutrush	native			I	
<i>Scleria reticularis</i>	netted nutrush	native				
<i>Scleria verticillata</i>	low nutrush	native			R	
<b>Family: Dioscoreaceae (yam)</b>						
<i>Dioscorea bulbifera</i>	air-potato	exotic				I

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Eriocaulaceae (pipewort)</b>						
<i>Eriocaulon decangulare</i>	tenangle pipewort	native			R	
<i>Lachnocaulon anceps</i>	whitehead bogbutton	native			R	
<i>Lachnocaulon engleri</i>	Engler's bogbutton	native			CI	
<i>Syngonanthus flavidulus</i>	yellow hatpins	native			R	
<b>Family: Haemodoraceae (bloodwort)</b>						
<i>Lachnanthes carolina</i>	Carolina redroot	native				
<b>Family: Hydrocharitaceae (frog's-bit)</b>						
<i>Hydrilla verticillata</i>	waterthyme	exotic				I
<i>Najas guadalupensis</i>	southern waternymph	native			R	
<b>Family: Hyacinthaceae (hyacinth)</b>						
<i>Schoenolirion albiflorum</i>	white sunnybell	native			R	
<b>Family: Iridaceae (iris)</b>						
<i>Iris hexagona</i>	dixie iris	native			I	
<i>Iris virginica</i>	Virginia iris	native				
<b>Family: Juncaceae (rush)</b>						
<i>Juncus effusus</i> subsp. <i>solutus</i>	soft rush	native			I	
<i>Juncus marginatus</i>	shore rush, grassleaf rush	native			R	
<i>Juncus megacephalus</i>	bighead rush	native			R	
<i>Juncus polycephalos</i>	manyhead rush	native				
<i>Juncus roemerianus</i>	needle rush	native			R	
<i>Juncus scirpoides</i>	needlepod rush	native			I	
<b>Family: Liliaceae (lily)</b>						
<i>Lilium catesbaei</i>	Catesby's lily	native	T		I	
<b>Family: Marantaceae (arrowroot)</b>						
<i>Thalia geniculata</i>	alligatorflag	native				
<b>Family: Nartheciaceae (bog asphodel)</b>						
<i>Aletris lutea</i>	yellow colicroot	native			R	
<b>Family: Orchidaceae (orchid)</b>						
<i>Dendrophylax lindenii</i>	ghost orchid	native	E		I	
<i>Epidendrum anceps</i>	dingy-flowered star orchid	native	E		I	
<i>Encyclia tampensis</i>	Florida butterfly orchid	native	CE			
<i>Epidendrum rigidum</i>	stiff-flower star orchid	native	E		I	
<i>Eulophia alta</i>	wild-coco	native				
<i>Habenaria quinqueseta</i>	longhorn false reinorchid	native			R	
<i>Harrisella porrecta</i>	needleroot airplant orchid	native	T		I	
<i>Malaxis spicata</i>	Florida addersmouth orchid				I	
<i>Polystachya concreta</i>	greater yellowspike orchid	native	E		R	
<i>Prosthechea cochleata</i>	clamshell orchid	native	E	4G5T2S	I	
<i>Sacoila lanceolata</i> var. <i>lanceolata</i>	leafless beaked ladiestresses	native	T		I	
<i>Spiranthes odorata</i>	fragrant ladiestresses	native				
<i>Zeuxine strateumatica</i>	soldier's orchid	exotic				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
 (scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Poaceae (grass)</b>						
<i>Amphicarpum muhlenbergianum</i>	blue maidencane	native			R	
<i>Andropogon glomeratus var. glaucopsis</i>	purple bluestem	native			R	
<i>Andropogon glomeratus var. pumilus</i>	common bushy bluestem	native				
<i>Andropogon virginicus</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus var. decipens</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus var. glaucus</i>	chalky bluestem	native			R	
<i>Aristida palustris</i>	longleaf threeawn	native			I	
<i>Aristida patula</i>	tall threeawn	native			R	
<i>Aristida purpurascens</i>	arrowfeather threeawn	native				
<i>Aristida spiciformis</i>	bottlebrush threeawn	native			R	
<i>Aristida stricta var. beyrichiana</i>	wiregrass	native				
<i>Axonopus fissifolius</i>	common carpetgrass	native			R	
<i>Axonopus furcatus</i>	big carpetgrass	native				
<i>Cenchrus spinifex</i>	coastal sandbur	native				
<i>Coelorachis rugosa</i>	wrinkled jointtail grass	native			R	
<i>Cynodon dactylon</i>	Bermuda grass	exotic				
<i>Chrysopogon pauciflorus</i>	Florida false beardgrass	native			I	
<i>Dactyloctenium aegyptium</i>	Durban crowfootgrass	exotic				
<i>Dichanthelium aciculare</i>	needleleaf witch grass	native				
<i>Dichanthelium commutatum</i>	variable witchgrass	native			R	
<i>Echinochloa paludigena</i>	Florida cockspur	native			I	
<i>Echinochloa walteri</i>	coast cockspur	native				
<i>Elionurus tripsacoides</i>	Pan-American balsamscale	native			I	
<i>Eragrostis atrovirens</i>	thalia love grass	exotic				
<i>Eragrostis ciliaris</i>	gophertail lovegrass	exotic				
<i>Eragrostis elliottii</i>	Elliott's lovegrass	native				
<i>Eragrostis virginica</i>	coastal lovegrass	native			I	
<i>Eriochloa michauxii</i>	Michaux's cupgrass	native			I	
<i>Eustachys glauca</i>	saltmarsh fingergrass	native				
<i>Eustachys petraea</i>	pinewoods fingergrass	native				
<i>Imperata cylindrica</i>	cogongrass	exotic				I
<i>Hemarthria altissima</i>	limpograss	exotic				II
<i>Hymenachne amplexicaulis</i>	trompetilla	exotic				I
<i>Leersia hexandra</i>	southern cutgrass	native			R	
<i>Leptochloa fusca subsp. fascicularis</i>	bearded sprangletop	native			R	
<i>Leptochloa virgata</i>	tropical sprangletop	native			CI	
<i>Muhlenbergia capillaris</i>	hairawn muhly	native				
<i>Panicum anceps</i>	beaked panicum	native				
<i>Panicum dichotomiflorum</i>	fall panicgrass	native			R	
<i>Panicum hemitomon</i>	maidencane	native				
<i>Panicum hians</i>	gaping panicum	native			R	
<i>Panicum repens</i>	torpedograss	exotic				I
<i>Panicum rigidulum</i>	redtop panicum	native				
<i>Panicum tenerum</i>	bluejoint panicum	native			R	
<i>Phanopyrum gymnocarpon</i>	Savannah panicum	native			CI	
<i>Paspalum laeve</i>	field paspalum	native				
<i>Paspalum monostachyum</i>	gulfdune paspalum	native			R	
<i>Paspalum notatum</i>	bahiagrass	exotic				
<i>Paspalum repens</i>	water paspalum	native				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<i>Paspalum setaceum</i>	thin paspalum	native				
<i>Paspalum urvillei</i>	vaseygrass	exotic				
<i>Phragmites australis</i>	common reed	native			R	
<i>Rhynchelytrum repens</i>	rose natalgrass	exotic				I
<i>Saccharum giganteum</i>	sugarcane plumegrass	native				
<i>Sacciolepis indica</i>	Indian cupscale	exotic				
<i>Sacciolepis striata</i>	American cupscale	native			R	
<i>Schizachyrium scoparium var. scoparium</i>	little bluestem	native			R	
<i>Setaria parviflora</i>	knotroot foxtail	native				
<i>Sorghastrum secundum</i>	lopsided Indiangrass	native				
<i>Spartina bakeri</i>	sand cordgrass	native				
<i>Sporobolus indicus var. pyramidalis</i>	West Indian dropseed	native				
<i>Sporobolus junceus</i>	pineywoods dropseed	native				
<i>Tripsacum dactyloides</i>	Fakahatcheegrass	native			R	
<i>Tripsacum floridanum</i>	Florida mock gamagrass	native	T			
<i>Urochloa mutica</i>	Paragrass	exotic				I
<b>Family: Pontederiaceae (pickerelweed)</b>						
<i>Eichhornia crassipes</i>	common water-hyacinth	exotic				I
<i>Pontederia cordata</i>	pickerelweed	native				
<b>Family: Smilacaceae (smilax)</b>						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
<i>Smilax bona-nox</i>	saw greenbrier	native			R	
<i>Smilax laurifolia</i>	laurel greenbrier	native				
<b>Family: Typhaceae (cattail)</b>						
<i>Typha domingensis</i>	southern cattail	native				
<i>Typha latifolia</i>	broadleaf cattail	native			R	
<b>Family: Xyridaceae (yelloweyed grass)</b>						
<i>Xyris ambigua</i>	coastalplain yelloweyed grass	native			R	
<i>Xyris brevifolia</i>	shortleaf yelloweyed grass	native			I	
<i>Xyris caroliniana</i>	Carolina yelloweyed grass	native			R	
<i>Xyris difformis</i>	bog yelloweyed grass	native			I	
<i>Xyris elliottii</i>	Elliott's yelloweyed grass	native			R	
<i>Xyris jupicai</i>	Richard's yelloweyed grass	native				
<b>Family: Acanthaceae (acanthus)</b>						
<i>Dyschoriste oblongifolia</i>	oblongleaf twinflower	native			I	
<i>Elytraria caroliniensis var. angustifolia</i>	Carolina scalystem	native			Cl	
<i>Justicia angusta</i>	pineland waterwillow	native			R	
<i>Ruellia caroliniensis</i>	Carolina wild petunia	native			I	
<i>Ruellia tweediana</i>	Mexican bluebell	exotic				II
<i>Stenandrium dulce</i>	sweet shaggytuft	native			R	
<b>Family: Altingiaceae (sweetgum)</b>						
<i>Liquidambar styraciflua</i>	sweetgum	native				
<b>Family: Amaranthaceae (amaranth)</b>						
<i>Alternanthera philoxeroides</i>	alligatorweed	exotic				II
<i>Amaranthus australis</i>	southern amaranth	native			R	
<i>Amaranthus blitum subsp. emarginatus</i>	purple amaranth	exotic				
<i>Gomphrena serrata</i>	prostate globe amaranth	exotic				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
 (scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Anacardiaceae (cashew)</b>						
<i>Rhus copallinum</i>	winged sumac	native				
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic				I
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
<b>Family: Annonaceae (custard-apple)</b>						
<i>Annona glabra</i>	pondapple	native				
<i>Asimina reticulata</i>	netted pawpaw	native				
<b>Family: Apiaceae (carrot)</b>						
<i>Eryngium baldwinii</i>	Baldwin's eryngo	native			R	
<i>Eryngium yuccifolium</i>	button rattlesnakemaster	native			R	
<i>Oxypolis filiformis</i>	water cowbane	native				
<i>Ptilimnium capillaceum</i>	mock bishopsweed	native				
<b>Family: Apocynaceae (dogbane)</b>						
<i>Asclepias incarnata</i>	swamp milkweed	native			I	
<i>Asclepias lanceolata</i>	fewflower milkweed	native			R	
<i>Cynanchum scoparium</i>	leafless swallowwort	native			R	
<i>Sarcostemma clausum</i>	white twinevine	native				
<b>Family: Aquifoliaceae (holly)</b>						
<i>Ilex cassine</i>	dahoon	native				
<i>Ilex glabra</i>	gallberry	native				
<b>Family: Araliaceae (ginseng)</b>						
<i>Centella asiatica</i>	spadeleaf	native				
<i>Hydrocotyle umbellata</i>	manyflower marshpennywort	native			R	
<i>Hydrocotyle verticillata</i>	whorled marshpennywort	native			R	
<b>Family: Asteraceae (aster)</b>						
<i>Acmella oppositifolia</i> var. <i>repens</i>	oppositeleaf spotflower	native			I	
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis angustifolia</i>	saltwater falsewillow	native			R	
<i>Baccharis glomeruliflora</i>	silverling	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Bidens alba</i> var. <i>radiata</i>	beggarticks	native				
<i>Bigelovia nudata</i> subsp. <i>australis</i>	southern pineland rayless goldenrod	native			R	
<i>Carphephorus corymbosus</i>	Florida paintbrush	native			R	
<i>Carphephorus odoratissimus</i> var. <i>subtropicanus</i>	vanillaleaf	native			I	
<i>Chaptalia tomentosa</i>	pineland daisy	native				
<i>Cirsium horridulum</i>	purple thistle	native				
<i>Conoclinium coelestinum</i>	blue mistflower	native				
<i>Conyza canadensis</i> var. <i>pusilla</i>	dwarf Canadian horseweed	native				
<i>Coreopsis floridana</i>	Florida tickseed	native			I	
<i>Coreopsis leavenworthii</i>	Leavenworth's tickseed	native				
<i>Eclipta prostrata</i>	false daisy	native				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Emilia fosbergii</i>	Florida tasselflower	exotic				
<i>Erechtites hieracifolia</i>	American burnweed	native				
<i>Erigeron quercifolius</i>	oakleaf fleabane	native				
<i>Erigeron vernus</i>	early whitetop fleabane	native			R	
<i>Eupatorium capillifolium</i>	dog fennel	native				
<i>Eupatorium leptophyllum</i>	falsefennel	native			R	
<i>Eupatorium mikanioides</i>	semaphore thoroughwort	native			R	
<i>Eupatorium mohrii</i>	Mohr's thoroughwort	native			R	

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<i>Eupatorium rotundifolium</i>	roundleaf thoroughwort	native			I	
<i>Euthamia caroliniana</i>	slender goldenrod	native				
<i>Flaveria linearis</i>	narrowleaf yellowtops	native				
<i>Gamochaeta antillana</i>	Caribbean purple everlasting	native				
<i>Helenium pinnatifidum</i>	southeastern sneezeweed	native			R	
<i>Helianthus debilis</i> subsp. <i>vestitus</i>	west coast dune sunflower	native		G5T2/S2	CI	
<i>Heterotheca subaxillaris</i>	camphorweed	native				
<i>Hieracium megacephalon</i>	coastalplain hawkweed	native				
<i>Iva microcephala</i>	Piedmont marshelder	native				
<i>Liatris gracilis</i>	slender gayfeather	native			R	
<i>Liatris tenuifolia</i>	shortleaf gayfeather	native				
<i>Lygodesmia aphylla</i>	rose-rush	native			R	
<i>Melanthera nivea</i>	snow squarestem	native			R	
<i>Mikania scandens</i>	climbing hempvine	native				
<i>Pectis glaucescens</i>	sanddune cinchweed	native				
<i>Pectis linearifolia</i>	Florida cinchweed	native			I	
<i>Pluchea odorata</i>	sweetscent	native				
<i>Pluchea rosea</i>	rosy camphorweed	native				
<i>Pterocaulon pycnostachyum</i>	blackroot	native				
<i>Rudbeckia hirta</i>	blackeyed susan	native			R	
<i>Solidago fistulosa</i>	Pinebarren goldenrod	native			R	
<i>Solidago gigantea</i>	giant goldenrod	native				
<i>Solidago sempervirens</i>	seaside goldenrod	native			R	
<i>Solidago stricta</i>	wand goldenrod	native				
<i>Sphagneticola trilobata</i>	creeping oxeye	exotic				II
<i>Symphyotrichum carolinanum</i>	climbing aster	native			R	
<i>Symphyotrichum subulatum</i>	annual saltmarsh aster	native				
<i>Symphyotrichum tenuifolium</i>	perennial saltmarsh aster	native			R	
<i>Vernonia blodgettii</i>	Florida ironweed	exotic			R	
<i>Vernonia cinerea</i>	little ironweed	exotic				
<i>Youngia japonica</i>	Oriental false hawksbeard	exotic				
<b>Family: Boraginaceae (borage)</b>						
<i>Heliotropium polyphyllum</i>	pineland heliotrope	native				
<b>Family: Callitrichaceae (waterstarwort)</b>						
<i>Callitriche pedunculosa</i>	Nuttall's waterstarwort	exotic				
<b>Family: Cabombaceae (watershield)</b>						
<i>Cabomba caroliniana</i>	Carolina fanwort	native				
<b>Family: Campanulaceae (bellflower)</b>						
<i>Lobelia glandulosa</i>	glade lobelia	native				
<i>Lobelia homophylla</i>	pineland lobelia	native			CI	
<i>Lobelia paludosa</i>	white lobelia	native			I	
<b>Family: Cistaceae (rockrose)</b>						
<i>Lechea torreyi</i>	Piedmont pinweed	native			R	



Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Clusiaceae (mangosteen)</b>						
<i>Hypericum brachyphyllum</i>	coastalplain St. John's-wort	native			R	
<i>Hypericum cistifolium</i>	roundpod St. John's-wort	native				
<i>Hypericum fasciculatum</i>	sandweed, peelbark St. John's-wort	native			R	
<i>Hypericum hypericoides</i>	St. Andrew's-cross	native				
<i>Hypericum mutilum</i>	dwarf St. John's-wort	native			I	
<i>Hypericum reductum</i>	Atlantic St. John's-wort	native				
<i>Hypericum tetrapetalum</i>	fourpetal St. John's-wort	native				
<b>Family: Convolvulaceae (morningglory)</b>						
<i>Cuscuta pentagona</i>	fiveangled dodder	native			R	
<i>Evolvulus sericeus</i>	silver dwarf morning-glory	native				
<i>Ipomoea alba</i>	moonflowers	native				
<i>Ipomoea sagittata</i>	saltmarsh morning-glory	native				
<b>Family: Cornaceae (dogwood)</b>						
<i>Cornus foemina</i>	swamp dogwood	native			R	
<i>Nyssa sylvatica</i> var. <i>biflora</i>	swamp tupelo	native			CI	
<b>Family: Cucurbitaceae (gourd)</b>						
<i>Melothria pendula</i>	creeping cucumber	native				
<b>Family: Droseraceae (sundew)</b>						
<i>Drosera capillaris</i>	pink sundew	native			R	
<b>Family: Ericaceae (heath)</b>						
<i>Bejaria racemosa</i>	tarflower	native			R	
<i>Gaylussacia dumosa</i>	dwarf huckleberry	native			R	
<i>Lyonia fruticosa</i>	coastalplain staggerbush	native				
<i>Vaccinium myrsinites</i>	shiny blueberry	native				
<b>Family: Euphorbiaceae (spurge)</b>						
<i>Acalypha gracilens</i>	slender threeseed mercury	native			I	
<i>Chamaesyce blodgettii</i>	limestone sandmat	native				
<i>Chamaesyce hirta</i>	pillpod sandmat	native				
<i>Chamaesyce hypericifolia</i>	graceful sandmat	native				
<i>Chamaesyce hyssopifolia</i>	hyssopleaf sandmat	native				
<i>Chamaesyce ophthalmica</i>	Florida hammock sandmat	native				
<i>Croton glandulosus</i> var. <i>septentrionalis</i>	vente conmigo	native				
<i>Euphorbia polyphylla</i>	lesser Florida spurge	native				
<i>Phyllanthus caroliniensis</i> subsp. <i>saxicola</i>	rock Carolina leafflower	native			R	
<i>Phyllanthus urinaria</i>	chamber bitter	exotic				
<i>Stillingia aquatica</i>	water toothleaf, corkwood	native			R	
<i>Stillingia sylvatica</i>	queensdelight	native			R	

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Fabaceae (pea)</b>						
<i>Abrus precatorius</i>	rosary pea	exotic				I
<i>Acacia auriculiformis</i>	earleaf acacia	exotic				I
<i>Aeschynomene americana</i>	shyleaf	native				
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<i>Chamaecrista nictitans var. aspera</i>	hairy partidge-pea	native				
<i>Crotalaria pallida var. obovata</i>	smooth rattlebox	exotic				
<i>Crotalaria rotundifolia</i>	rabbitbells	native				
<i>Desmodium incanum</i>	zarabacoa comun	native				
<i>Desmodium triflorum</i>	threeflower ticktrefoil	exotic				
<i>Galactia elliotii</i>	Elliott's milkpea	native			R	
<i>Galactia regularis</i>	eastern milkpea	native			R	
<i>Leucaena leucocephala</i>	white leadtree	exotic				II
<i>Senna obtusifolia</i>	coffeeweed	exotic				
<i>Senna pendula var. glabrata</i>	valamuerto	exotic				
<i>Sesbania herbacea</i>	danglepod	native				
<i>Tephrosia rugelii</i>	Rugel's hoarypea	native			I	
<i>Vicia acutifolia</i>	fourleaf vetch	native				
<i>Vigna luteola</i>	hairypod cowpea	native				
<b>Family: Fagaceae (beech)</b>						
<i>Quercus laurifolia</i>	laurel oak, diamond oak	native				
<i>Quercus minima</i>	dwarf live oak	native			R	
<i>Quercus virginiana</i>	Virginia live oak	native				
<b>Family: Gentianaceae (gentian)</b>						
<i>Sabatia brevifolia</i>	shortleaf rosegentian	native			I	
<i>Sabatia calycina</i>	coastal rosegentian	native			I	
<i>Sabatia decandra</i>	Bartram's rosegentian	native			I	
<i>Sabatia stellaris</i>	rose-of-plymouth	native				
<b>Family: Haloragaceae (watermilfoil)</b>						
<i>Myriophyllum heterophyllum</i>	towleaf watermilfoil	native			I	
<i>Proserpinaca palustris</i>	marsh mermaidweed	native			R	
<i>Proserpinaca pectinata</i>	combleaf mermaidweed	native			R	
<b>Family: Hydroleaceae (false fiddleleaf)</b>						
<i>Hydrolea corymbosa</i>	skyflower	native			R	
<b>Family: Hypoxidaceae (yellow stargrass)</b>						
<i>Hypoxis curtissii</i>	common yellow stargrass	native				
<i>Hypoxis juncea</i>	fringed yellow stargrass	native			R	
<b>Family: Juglandaceae (walnut)</b>						
<i>Carya aquatica</i>	water hickory	native			I	
<b>Family: Lamiaceae (mint)</b>						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Hyptis alata</i>	clustered bushmint, musky mint	native				
<i>Lycopus rubellus</i>	taperleaf waterhorehound	native			I	
<i>Physostegia purpurea</i>	eastern false dragonhead	native			I	
<i>Piloblephis rigida</i>	wild pennyroyal	native				
<i>Teucrium canadense</i>	wood sage	native				
<b>Family: Lauraceae (laurel)</b>						
<i>Cassytha filiformis</i>	love vine	native				
<i>Persea palustris</i>	swamp bay	native				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Lentibulariaceae (bladderwort)</b>						
<i>Pinguicula pumila</i>	small butterwort	native			R	
<i>Utricularia cornuta</i>	horned bladderwort	native			R	
<i>Utricularia foliosa</i>	leafy bladderwort	native			R	
<i>Utricularia inflata</i>	floating bladderwort	native			I	
<i>Utricularia simulans</i>	fringed bladderwort	native			I	
<i>Utricularia subulata</i>	zigzag bladderwort	native			R	
<b>Family: Linaceae (flax)</b>						
<i>Linum medium</i> var. <i>texanum</i>	stiff yellow flax	native			R	
<b>Family: Loganiaceae (logania)</b>						
<i>Mitreola petiolata</i>	lax hornpod	native				
<i>Mitreola sessilifolia</i>	swamp hornpod	native			R	
<b>Family: Lythraceae (loosestrife)</b>						
<i>Ammannia latifolia</i>	Pink redstem, toothcups	native			R	
<i>Cuphea carthagenensis</i>	Columbian waxweed	exotic				
<i>Lythrum alatum</i> var. <i>lanceolatum</i>	winged loosestrife	native			R	
<i>Rotala ramosior</i>	lowland rotala, toothcup	native			I	
<b>Family: Magnoliaceae (magnolia)</b>						
<i>Magnolia virginiana</i>	sweetbay	native				
<b>Family: Malvaceae (mallow)</b>						
<i>Melochia spicata</i>	bretonica peluda	native			I	
<i>Sida acuta</i>	common wireweed	native				
<i>Sida cordifolia</i>	Ilima	exotic				
<i>Sida elliotii</i>	Elliott's fanpetals	native			R	
<i>Sida rhombifolia</i>	Cuban jute, Indian hemp	native				
<i>Urena lobata</i>	Caesarweed	exotic				II
<b>Family: Melastomataceae (melastome)</b>						
<i>Rhexia mariana</i>	pale meadowbeauty	native			R	
<i>Rhexia nuttallii</i>	Nuttall's meadowbeauty	native			I	
<b>Family: Meliaceae (mahogany)</b>						
<i>Swietenia mahagoni</i>	West Indian mahogany	native				
<b>Family: Moraceae (mulberry)</b>						
<i>Ficus aurea</i>	strangler fig	native				
<i>Ficus benjamina</i>	weeping fig	exotic				
<i>Ficus microcarpa</i>	Indian laurel	exotic				I
<b>Family: Myricaceae (bayberry)</b>						
<i>Myrica cerifera</i>	southern bayberry, wax myrtle	native				
<b>Family: Myrsinaceae (myrsine)</b>						
<i>Rapanea punctata</i>	myrsine	native				
<b>Family: Myrtaceae (myrtle)</b>						
<i>Eucalyptus torelliana</i>	Torrell's eucalyptus	exotic				
<i>Eugenia uniflora</i>	Surinam cherry	exotic				I
<i>Melaleuca quinquenervia</i>	punktree	exotic				I
<i>Melaleuca viminalis</i>	bottlebrush	exotic				II
<i>Psidium cattleianum</i>	strawberry guava	exotic				I
<i>Psidium guajava</i>	guava	exotic				I
<i>Rhodomyrtus tomentosa</i>	rose myrtle	exotic				I
<i>Syzygium cumini</i>	Java plum	exotic				I
<b>Family: Nymphaeaceae (waterlily)</b>						
<i>Nuphar advena</i>	spatterdock	native				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<i>Nymphaea elegans</i>	tropical royalblue waterlily	native			I	
<b>Family: Oleaceae (olive)</b>						
<i>Fraxinus caroliniana</i>	pop ash	native			R	
<b>Family: Onagraceae (eveningprimrose)</b>						
<i>Gaura angustifolia</i>	southern beeblossum	native				
<i>Ludwigia alata</i>	winged primrosewillow	native			R	
<i>Ludwigia curtissii</i>	Curtiss's primrosewillow	native			R	
<i>Ludwigia maritima</i>	seaside primrosewillow	native			R	
<i>Ludwigia microcarpa</i>	smallfruit primrosewillow	native			R	
<i>Ludwigia octovalvis</i>	Mexican primrosewillow	native				
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	exotic				
<i>Ludwigia repens</i>	creeping primrosewillow	native				
<b>Family: Orobanchaceae (broomrape)</b>						
<i>Agalinis fasciculata</i>	beach false foxglove	native			R	
<i>Agalinis linifolia</i>	flaxleaf false foxglove	native			R	
<i>Buchnera americana</i>	American bluehearts	native				
<b>Family: Oxalidaceae (woodsorrel)</b>						
<i>Oxalis corniculata</i>	common yellow woodsorrel	native				
<b>Family: Passifloraceae (passionflower)</b>						
<i>Passiflora suberosa</i>	corkystem passionflower	native				
<b>Family: Phyllanthaceae (leafflower)</b>						
<i>Bischofia javanica</i>	Javanese bishopwood	exotic				I
<b>Family: Polygalaceae (milkwort)</b>						
<i>Polygala balduinii</i>	Baldwin's milkwort	native			R	
<i>Polygala grandiflora</i>	showy milkwort	native				
<i>Polygala incarnata</i>	procession flower	native			R	
<i>Polygala lutea</i>	orange milkwort	native			I	
<i>Polygala setacea</i>	coastalplain milkwort	native			I	
<b>Family: Polygonaceae (buckwheat)</b>						
<i>Polygonella polygama</i>	October flower	native			R	
<i>Polygonum densiflorum</i>	denseflower knotweed	native				
<i>Polygonum hydropiperoides</i>	swamp smartweed	native			R	
<i>Polygonum lapathifolium</i>	curlytop knotweed	native				
<i>Polygonum punctatum</i>	dotted smartweed	native				
<i>Rumex verticillatus</i>	swamp dock	native			I	
<b>Family: Portulacaceae (purslane)</b>						
<i>Portulaca amilis</i>	Paraguayan purslane	exotic				
<b>Family: Primulaceae (primrose)</b>						
<i>Anagallis pumila</i>	Florida pimpernel	native			CI	
<i>Samolus ebracteatus</i>	water pimpernel	native				
<b>Family: Rubiaceae (madder)</b>						
<i>Cephalanthus occidentalis</i>	common buttonbush	native				
<i>Diodia virginiana</i>	Virginia buttonweed	native			R	
<i>Houstonia procumbens</i>	innocence, roundleaf bluet	native			R	
<i>Oldenlandia uniflora</i>	clustered mille graine	native			I	
<i>Psychotria sulzneri</i>	shortleaf wild coffee	native				
<i>Richardia brasiliensis</i>	tropical Mexican clover	exotic				
<i>Spermacoce assurgens</i>	woodland false buttonweed	native				
<i>Spermacoce verticillata</i>	shrubby false buttonweed	exotic				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
 (scientific and common names were obtained from Wunderlin and Hansen 2003)

Scientific Name	Common Name	Native Status	FDACS	FNAI	IRC	EPPC
<b>Family: Salicaceae (willow)</b>						
<i>Salix caroliniana</i>	Carolina willow, coastal plain willow	native				
<b>Family: Sapindaceae (soapberry)</b>						
<i>Acer rubrum</i>	red maple	native				
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic				I
<b>Family: Sapotaceae (sapodilla)</b>						
<i>Sideroxylon reclinatum subsp. reclinatum</i>	recline Florida bully	native			R	
<b>Family: Solanaceae (nightshade)</b>						
<i>Physalis walteri</i>	Walter's groundcherry	native				
<i>Solanum americanum</i>	American black nightshade	native				
<i>Solanum diphyllum</i>	twoleaf nightshade	exotic				II
<i>Solanum tampicense</i>	aquatic soda apple	exotic				I
<i>Solanum viarum</i>	tropical soda apple	exotic				I
<b>Family: Tetrachondraceae (tetrachondra)</b>						
<i>Polypremum procumbens</i>	rustweed, juniperleaf	native				
<b>Family: Turneraceae (turnera)</b>						
<i>Piriqueta cistoides subsp. caroliniana</i>	pitted stripeseed	native				
<b>Family: Ulmaceae (elm)</b>						
<i>Ulmus americana</i>	American elm	native			CI	
<b>Family: Urticaceae (nettle)</b>						
<i>Boehmeria cylindrica</i>	false nettle	native				
<b>Family: Verbenaceae (vervain)</b>						
<i>Phyla nodiflora</i>	turkey tangle fogfruit, capeweed	native				
<b>Family: Veronicaceae (speedwell)</b>						
<i>Bacopa caroliniana</i>	lemon bacopa	native				
<i>Bacopa monnieri</i>	herb-of-grace	native				
<i>Gratiola ramosa</i>	branched hedgehyssop	native			R	
<i>Lindernia crustacea</i>	Malaysian false-pimpernel	exotic				
<i>Lindernia dubia var. anagallidea</i>	yellowseed false pimpernel	native				
<i>Lindernia grandiflora</i>	Savannah false-pimpernel	native			I	
<i>Mecardonia acuminata subsp. peninsularis</i>	axilflower	native				
<i>Micranthemum glomeratum</i>	manatee mudflower	native			I	
<i>Micranthemum umbrosum</i>	shade mudflower	native			CI	
<i>Scoparia dulcis</i>	sweetbroom, licoriceweed	native				
<b>Family: Viscaceae (mistletoe)</b>						
<i>Phoradendron leucarpum</i>	oak mistletoe	native			CI	
<b>Family: Violaceae (violet)</b>						
<i>Viola lanceolata</i>	bog white violet	native			I	
<b>Family: Vitaceae (grape)</b>						
<i>Ampelopsis arborea</i>	peppervine	native				
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				
<i>Vitis rotundifolia</i>	muscadine	native				

Appendix B: Plant list for Six Mile Cypress Slough and Six Mile Cypress North Preserves  
(scientific and common names were obtained from Wunderlin and Hansen 2003)

**Key**

**Florida EPPC Status**

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

**FDACS (Florida Department of Agriculture and Consumer Services)**

E = Endangered

T = Threatened

CE = Commercially Exploited

**IRC (Institute for Regional Conservation)**

CI = Critically Imperiled

I = Imperiled

R = Rare

**FNAI (Florida Natural Areas Inventory)**

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals)  
or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals)  
or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals)  
or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure