## **BID FORM** REHABILITATION CONSTRUCTION PROJECT FOR

PROPERTY OWNER: Lina Reyes

ADDRESS: 1167 Travis Ave, North Fort Myers, FL 33903

#### BID DUE DATE: 04/18/2016

The bid submitted is based on the structure being: Occupied Unoccupied by the Tenant/Owner during construction.

## **BID LIFE FORTY-FIVE (45) CALENDAR DAYS**

#### RETURN TO: Lee County Department of Human Services 2440 Thompson Street Fort Myers, FL 33901 (239) 533-7930

Pursuant to and in compliance with the Invitation to Bidders and the proposed Contract Documents as Defined in the Instructions to Bidders relating to the Rehabilitation Construction Project referenced above, including any Addenda, the undersigned, having become thoroughly familiar with the terms and conditions affecting the performance and cost of the work at the place where the work is to be completed, and having fully inspected the site in all particulars, hereby proposes and *agrees to fully perform the work within <u>30</u> calendar days from the date the Notice to Proceed is issued, and in exact accordance with the proposed Contract Documents, including furnishing of any and all labor and materials and to do all the work required to construct and complete said work in accordance with the Contract Documents, for the following sum of money:* 

Total prices are to include all labor, materials, services and equipment necessary for completion of the work as shown on the Drawings, Schedule of Work and General Specification attached hereto:

\$
\$
\$
\$

SCOPE OF WORK: Septic

This project requires the Contractor to have the following license(s) to perform the specified scope of work: Septic Contractor's License

<u>Ordering Instructions</u>: Official Bidding Documents may be examined at and **must** be obtained from the Lee County Human Services Department 2440 Thompson Street, Fort Myers, FL 33901, phone 239-533-7900 or online at: http://www.leegov.com/dhs/housing/contractors/openbids

<u>Please Note:</u> Bids will not be accepted by the County if the Official Bidding Documents are not obtained from Lee County Department of Human Services. Any substitutes for the Lee County Official Bidding Documents will not be accepted.

It is mandatory that the contractor or his representative attend all Pre-Bid Meetings (*if required*). Failure to attend will result in forfeiting the right to bid on this project. All pages of the bid package must be submitted.

SEALED BIDS TO BE SUBMITTED BY 3:00 P.M on April 18, 2016.

TO: LEE COUNTY BOARD OF COUNTY COMMISSIONERS LEE COUNTY HUMAN SERVICES 2440 THOMPSON STREET, FORT MYERS, FLORIDA

> BID OPENING: LEE COUNTY HUMAN SERVICES 2440 Thompson Street, Fort Myers, FL 33901 DATE/TIME: April 18, 2016 by 3:00 P.M.

### **INSTRUCTIONS TO BIDDERS**

#### 1. DEFINITIONS

1.1 "COUNTY" is defined as the Board of County Commissioners of Lee County, Florida, or its duly authorized representative(s).

1.2 "BIDDER" is defined as one who submits a bid directly to the COUNTY in response to this Solicitation.

1.3 "SUCCESSFUL BIDDER" is defined as the lowest, qualified, responsible, and responsive bidder to whom the Board of County Commissioners makes a written award, based upon evaluation criteria contained herein.

1.4 "BIDDING DOCUMENTS" or "CONTRACT DOCUMENTS" is defined as document to be submitted with the bid proposal:

- A. Signed **Bid Form** with ALL items completed.
- B. Schedule of Work with unit prices for all "Bid Items", "Alternates", and "Addenda" items, as applicable.
- C. Acknowledge Receipt of Addenda, if applicable.
- D. Rehabilitation Contractor Application MUST BE currently on file or submitted within ten (10) calendar days AFTER Bid Opening. Applications are available at Lee County Department of Human Services (Housing) or on the Human Services website: <a href="http://www.leegov.com/dhs/housing/contractors">http://www.leegov.com/dhs/housing/contractors</a>

**NOTE:** Title, Subtitles, Headings, Running Headlines of Contents, and Indexes are used merely for convenience purposes.

- 1.5 "SEALED BID" is defined as the form in which the bidding documents are to be submitted to the COUNTY.
  - A. Bidding Documents must be submitted in a sealed envelope no later than 3:00 pm on the date specified
     B. Sealed envelope must be labeled "Sealed Bid", and clearly state the CLIENT NAME, CLIENT ADDRESS, DATE AND TIME BID IS DUE, CONTRACTOR NAME, and CONTRACTOR ADDRESS.
  - C. All items in Section 1.4 of this package are to be included in the sealed envelope.

#### 2. BIDDER EXAMINATION/INVESTIGATION OF SITE

#### 2.1 EXAMINATION OF DRAWINGS, SPECIFICATIONS AND ATTENDANCE AT PRE-BID MEETING

Before submitting a bid, each bidder shall carefully examine the drawings (if applicable), read the specifications, general conditions, and all other contract documents and **ATTEND THE PRE-BID MEETING** (*if required*). Each bidder shall fully inform himself prior to bidding as to all existing conditions and limitations under which the work is to be performed and he shall include in his bid a sum to cover the cost of all items necessary to perform the work as set forth in the contract documents. No plea of ignorance of conditions or difficulties that may be encountered in the execution of the work pursuant to this bid package may be made. Failure to make the necessary examinations and investigations will not be accepted as an excuse for any failure or omission on the part of the successful BIDDER must fulfill all of the requirements of the Contract Documents. Failure or omission on the part of the successful BIDDER will not be accepted as a basis for any claims whatsoever for extra compensation or for an extension of time. The submission of a bid shall be construed as conclusive evidence that the bidder has made all necessary examinations.

2.2 Reference is made to the Supplementary Conditions for the identification of those reports of investigation and test of subsurface and latent physical conditions at the site or otherwise affecting cost, progress or performance of the work which have been relied upon by the County and/or its Consultant in preparing the Drawings and Specifications. COUNTY will make copies of such reports available to any BIDDER requesting them. These reports are not guaranteed as to their accuracy or completeness, nor are they part of the Contract Documents. Before submitting its Bid, each BIDDER will, at its own expense, make such additional investigations and tests as the BIDDER may deem necessary.

2.3 BIDDER shall not be entitled to compensation beyond its bid price when required to incur expenses because of tolls, weight limits of trucks, access to the site, permanent or temporary power at the job site, delivery of materials, temporary utilities, or compliance with OSHA requirements when examination and/or investigation of the site conditions and access routes would have revealed the extra expense involved. The above list is intended to be illustrative and not all-inclusive.

### 3. <u>PREPARATION OF BID</u>

3.1 Each BIDDER shall submit the completed Bid Specifications and indicate the total lump-sum, total unit price base bid, and any total price(s) of any alternative(s) requested as part of the bid solicitation. BIDDER must furnish all requested information in the space provided in the Bid Specifications. The BIDDER is solely responsible for reading and completely understanding the requirements and the specifications of the items bid.

- 3.2 Signatures shall be required as follows:
  - A. Bids by a corporation must be manually executed in the corporate name, by the President or Vice President (or other corporate officer, accompanied by written evidence of authority to so sign). The corporate seal must be affixed and attested by the secretary or assistant secretary. The corporate address and State of incorporation must be shown below the signature. Non-resident corporations shall furnish to the COUNTY a duly certified copy of all required authorizations to transact business in the State of Florida along with the bid proposal.
  - B. Bids by a partnership must be manually executed in the partnership name and signed by a partner whose title must appear under the signature. The official address of the partnership must be shown below the signature.
  - C. Attorneys-in-Fact who sign bonds or other surety instruments must attach with each bond or surety instrument a certified and effectively dated copy of their power of attorney.
  - D. All names must be typed or printed below the signature.
- 3.3 The COUNTY will only consider bids meeting the exact specifications and requirements of the Bidding Documents.
- 3.4 Bid errors shall be handled as follows:
  - A. Where bids have erasures or corrections, each erasure or correction must be in ink and initialed in ink by the BIDDER.
  - B. In the case of unit price bids, if an error occurs in the extension of an item, the unit price in words (as shown in the bid) will govern.

3.5 Any blank spaces on the Bid Specifications, qualifying notes, exceptions, counter offers, lack of required submittals, signatures, or failure to submit a bid on the County's form may cause BIDDER to be declared non-responsive.

3.6 Where required by the bid package, BIDDERS must submit (with their bid specifications) cuts, sketches, descriptive literature and/or complete specifications relative to the items proposed and offered.

3.7 The BIDDER shall comply with the Florida Sales and Use Tax Law as it may apply to this Contract. The Bid amount(s) shall include any and all Florida Sales and Use Tax payment obligations required by Florida Law of the successful BIDDER and/or its subcontractors or material suppliers.

3.8 Bid envelope MUST be marked as outlined in Section 1.5 (above).

#### 4. COUNTY INTERPRETATION/ADDENDA

4.1 No interpretation or clarification of the meaning of the plans, specifications, or other contract documents will be binding if made to any BIDDER orally. Every such request must be in writing, addressed to the LEE COUNTY DEPARTMENT OF HUMAN SERVICES, and received no later than three (3) calendar days prior to bid opening date.

4.2 All such interpretations or clarifications MUST be issued in writing by Housing Services. Information obtained directly from the homeowner of the property being rehabilitated will not control.

4.3 All interpretations, supplemental instructions, or modifications to the Bidding Documents will be issued as a written Addendum and made available to all known BIDDERS, not later than **three (3) calendar days** (excluding Saturdays, Sundays, and Holidays), prior to the bid opening date. Questions will not be accepted during the last **three (3) days prior** to bid opening date, unless otherwise specified by the Department of Human Services. All Bidders should check with Human Services at least **three (3) calendar days** before the bid due date to verify information regarding Addenda. Failure to do so may result in rejection of the bid as non-responsive. Bidder shall acknowledge receipt of all Addenda by number and date on the Bid Specifications. Addenda information will be emailed to all contractors that attended the mandatory pre-bid meeting *(if required)* or posted on the Human Services website. IT IS THE SOLE RESPONSIBILITY OF THE BIDDER TO ENSURE HE/SHE OBTAINS INFORMATION RELATED TO ADDENDA. All Addenda shall become part of the Contract Documents.

### 5. INSURANCE REQUIREMENTS

5.1 CONTRACTOR'S LIABILITY, WORKER'S COMPENSATION AND AUTO INSURANCE POLICIES - The successful bidder shall deliver to the *Lee County Department of Human Services (Housing)* along with the executed agreement, within **ten (10) calendar days** of the *Notice of Award*, certificates of insurance, which the successful bidder is required to purchase and maintain in accordance with Florida Law. If the successful bidder fails to furnish the required **certificates of insurance** with the ten (10) calendar days of the *Notice of Award*, *Lee County Department of Human Services (Housing)* may annul the *Notice of Award*, and award the bid to the next lowest, responsible, and responsive bidder.

### 6. <u>SUBMISSION OF BIDS</u>

6.1 SUBMIT THE BID according to section 1.5 of this package IN A SEALED ENVELOPE, EITHER MAILED OR HAND CARRIED, TO Lee County Department of Human Services, 2440 Thompson St, Fort Myers, FL 33901, PRIOR TO THE BID CLOSING TIME. The ENTIRE Bid Package must be stamped in received by Human Services prior to the bid submittal deadline.

6.2 The proper delivery of the bid to Lee County is solely and strictly BIDDER'S responsibility. Lee County shall not be responsible for delays caused by the United States Postal Service or any other occurrence. Bids submitted by certified or registered mail, not received by Lee County Human Services by the bid submittal deadline, will not be honored.

6.3 The bid submittal time will be **scrupulously** observed. Under <u>no</u> circumstances will bid proposals delivered after the specified submittal time be considered. It is the bidder's responsibility to ensure the bid is received by the Department of Human Services prior to the opening date and time specified. Any bid received after the opening date and time will be promptly returned to the bidder unopened.

6.4 Bidder must submit his/her Lump Sum Bid on this Bid Form and Unit Prices on the Schedule of Work. Any blank spaces on the Bid Form and Schedule of Work required in Instructions to Bidders or signatures may result in the Bid being declared as *NON-RESPONSIVE*.

## 7. WITHDRAWAL, TRANSFER OR MODIFICATION OF BIDS

7.1 Bids may be withdrawn at written, faxed, or e-mailed request of the BIDDER in time for delivery, in the normal course of business, prior to the time fixed for the opening of bid proposals provided, however, that written confirmation of any telegraphic-withdrawal over the signature of the BIDDER is placed in the mail and postmarked prior to the time set for bid opening.

7.2 If, within twenty-four (24) hours after Bids are opened (excluding Saturdays, Sundays and Holidays), any BIDDER providing a signed, written notice to the COUNTY and demonstrating to the reasonable satisfaction of the COUNTY that there was a material and substantial mistake in the preparation of its Bid, may withdraw its Bid without penalty. The BIDDER shall be disqualified from further consideration on the Work to be provided under that Project. Except as specified in this subparagraph, BIDDER may not withdraw its bid after the appointed bid opening time.

7.3 As consideration for the undersigned bid to be acknowledged by *Lee County Department of Human Services* in their Award of the Contract, the undersigned bidder hereby agrees that his/her bid shall be only on such forms as provided and shall be submitted prior to the scheduled time on which the bids are to be opened. Any revocation of the original bid shall be accompanied by submission of the same form as the original bid with the work *REVOCATION* placed thereon. All revocations and modifications shall be sealed.

7.4 BIDDER may not modify its bid proposal after the appointed bid opening time for any reason whatsoever.

7.5 BIDDER may not assign or otherwise transfer its bid prior to or after the bid opening time.

### 8. <u>BID OPENING</u>

8.1 At the time and place fixed for the opening of bids every bid properly delivered within the time fixed for receiving bids will be opened and publicly read aloud, irrespective of any irregularities found therein. BIDDERS and other persons interested may be present, in person or by representative. An abstract of the amounts of the base bids and major alternates (if any) will be made available to BIDDERS after the opening of bids.

### 9. AWARD OF CONTRACT/REJECTION OF BIDS

9.1 Bids are being obtained pursuant to FS 255.20. The statutory criterion for award of a bid is to the "lowest qualified responsive and responsible bidder in accordance with the contract/bid documents". A bid meeting these statutory criteria is considered in the best interest of the COUNTY. The COUNTY reserves the right to exercise its discretion to reject any and all Bids, with or without cause, to waive informalities (e.g., not involving price, time or changes in the work), and to accept the bid that in its judgment will be in the best interest of Lee County. Discrepancies in the multiplication of units of work and unit prices will be resolved in favor of the unit prices. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum. Minor mathematical errors will be corrected by the Department of Human Services based upon stated criteria.

9.2 The COUNTY may conduct such investigations as the COUNTY deems necessary and appropriate to assist in the evaluation of any Bid and to establish the responsibility, qualifications and financial ability of Bidders, proposed Subcontractors, Suppliers and other persons and organizations proposed by Bidder hereunder.

9.3 By submitting a bid, the BIDDER recognizes and accepts that the COUNTY may reject the bid based upon the exercise of its sole discretion. BIDDER waives any claim(s) it may have for damages or other relief resulting directly or indirectly from the rejection of its bid based on any grounds, including the disclosure of any pertinent information relating to the reasons for rejection of said bid.

9.4 All vendors will be evaluated on their past performance and prior dealings with Lee County (i.e., failure to meet specifications, poor workmanship, late delivery, etc.). Poor or unacceptable past performance may result in bidder disqualification.

9.5 The County reserves the right to exercise its discretion, to waive minor informalities in any bid; to reject any or all bids with or without cause; and/or to accept the bid that in its judgment will be in the best interest of the County of Lee.

### 10. EXECUTION OF WRITTEN CONTRACT

10.1 The COUNTY will issue a "Notice to Proceed" on the Project within **forty-five (45) calendar days** of the date of the Notice of Award.

10.2 In the event the Notice to Proceed has not been issued by the COUNTY within the **forty-five** (**45**) **calendar day** period above, the CONTRACTOR shall have the option, upon written notice, to rescind the Contract or continue with the Contract as originally bid, unless stated otherwise in Supplemental Conditions.

### 11. ACCEPTANCE

11.1 The materials and/or services delivered under the bid shall remain the property of the seller until a physical inspection and actual usage of these materials and/or services is accepted by the County and is deemed to be in compliance with the terms herein, fully in accord with the specifications and of the highest quality. In the event the materials and/or services supplied to the County are found to be defective or do not conform to specifications, the County reserves the right to cancel the order upon written notice to the seller and return such product to the seller at the seller's expense.

## 12. PUBLIC ENTITY CRIME AFFIDAVIT

12.1 Any person or affiliate as defined by statute who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid or a contract to provide any goods or services to the County; may not submit a bid on a contract with the County for the construction or repair of a public building or a public work; may not submit bids or leases of real property to the County; may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with the County, may not transact business with the County in excess of \$25,000 for a period of 36 months from the date of being placed on the convicted vendor list.

### 13. DRUG FREE WORKPLACE

13.1 Whenever two or more proposals, which are equal with respect to price, quality, and service, are received for the procurement of contractual services, a proposal received from a business that certifies that is has implemented a drug-free workplace program shall be given preference in the evaluation/award process. In order to have a drug-free workplace, a business shall comply with the requirements of Florida Statutes 287.087.

### 14. PERMITS AND LICENSES

14.1 The contractor must apply for <u>all</u> applicable permits within fourteen (14) calendar days after the notice to proceed is issued by the Lee County Department of Human Services. All permits, governmental fees and licenses necessary for the proper execution and completion of the work must be obtained prior to the commencement of any work required by job specifications, copies of such licenses and permits shall be provided to the rehab specialist upon receipt. Each contractor will submit, to the rehab specialist, a copy of job specifications that have been signed off by the building department certifying that all permits applicable to the work required have been applied for.

A notice of commencement will be filed on each job in conjunction with the issuance of notices to proceed and any other requirements of the Florida Mechanic's Lien Law shall be completed.

### 15. LABOR AND MATERIALS

15.1 The contractor shall provide and pay for all labor, materials, equipment, tools, construction equipment and machinery, transportation, etc., necessary for the proper execution and completion of the work.

## 16. IMMIGRATION LAWS

16.1 Lee County will not intentionally award County contracts to any contractor who knowingly employs unauthorized alien workers, constituting a violation of the employment provisions contained in 8 U.S.C. Section 1324 a(e), Section 274A(e) of the Immigration and Nationality Act ("INA).

16.2 Lee County shall consider the employment by any Contractor of unauthorized aliens a violation of Section 274A(e) of the INA. Such violation by the recipient of the employment provisions contained in Section 274A(e) of the INA shall be grounds for unilateral cancellation of the contract by Lee County.

### 17. SECTION 3

17.1 It is the policy of the Lee County Department of Human Services (DHS) to comply with the requirements of Section 3 of the Housing and Urban Development Act (HUD) of 1968 pursuant to 24 CFR 570.607 (b). This legislative directive provides preference to low-income residents, and businesses that substantially employ these persons, for new employment, training, and contracting opportunities resulting from HUD-funded projects. As such it is the intent of DHS to give, to the greatest extent feasible, (consistent with existing Federal, State, and local laws and regulations), employment, contracting and other economic opportunities arising in connection with a proposed project to low-income persons, Section 3 residents and business concerns in the local community, and that contracts be awarded to eligible business concerns which employ and/or are owned in substantial part by such low-income persons residing in Lee County.

17.2 In order for DHS to be considered in compliance with the regulation, DHS will make, to the greatest extent feasible, efforts to achieve the three annual minimum numerical goals as set forth at <u>24 CFR Part 135.30</u>, for employment and contracting by: 1) awarding 10 percent of the total dollar amount of all covered construction contracts to Section 3 businesses; 2) offering 30 percent of new employment opportunities to Section 3 businesses; and 3) hiring 30 percent of new hires as Section 3 residents annually—i.e., one out of three new employees needed to complete a Section 3 covered project/activity shall be a Section 3 resident.

17.3 Efforts to ensure that these levels are achieved include: 1) requiring that all contractors post information at job sites in affected areas regarding employment opportunities and preference in hiring Section 3 employees and 2) advertising projects identifying contracting opportunities and the preference to utilize Section 3 businesses.

## **CERTIFICATION**

I understand that Lee County Department of Human Services reserves the right to reject this bid, but that this bid shall remain open and shall not be withdrawn for a period of **forty-five** (**45**) **calendar days** from the date prescribed for its opening. If written *Notice of Award* of this bid is delivered to the undersigned within **forty-five** (**45**) **calendar days** after the date set for the opening of this bid, **or at any other time thereafter before it is withdrawn**, the undersigned will execute and deliver the Contract Documents to the Department of Human Services in accordance with this bid as accepted and will also furnish and deliver to the Lee County Department of Human Services proof of insurance coverage within **ten** (**10**) **calendar days** after delivery of the *Notice of Award* of this bid.

Bidder warrants by virtue of bidding that any orders placed or contracts awarded within **forty-five (45) calendar days** from the date of bid opening shall be honored at the prices, term and conditions in this proposal unless otherwise stated. All bids shall be subject to acceptance and issuance of a *Notice to Proceed* by the property owner within **forty-five (45) calendar days** after the contract has been awarded.

Bidder must submit his/her Lump Sum Bid on this Bid Form and Unit Prices on the Schedule of Work. Any blank spaces on the Bid Form and Schedule of Work required in Instructions to Bidders or signatures may result in the Bid being declared as *NON-RESPONSIVE*.

## SEALED FORM, MODICATION, AND REVOCATION OF THE BID

As consideration for the undersigned bid to be acknowledged by the Property Owner in their Award of the Contract, the undersigned bidder hereby agrees that his/her bid shall be only on such forms as provided and shall be submitted prior to the scheduled time on which the bids are to be opened. Any revocation of the original bid shall be accompanied by submission of the same form as the original bid with the work *REVOCATION* placed thereon. All revocations and modifications shall be sealed.

### ANTI-COLLUSION STATEMENT

The below signed bidder has not divulged to, discussed or compared his bid with other bidders and has not colluded with any other bidder or parties to the bid whatsoever.

Notice of Award or request for additional information may be addressed to the undersigned at the address set forth below.

By signing below I acknowledge that I have read and understood the information in this bid form.

FIRM:
BY:(Printed)
BY:(Signature)
TITLE:
ADDRESS:
PHONE NUMBER:
LICENSE NUMBER:
LICENSE TYPE:

Bid due back	By 3:00 PM
Bid Posted	4/18/2016
D:1 D	4/8/2014

# Lee County BoCC Human Services

Name: Lina Reyes Address: 1167 Travis Ave. City, State Zip: North Fort Myers, Fl. 33903 Client Phone #: 239-258-7433 Strap #: 10-44-24-03-00008.0000 Date: 04/08/2016 Rehab Specialist: Bob Betrus; 239-533-7952

<u>Contractor will have 30</u> <u>days to complete the work</u>.

All construction shall be in compliance with the 2014 Florida Building Code, Building, Residential, Existing Building, Plumbing, and Mechanical. The 2011 National Electrical Code. All Lee County Ordinances. All current Florida State Statues Chapter 10D-6 of the Florida Administrative Code

Contractors <u>shall be responsible</u> for all dimensions, locations, and quantities. All color samples shall be submitted and approved by this office <u>prior</u> to work commencing.

Note: No deviation from this specification will be permitted without written and signed authorization by Lee County Department of Human Services.

Contractors *must* obtain <u>ALL NECESSARY PERMITS</u> and all necessary documents from Federal, State and Local governmental agencies prior to commencement of any work. Furnish copies of permits to Lee County Department of Human Services <u>prior</u> to commencement of any work. Permits will cover all work to be completed under this schedule of work.

# **SCHEDULE OF WORK**

1. Septic System: Install new/replace existing septic system as defined on permit number 36-SN-1672286. If a lift, dosing pump, grease trap, etc., and related electrical/plumbing provisions, are required by the Health Department Permit for this job, it shall be included in the base bid including all related permits (see Alternate Bid below for additional information). Excavate drain field and remove material (or old drain field, as applicable) and properly dispose of excavated material ("dumping" on vacant lots or any other unauthorized area is not allowed). If a new septic tank is not installed, pump out existing septic tank. Repair lawn/landscape irrigation systems as required (if existing) to accommodate septic system work. It is recommended that the contractor avoid driving vehicles, equipment or dumping materials on driveways, sidewalks or patios. If the contractor damages driveways, sidewalks, fences, landscaping, lawn/landscape irrigation systems, underground wiring, underground plumbing, the home, or personal items belonging to the homeowner, or any other items on the premises as a result of the septic system installation/repair, the contractor shall repair/replace said item(s) to the homeowner's satisfaction. It is the contractors responsibility to contact all associated utilities for marking of underground services and to discuss with the homeowner if they have knowledge of any underground systems, utilities or hazards.

Gutters and downspouts shall be installed/repaired if required to obtain final approval from State of Florida Department of Health for the septic system installation/repair. New septic system and all areas disturbed by the removal of the old septic system and/or installation of the new septic system shall be properly graded and resodded with same sod type as existing. If no existing sod is present (only weeds) then the contractor shall resod areas disturbed during the septic installation/repair with Bahia sod. When work is complete, no bare earth shall be allowed in all yard/lawn areas affected by septic repair.

All work shall be in accordance with the specification and drawings defined in State of Florida Department of

Page 1 of 3

H:\Bob's Work\Owner Occ Rehab\Specs 2016\Reyes, Lina, Emergency Septic.doc

Health permit number 36-SN-1672286 and contractor shall pull any other required permits (electrical, plumbing, building, etc) and must obtain final approval on all permits issued regarding the work being performed for this job. The contractor shall warranty all work for a period of one (1) year minimum (warranty exceptions: daily rated capacity of the system is exceeded; parking cars/truck (or other heavy load) on the septic tank/septic field; introducing foreign objects not designed to dissolve into the septic system (cloth, plastics, metal, heavy paper products, etc), stoppage/tank pumping). The contractor must provide objective evidence to claim any of the warranty exceptions.

This specification and the State of Florida Department of Health permit issued for this job shall take precedence over any bid/specification provided by the contractor. In the event of a conflict between this specification and the State of Florida Department of Health (DOH) permit issued for this job, the State of Florida Department of Health (POH) permit issued for this job, the State of Florida Department of Health (DOH) permit issued for this job.

Contact Lee County Housing Rehab. Specialist when work begins and when work is complete/final permit approval has been issued. All work will be completed in a workmanlike manner and to all local plumbing codes and State Code requirements. Note: Contractor shall locate all existing underground services, public and private, prior to any excavation. If dewatering or other form of lowering the water table is required, it shall be part of the bid. State of Florida Department of Health permit shall take precedence over this specification if a conflict exists.

TOTAL BASE BID

\$\_\_\_\_\_

# ALTERNATE BID

NOTE: This Alternate Bid should only be completed (bid) if the Department of Health permit for this job states dosing tank/lift pump <u>may not be required</u> if gravity flow can be achieved at permitted elevation as indicated on Department of Health permit for this job.

If a dosing tank and lift pump is a mandatory requirement for this job, the bid amount shall be included in base bid above.

1. Dosing tank and lift pump(s): Install new dosing tank, lift pump(s) and all related plumbing and electrical items/requirements needed to complete the septic lift system as specified on Department of Health permit number 36-SN-1672286. Size of the tank and lift pump(s) are specified on Department of Health septic permit for this job. All work will be completed in a workmanlike manner and shall be in compliance with the Department of Health , 2014 Florida Building Code, Building, Residential, Existing Building, Plumbing, and Mechanical & the 2011 National Electrical Code.

	\$
TOTAL ALTERNATE BID	\$
TOTAL BASE BID	\$
TOTAL BID (TO INCLUDE A	LTERNATE AND BASE)
	\$
Authorized Contractor's Signature:	
	Dere 2 of 2

Page 2 of 3 H:\Bob's Work\Owner Occ Rehab\Specs 2016\Reyes, Lina, Emergency Septic.doc

Contractors name:	·
Company name:	·
Contractors Address:	

Revision Date: 04/15/2015

04/06/2016 08:15	690-2101		FDOH-LE	E COUNTY		PAGE 03/10	,
HOHDA HEALTH CHAPTER 381, FLORIDA ST/	ATUTES & 64E C				# <u>36</u> plication #: Date Issue		
CONSTRUCTION PERMIT FO	· · · ·						
[ ] New System	[ ] Existing (	System	[ ] Holdir	ng Tank	[ ] Inr	lovative Other	
[X]Repair	[ ] Abandon	ment	[]Temp	orary	[]_		
APPLICANT: Lina Reyes				-			
PROPERTY STREET ADDRES	SS: <u>1167</u> Travis	s Ave North F	Fort Myers, FL	33903			
SEPTIC CONTRACTOR:					······		
LOT: 8 BLOCK:		SUBDIVISION	:	-•			
PROPERTY ID #:	000080000	[	Section/Towns	hip/Range/Parc	el No.] [OR TA	XX ID NUMBER]	
<b>/</b>	See System Con	struction Perm	it for System :	Specifications			
EXCAVATION INSPECTION A	PPROVED:	YES		· · · · · · · · · · · · · · · · · · ·	DATE	<u></u>	
		INITIAL INS	SPECTION				
OK TO COVER/DATE:		CONSTRUCT	TION NON-CO		TE:		
E.H.SPECIALIST:		REASON(S):		·			_
CALL FOR FINAL INSPECTION	AFTER:						
roof is guttered							
mound is stablized:4' shou max:1 slopes, 6"-18 Tank Soil Cap: Max 8" sod installed over entire r	3" soil cover,					····	
well is constructed		Í					
🔲 inlet			····		· · ·		_
□		E.H.SPECIAL	IST:				
		FINAL INS	PECTION			· · ·	
APPROVAL / DATE:		APPROVAL D	ENIED / DATI	=:		. •	_
E.H. SPECIALIST:		REASON(S);					<u> </u>
APPROVAL #:	······,					· · · · · · · · · · · · · · · · · · ·	×
		E.H. SPECIAL					_ _
There is a \$75.	.00 fee for any addit	tional inspection	ns or reinspec	tions after a di	sapproval		_
		OUFOTIONOO A					

QUESTIONS? 239-690-2100

-

04/06/2016 08::	15 690-2101	FDOH-LEE		
			- ,	36-SN-167228
STATISTICS ST	ATE OF FLORIDA		APPLICATION #:	
	PARTMENT OF HEA	LTI	DATE PAID:	
	SITE SEWAGE		FEE PAID:	·····
	NSTRUCTION PERN		RECEIPT #:	
Con 1		EFAI	DOCUMENT #:	PR1012477
CONSTRUCTION PERMI	T FOR: OSTDS R	epair	<b>7</b>	
APPLICANT: Ling R	leyes	·····		
PROPERTY ADDRESS:	1167 Travis Ave	North Fort Myers, FL 33903		
LOT: 8	BLOCK:	SUBDIVISIÓN:		
PROPERTY ID #: 1	0442483000080000	-	HON, TOWNSHIP, RANGE, PAR (AX ID NUMBER)	CEL NUMBER]
SATISFACTORY PERS WHICH SERVED AS FERMIT APPLICATIO	AND CHAPTER 64E- FORMANCE FOR ANY A BASIS FOR I	6, F.A.C. DEPARTMENT SPECIFIC PERIOD OF T SSUANCE OF THIS PERMIT, CATIONS MAY RESULT IN S OT EXEMPT THE APPLICANT	ime. Any change in Require the applicant IHIS PERMIT BEING MADE I FROM COMPLIANCE WITH	es not guarant Material fact To Modify T NULL AND VOI
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALL A [ 0 ] GALL N [ 0 ] GALL K [ 150 ] GALL D [ 240 ] SQUAR	SPECIFICATIONS LONS / GPD LONS / GPD NS GREASE INTERCEP NS DOSING TANK CAP E FEET Replacem	TOR CAPACITY [MAXIMUM CAPA ACITY [ 33.00 ] GALLONS ent drainfield SYSTEM	PACITY PACITY PACITY SINGLE TANK: 1250 GAL	-
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALLO K [ 150 ] GALLO D [ 240 ] SQUAR R [ 0 ] SQUAR	SPECIFICATIONS LONS / GPD LONS / GPD NS GREASE INTERCEP NS DOSING TANK CAP E FEET Replacem	av septic tank with filter CAP CAP TOR CAPACITY [NAXIMOM CAPA ACITY [ 33,00 ] GALLONS ent drainfield SYSTEM SYSTEM	PACITY PACITY PACITY SINGLE TANK: 1250 GAL	-
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALLO K [ 150 ] GALLO D [ 240 ] SQUAR R [ 0 ] SQUAR A TYPE SISTEM: I CONFIGURATION: N	SPECIFICATIONS LONS / GPD Ne LONS / GPD INS GREASE INTERCEP INS DOSING TANK CAPI CE FEET Replacem RE FEET [] STANDARD [] TRENCE	ew septic tank with filter CAE CAE FOR CAPACITY [MAXIMOM CAPA ACITY [ 33,00 ] GALLONS ent drainfield SYSTEM SYSTEM [ ] FILLED [x] MOUND [x] BED [ ]	PACITY PACITY SINGLE TANK: 1250 GAL G[ 6 ]DOSES PER 24 HRS [ ]	-
STATE, OR LOCAL PE SYSTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI C [ 150 ] GALL D [ 240 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF BENCE	SPECIFICATIONS LONS / GPD <u>Ne</u> LONS / GPD DNS GREASE INTERCEP DNS DOSING TANK CAP DOSING TANK	AV SEPTIC TANK WITH Filter CAP CAP CAP CAP CAP CAP CAP CAP CAP CAP	PACITY PACITY CITY SINGLE TANK:1250 GAL Q[ 6 ]DOSES PER 24 ERS [ ]	#£namages [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALLO K [ 150 ] GALLO D [ 240 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF BENCI I ELEVATION OF PROD	SPECIFICATIONS LONS / GPD <u>Ne</u> LONS / GPD ANS GREASE INTERCEP' ANS DOSING TANK CAP ANS DOSING TANK CAP ANS POSED SYSTEM SITE SPECIFICATIONS Ne FEET [] STANDARD [] TRENCE	AW SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK: 1250 GAL 4[ 6] DOSES PER 24 HRS [ ] [ ] Hed PABOVE ( BELOW] BENCHMARK/R	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALI C [ 150 ] GALIC C [ 150 ] GALIC D [ 240 ] SQUAR R [ 0 ] SQUAR A TYPE SISTEM: I CONFIGURATION: N F LOCATION OF BENCE I ELEVATION OF FROM	SPECIFICATIONS LONS / GPD <u>Ne</u> LONS / GPD ANS GREASE INTERCEP' ANS DOSING TANK CAP ANS DOSING TANK CAP ANS POSED SYSTEM SITE SPECIFICATIONS Ne FEET [] STANDARD [] TRENCE	AW SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK:1250 GAL 4[ 6]DOSES PER 24 ERS [ 1	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALLO K [ 150 ] GALLO D [ 240 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF BENCI I ELEVATION OF PROD	SPECIFICATIONS LONS / GPD <u>Ne</u> LONS / GPD ANS GREASE INTERCEP' ANS DOSING TANK CAP ANS DOSING TANK CAP ANS POSED SYSTEM SITE SPECIFICATIONS Ne FEET [] STANDARD [] TRENCE	AW SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK: 1250 GAL ( ) ( ) ( ) Hed ABOVE (BELOW) BENCHMARK/R ABOVE (BELOW) BENCHMARK/R	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALD A [ 0 ] GALD N [ 0 ] GALD N [ 0 ] GALD C [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF HENCE I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) Excavate and bac 0 2) Remove the orga T 3) Maintain 25 sets 4) Properly abandor 5) Bottom of drainfie E 6) The licensed cont	SPECIFICATIONS  LONS / GPD LONS / GPD ANS GREASE INTERCEP ANS DOSING TANK CAPA  E FEET [] STANDARD [] TRENCE  EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE [] 18.00] INCHES  ckfill an area 2' wider and nic surface layer from un ack from irrigation well or the existing septic tank Id to be located at an ele tractor installing the system	AV SEPTIC TANK WITH FILTER CAP CAP CAP CAP CAP CAP CAP CAP	PACITY PACITY CITY SINGLE TANK: 1250 GAL 4[ 6 ]DOSES PER 24 HRS [ 1	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALI C [ 150 ] GALI D [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF BENCO I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) Excavate and bac 0 2) Remove the orga T 3) Maintain 25' sets 4) Property abandon 5) Bottom of drainfie	SPECIFICATIONS  LONS / GPD LONS / GPD ANS GREASE INTERCEP ANS DOSING TANK CAPA  E FEET [] STANDARD [] TRENCE  EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE [] 18.00] INCHES  ckfill an area 2' wider and nic surface layer from un ack from irrigation well or the existing septic tank Id to be located at an ele tractor installing the system	AV SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK: 1250 GAL 4[ 6 ]DOSES PER 24 HRS [ 1	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALD A [ 0 ] GALD N [ 0 ] GALD N [ 0 ] GALD C [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF HENCE I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) EXCAVATE AND BAC (0 2) REMOVE the organism (1) EXCAVATE AND BAC (2) REMOVE the organism (3) Maintain 25 setts (4) Properly abandor (5) Bottom of drainfie (6) The licensed contor (8, 64E-6.013(3)(f), F R SPECIFICATIONS BY:	SPECIFICATIONS  LONS / GPD LONS / GPD ANS GREASE INTERCEP ANS DOSING TANK CAPA  E FEET [] STANDARD [] TRENCE  EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE [] 18.00] INCHES  ckfill an area 2' wider and nic surface layer from un ack from irrigation well or the existing septic tank Id to be located at an ele tractor installing the system	AV SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK: 1250 GAL Q[ 6 ]DOSES PER 24 ERS [ ] Hed ABOVE (BELOW] BENCHMARK/R [ 15.00 ] INCHES Oth of 15" be to toe of slope imum category of tank in accordant Environmental Specialist	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALI A [ 0 ] GALI N [ 0 ] GALI N [ 0 ] GALI C [ 150 ] GALI D [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SYSTEM: I CONFIGURATION: N F LOCATION OF BENCH I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) Excavate and bac 0 2) Remove the orga T 3) Maintain 25' sets: 4) Properly abandor 5) Bottom of drainfie E 6) The licensed cont s. 64E-6.013(3)(f), F R SPECIFICATIONS BY: APPROVED BY:	SPECIFICATIONS  SPECIFICATIONS  LONS / GPD  NS GREASE INTERCEP  NS DOSING TANK CAP  E FEET  [] STANDARD [] TRENCE  EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE  [18.00] INCHES  ckfill an area 2' wider and nic surface layer from un ack from irrigation well or n the existing septic tank eld to be located at an ele tractor installing the syste AC.  Mark S Schaller	AV SEPTIC tank with filter CAR CAR CAR CAR CAR CAR CAR CAR	PACITY PACITY CITY SINGLE TANK: 1250 GAL Q[ 6 ]DOSES PER 24 ERS [ 1	#Pumps [ 1 EFERENCE POINT EFERENCE POINT nce with II Lee C
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALD A [ 0 ] GALD N [ 0 ] GALD N [ 0 ] GALD C [ 150 ] GALD D [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SISTEM: I CONFIGURATION: N F LOCATION OF BENCO I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) Excavate and bac 0 2) Remove the orga T 3) Maintain 25 sets: 4) Properly abandor E 6) The licensed cont S. 64E-6.013(3)(f), F SPECIFICATIONS BY: APPROVED BY: DATE ISSUED:	SPECIFICATIONS SPECIFICATIONS LONS / GPD ANS GREASE INTERCEP ANS DOSING TANK CAP CE FEET [ ] STANDARD [ ] TRENCE EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE I 18.00] INCHES CKfill an area 2' wider and nic surface layer from un ack from irrigation well of the existing septic tank end to be located at an ele tractor installing the system AC. Mark S Schaller O4/05/2016	An septic tank with filter CAP CAPACITY [MAXIMOM CAPA ACITY [ 33,00 ] GALLONS ACITY [ 10,000 ] GALLONS AC	PACITY PACITY CITY SINGLE TANK: 1250 GAL Q[ 6 ]DOSES PER 24 ERS [ 1	#Pumps [ 1
STATE, OR LOCAL PE SISTEM DESIGN AND T [ 900 ] GALD A [ 0 ] GALD N [ 0 ] GALD N [ 0 ] GALD N [ 0 ] GALD C [ 240 ] SQUAR R [ 0 ] SQUAR R [ 0 ] SQUAR A TYPE SISTEM: I CONFIGURATION: N F LOCATION OF BENCH I ELEVATION OF FROM E BOTTOM OF DRAINF: L D FILL REQUIRED: 1) EXCAVATE AND bAC C 2) REMOVE the orga T 3) Maintain 25 sets: 4) Properly abandor E 6) The licensed cont S. 64E-6.013(3)(f), F SPECIFICATIONS BY: DATE ISSUED: DH 4015, 08/09 (Obs:	SPECIFICATIONS SPECIFICATIONS LONS / GPD ANS GREASE INTERCEP ANS DOSING TANK CAP CE FEET [ ] STANDARD [ ] TRENCE EMARK: (100' Assum POSED SYSTEM SITE IELD TO BE I 18.00] INCHES CKfill an area 2' wider and nic surface layer from un ack from irrigation well of the existing septic tank end to be located at an ele tractor installing the system AC. Mark S Schaller O4/05/2016	AV Septic tank with filter CAP CAP CAP CAPACITY [MAXIMOM CAPP ACITY [ 33.00 ] GALLONS ACITY [ 33.00 ] GALLONS ACITY [ 33.00 ] GALLONS ACITY [ 33.00 ] GALLONS SYSTEM [ ] FILLED [ ] [ ] FILLED [ ] [ ] FILLED [ ] [ ] FILLED [ ] [ ] MOUND [x] BED [ ] [ ] O.04 ] [ INCHES [FT] ] [ ] O.04 ] [ INCHES [FT] ] [ ] O.04 ] [ INCHES [FT] ] [ ] C.04 ] [ INCHES [FT] ] [ ] C.04 ] [ INCHES [FT] ] [ ] C.04 ] [ INCHES [FT] ] [ ] EXCAVATION REQUIRED: [ ] INCHES [FT] ] [ ] INCHES [FT] ] [ ] EXCAVATION REQUIRED: [ ] INCHES [FT] ] [ ] [ ] EXCAVATION REQUIRED: [ ] INCHES [FT] ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]	PACITY PACITY CITY SINGLE TANK: 1250 GAL Q[ 6 ]DOSES PER 24 ERS [ 1	#Pumps [ 1 EFERENCE POINT EFERENCE POINT nce with II Lee C

· ,


•

.

DEPALTMENT ONSITE SEWA SYSTEM APPLICATION		<u>\</u>	- <u>.</u>	DATE I FEE PZ RECEIN	
APPLICATION FOR:	Existing Sys Abandonment 3. Reye.	stem 1. S	Noldin Tempor		Innovative
AGENT :				TELEPHON	те: <u>294-25</u> 8-
MAILING ADDRESS: 1167	TRAVIS	Ave	Novel	bet myers	5 PC 33903.
TO BE COMPLETED BY APPLICAN BY A PERSON LICENSED PURSUA APPLICANT'S RESPONSIBILITY PLATTED (MM/DD/YY) IF REQUE	ANT TO 489.10 TO PROVIDE D	5(3)(m) OR OCUMENTATIO	489.552, F. N OF THE D.	ORIDA STATU VIE THE LOT '	TES. IT IS THE WAS CREATED OR
PROPERTY INFORMATION	<b>4002233566</b> 8888	≈≈≈≈≈≈ <b>≈≈</b> ∎®	000000000000000000000000000000000000000	· · · · · · · · · · · · · · · · · · ·	C 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
LOT: 2 BLOCK:	SUBDIVISION	- TRAJ	<u>s</u>		PLATTED:
PROPERTY ID #: 10442	4 M3 0000	80000 zonin		•	
					· •
PROPERTY SIZE:		LY:! PR		.IC X <=20	
	WATER SUPP		IVATE PUB)		00GPD >2000
PROPERTY SIZE: <u>-27</u> ACRES	3 WATER SUPP 381.0065, FS?	ן אן זע	IVATE PUB)	DISTANCE TO	00GPD >2000
PROPERTY SIZE: -27 ACRES	3 WATER SUPP 381.0065, FS?	ן אן זע	IVATE PUB)	DISTANCE TO	00GPD >2000
PROPERTY SIZE: <u>.27</u> ACRES IS SEWER AVAILABLE AS PER 3 FROPERTY ADDRESS: <u>//67</u>	3 WATER SUPP 381.0065, FS?	ן אן זע	IVATE PUB)	DISTANCE TO	00GPD1 >2000 > SEWER: 2 33903
PROPERTY SIZE: <u>.21</u> ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: <u>//67</u>	8 water supp. 881.0065, fs? <u>TRAUIS A</u>	ן אן זע	IVATE PUB) 2 FORT Defto	DISTANCE TO	00GPD >2000
PROPERTY SIZE: <u>.21</u> ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: <u>//67</u> DIRECTIONS TO PROPERTY:	8 water supp. 881.0065, fs? <u>TRAUIS A</u>	UY IN 1 WE NOI DENTIAL Building	IVATE PUB)	DISTANCE TO Myers F 2663617 MMERCIAL	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: <u>.21</u> ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: <u>//67</u> DIRECTIONS TO PROPERTY: BUILDING INFORMATION Unit Type of	WATER SUPP 381.0065, FS? TRAUIS A 	UY IN 1 WE NOI DENTIAL Building <u>Area Sqft</u>	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: <u>.27</u> ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: <u>//67</u> DIRECTIONS TO PROPERTY: BUILDING INFORMATION Unit Type of No <u>Establishment</u>	WATER SUPP 381.0065, FS? TRAUIS A 	UY IN 1 WE NOI DENTIAL Building	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: <u>.27</u> ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: <u>//67</u> DIRECTIONS TO PROPERTY: 	WATER SUPP 381.0065, FS? TRAUIS A 	UY IN 1 WE NOI DENTIAL Building <u>Area Sqft</u>	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: $-27$ ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: $_//67$ DIRECTIONS TO PROPERTY: BUILDING INFORMATION Unit Type of No <u>Establishment</u> 1 <u>Single Family</u> 2	WATER SUPP 381.0065, FS? TRAUIS A 	UY IN 1 WE NOI DENTIAL Building <u>Area Sqft</u>	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: $-27$ ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: $_//67$ DIRECTIONS TO PROPERTY: BUILDING INFORMATION Unit Type of No Establishment 1 $Single family$ 2 $3$	WATER SUPP 381.0065, FS? TRAVIS A 	N I <u>WC</u> <u>NOI</u> <u>DENTIAL</u> <u>Building</u> <u>Area Sqft</u> <u>975</u> 	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD >2000 > SEWER: 2 33903 Plocky 4- nal System Desi
PROPERTY SIZE: $.21$ ACRES IS SEWER AVAILABLE AS PER 3 PROPERTY ADDRESS: $//67$ DIRECTIONS TO PROPERTY: BUILDING INFORMATION Unit Type of No 1 $SiNgle family$ 2 3 4	WATER SUPP 381.0065, FS? TRAVIS A 	N I <u>WC</u> <u>NOI</u> <u>DENTIAL</u> <u>Building</u> <u>Area Sqft</u> <u>975</u> 	IVATE PUB)	DISTANCE TO Myers A 2663617 MMERCIAL /Institution	00GPD1 >2000 > SEWER: 2 33903   A 33903   

STATE OF FLORIDA		PERMIT ;	= <u>-1678</u> 
EXISTING SYSTEM	AND SYSTEM REPAIR EVALUAT	ION	
APPLICANT: Reves, Lina CONTRACTOR / AGENT: A1 Gator S	1167 Travi	S HVP	and the second
LOT: 8 BLOCK:	subbity: Travis		ID#: 1044240
			1081
TO BE COMPLETED BY FLORIDA REGI OTHER CERTIFIED PERSON. SIGN A COMPLETE TANK CERTIFICATION BEI EXISTING TANK INFORMATION	and seal all submitted doc Low of Note in Remarks why	IMENTS COMPLET	e all applicabl
[750 ] GALLONS SEPTIC TANK/GR	PD ATU LEGEND:	MATERIAL: Conc	rete BAFFLE
i ] GALLONS SEPTIC TANK/GE	PD ATU LEGEND:	MATERIAL:	
[ ] GALLONS DOSING TANK	LECEND :	MATERIAL :	
I CERTIFY THAT THE LISTED TANKS		BY A1 Gator Sep	fic
THE VOLOMES SPECIFIED AS DETER			INSTAL
			Instat
	A1 Gator Septic		2/17
SIGNATURE OF LICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET PRIMARY DR		rencees [ ] D	
SIGNATORE OF EICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD DESIGN: HEADER	R BUSINESS MAME RAINFIELD SYSTEM NO. OF T SYSTEM NO. OF T SYSTEM NO. OF T I FILLED I MOUND BED I GRAVIT	1	IMENSIONS:
SIGNATORE OF EICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: ] TRENCH	RAINFIELD SYSTEM NO. OF T SYSTEM NO. OF T FILLED ] MOUND BED ] D-BOX ] GRAVIT ELD IN RELATION TO EXISTIN	1	IMENSIONS:
SIGNATORE OF EICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET PRIMARY DR [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: ] TRENCH DESIGN: [ HEADER ELEVATION OF BOTTOM OF DRAINFIE	R BUSINESS NAME RAINFIELD SYSTEM NO. OF T SYSTEM NO. OF T SYSTEM NO. OF T PILLED 1 MOUND D-BOX 1 GRAVIT ELD IN RELATION TO EXISTING MANTION N DATE TYPE OF 1	11 Y SYSTEM 13 1 5 GRADE	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO
SIGNATURE OF LICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD DESIGN: FRENCH DESIGN: HEADER ELEVATION OF BOTTOM OF DRAINFIE SYSTEM FAILURE AND REPAIR INFOR [ ]957 ] SYSTEM INSTALLATION	BUSINESS NAME       X       XAINFIELD SYSTEM NO. OF T       SYSTEM NO. OF T       SYSTEM NO. OF T       I       FILLED       I       PED       I       D-BOX       I       RAVIT       ELD IN RELATION TO EXISTIN       SMATION       X DATE       TYPE OF       BE FLOW BASED ON       I       POOL	III II DOM	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO
SIGNATORE OF EICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET PRIMARY DR [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: ]; TRENCH DESIGN: ]; TRENCH DESIGN: ]; HEADER ELEVATION OF BOTTOM OF DRAINFIN SYSTEM FAILURE AND REPAIR INFOR [ ]957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAGE SITE ]] DRAINAGE STRUCT	BUSINESS NAME       X       XAINFIELD SYSTEM NO. OF T       SYSTEM NO. OF T       SYSTEM NO. OF T       Y       PILLED [_] MOUND       HED [_]       MOUND [_]       HED [_]       Y       HED []       Y       Y       HED []       Y       HED []       Y       HED []       Y	II Y SYSTEM II G GRADE HASTE II DOM METERED WATER	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO TABLE 1, 64 PARKING
SIGNATORE OF LICENSED CONTRACTO EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET PRIMARY DR [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD DESIGN: HEADER ELEVATION OF BOTTOM OF DRAINFIN SYSTEM FAILURE AND REPAIR INFOR [ ]957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAG SITE] DRAINAGE STRUC CONDITIONS: ]] SLOPING PROFER NATURE OF [] HYDRAULIC OVERL	Desiness name       RAINFIELD SYSTEM NO. OF T       <	II Y SYSTEM II G GRADE HASTE II DOM METERED WATER I PATIO / DECK I MAINTENANCE I. NATER TABLE I.	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO TABLE 1, 64 PARKING
SIGNATURE OF LICENSED CONTRACTOR EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD DESIGN: STANDARD ELEVATION OF BOTTOM OF DRAINFIN SYSTEM FAILURE AND REPAIR INFOR [ ]957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAG SITE   ] GPD ESTIMATED SENAG SITE   ] DRAINAGE STRUC CONDITIONS:   ] SLOPING PROFEN NATURE OF   ] HYDRAULIC OVERI FAILURE:   ] BEAINAGE / RUN	BUSINESS NAME       RAINFIELD SYSTEM NO. OF T       SPECTORES       SOILS	III DOM S GRADEI DOM METERED WATER I PATIO / DECK I MAINTENANCE I NATER TABLE I	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO ] TABLE 1, 64 ] PARKING ] SYSTEM DAMA
SIGNATURE OF LICENSED CONTRACTOR EXISTING DRAINFIELD INFORMATION [ So 1 SQUARE FEET PRIMARY DR [ 1 SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD DESIGN: STANDARD ELEVATION OF BOTTOM OF DRAINFIN SYSTEM FAILURE AND REPAIR INFOR [ 1957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAG SITE] GPD ESTIMATED SENAG SITE] DRAINAGE STRUC CONDITIONS:] SLOPING PROPER NATURE OF] DRAINAGE / PUN FAILURE:] SENAGE ON GROUN SYMPTOM:] PLUMBING BACKUE	BUSINESS NAME       X       XAINFIELD SYSTEM NO. OF T       SPECTORES       STREE       SOILS       SOILS </td <td>III DOM S GRADEI DOM METERED WATER I PATIO / DECK I MAINTENANCE I NATER TABLE I</td> <td>IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO ] TABLE 1, 64 ] PARKING ] SYSTEM DAMA</td>	III DOM S GRADEI DOM METERED WATER I PATIO / DECK I MAINTENANCE I NATER TABLE I	IMENSIONS: IMENSIONS: DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO ] TABLE 1, 64 ] PARKING ] SYSTEM DAMA
SIGNATORE OF LICENSED CONTRACTOR EXISTING DRAINFIELD INFORMATION [ So ] SQUARE FEET FRIMARY DR [ ] SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD DESIGN: STANDARD ELEVATION OF BOTTOM OF DRAINFIR SYSTEM FAILURE AND REPAIR INFOR [ ]957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAG SITE DRAINAGE STRUC CONDITIONS: ] BEADERSTRUC CONDITIONS: ] BEADERSTRUC NATURE OF [] HYDRAULIC OVERI FAILURE: DRAINAGE / PUN FAILURE: DRAINAGE / PUN FAILURE: PLUNBING BACKUE REMARKS/ADDITIONAL CRITERIA TAN	BUSINESS NAME       A       AAINFIELD SYSTEM NO. OF T       SYSTEM SYSTEM SYSTEM NO. OF T       SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM <td< td=""><td>I</td><td>IMENSIONS:</td></td<>	I	IMENSIONS:
SIGNATURE OF LICENSED CONTRACTOR EXISTING DRAINFIELD INFORMATION [ So 1 SQUARE FEET PRIMARY DR [ 1 SQUARE FEET TYPE OF SYSTEM: STANDARD CONFIGURATION: STANDARD CONFIGURATION: STANDARD DESIGN: STANDARD ELEVATION OF BOTTOM OF DRAINFIN SYSTEM FAILURE AND REPAIR INFOR [ 1957 ] SYSTEM INSTALLATION [ 200 ] GPD ESTIMATED SENAG SITE] GPD ESTIMATED SENAG SITE] DRAINAGE STRUC CONDITIONS:] SLOPING PROPER NATURE OF] DRAINAGE / PUN FAILURE:] SENAGE ON GROUN SYMPTOM:] PLUMBING BACKUE	BUSINESS NAME       RAINFIELD SYSTEM NO. OF T       SPECTOR       SYSTEM NO. OF T       SYSTEM NO. OF T       SPECTOR       SYSTEM NO. OF T       SYSTEM NO. OF T       SPECTOR       SYSTEM NO. OF T       SYSTEM NO. OF T       SYSTEM NO. OF T       SYSTEM NO. OF T       SYSTEM SYSTEM NO. OF T       SYSTEM SYSTEM NO. OF T       SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM SYSTEM       SYSTEM SYSTEM SYSTEM SYSTEM SYSTEM SYSTEM SYSTEM       SYSTEM SYST	I	DOSED SYSTEM INCHES [ ABOVE ESTIC [] CO ] TABLE 1, 64 ] PARKING ] SYSTEM DAMA ] DRAINFIELD

•



PAGE 07/10

·							
(	(+) SHOT: <u>45</u> 2						
	(=)HI. ) <u>3452</u>				,		
,							
	ING TOP TOP OF COVER INL		TOP OF TANK OUTLET	EXISTIN OF DF S		STING BOT F DF STON	
H.I.= )ひっくこ H.I.=	)24/2 HI=>	<u> </u>	H.L =	H.I. =	)ゃっくて HI	_ )wyr	2
(-) SHOT 45 (-) SHOT	. <u>446</u> (-) SHOT		() SHOT (		_		•
	10000				3914	98	•
	·····	•			<u>, , , , , , , , , , , , , , , , , , , </u>		7
PROPOSED DRAINBED EL	EVATION CALC	ULATIO	NS		DRAINFIELD		
EXISTING GROUND (=) <u>a</u>	96				# BEDROOMS	FILLED	MOUND
DEPTH TO WSWT (-) <u>So</u>	· · · · · · · · · · · · · · · ·				2	. 200	240
(SOIL SURVEY + SITE FILL)					3	300	360
WSWT ELEVATION (=) <u>Strain</u>		,	·		4	400	480
REQ. SEPARATION $[\downarrow](+)$	>	TODOE	EXISTING		ADDITIONAL	100	120
+ 0.5 FT (PRIOR 1983) OR +	1.0 FT (1983 +)		UTLET PIPE		AFTER JANUAR RULE REQUIRE		
2996	Ļ		(-)0.83_	,			
(= NEW ELEV OF BOTTOM D		BE LOWI	ER THAN:	OR	PUMP REOR	UIRED Y	ES NO
(= NEW ELEV OF BOITOM D	BSIONE)						
EXISTING ELEVATION	ONS	NE	WELEVATIONS	•			
TANK INLET	FT		FT				
TANK OUTLET	FT		FT	•			
TOP DRAINBED STONE	9814 FT		Josev FT	·			
BOTTOM DRAINBED STONE	CA14 FI		9996 FT RAI	SE DRAI	NBED 13	) INCH	ÆS
WET SEASON WATER TABLE	<u> 946 FI</u>		<u></u>	WT SEPA	RATION 6		HES .
DRAINBED SOIL COVER	10004 FT		10146 FT RAIS	SE YARI	elev. <u>17</u>	INCH	ŒS
EXISTING TANK SIZE (EST)	750 GAL		900 GALN	EW TAN	K IF REQUIRE.	D	
EXISTING DRAINBED	x =	50	SQ. FT. = NEW DI	RAINBEI	SIZE 24	0sq. 1	FT.

· ,

.

\_

FDOH-LEE COUNTY PAGE 09/10

BLOCK:       SUEDIVISION:       T/2 AV15         ERTY ID #:       DY240300030000000000000000000000000000000	ATIONS NT:
ONSITE SEWAGE TREATMENT AND DISPOSA         SITE EVALUATION AND SYSTEM SPECIFIC         CANT:       LIMA 22425         AG         BLOCK:	ATIONS NT:
SITE EVALUATION AND SYSTEM SPECIFIC COMPLETED BY ENGINEER, HEALTH DEPARTEMENT EMPLOYEE COMPLETED BY ENGINEER, HEALTH DEPARTEMENT EMPLOYEE PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH RTY SIZE CONFORMS TO SITE PLAN: [] YES [] NO NE ESTIMATED SEWAGE FLOW: 200 GALLONS PER D RIZED SEWAGE FLOW: 200 GALLONS PER D RICE ON OF PROPOSED SYSTEM SITE IS 04 INNORES (F) IN INTMUM SETERACK WHICH CAN BE MAINTAINED FROM THE PRO TO DO 00 GALLONS FOR SITE: FT PROPERTY LINES: SUEJECT TO FREQUENT FLOODING: I J YES I'H NO AR FLOOD ELEVATION FOR SITE 1 INTO Y 1 FS FT MSL/NGVD NAME FLOOD ELEVATION FOR SITE 1 INTO Y 1 FS	ATIONS NT:
BLOCK:       SUBDIVISION:       T/ANIS         BRTY ID #:       DYY24030003000000000000000000000000000000	/Township/Parcel No. or Tax ID Numb ,OR OTHER QUALIFIED PERSON. ENGINE PAGE OF SUBMITTAL. COMPLETE ALL ITE T USABLE AREA AVAILABLE: -2 /6 AC AY (RESIDENCES-TABLE 1/OTHER TABLE AY (RESIDENCES-TABLE 1/OTHER TABLE AC AY (RESIDENCES-TABLE 1/OTHER TABLE AC AT (RESIDENCES-TABLE 0/OTHER TABLE AC AC AT (RESIDENCES-TABLE 1/OTHER TABLE AC AC AC AC AC AC AC AC AC AC
BLOCK:       SUEDIVISION:       T/2 AV15         ERTY ID #:       DY240300030000000000000000000000000000000	Township/Parcel No. or Tax ID Numb ,OR OTHER QUALIFIED PERSON. ENGINE PAGE OF SUBMITTAL. COMPLETE ALL ITE I USABLE AREA AVAILABLE: -2 % AC AY (RESIDENCES-TABLE 1/OTHER HABLE AY (RESIDENCES-TABLE 0R 2500 GPD/ACRS INCOMPLATE OR 2500 GPD/ACRS INC
COMPLETED BY ENGINEER, HEALTH DEPARTEMENT EMPLOYER PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH RTY SIZE CONFORMS TO SITE PLAN: [] YES [] NO NE ESTIMATED SEWAGE FLOW: $200$ GALLONS PER D RIZED SEWAGE FLOW: $200$ GALLONS PER D RIZED SEWAGE FLOW: $200$ GALLONS PER D TRUCTED AREA AVAILABLE: $] 000$ SQFT UNOBS MARK/REFERENCE POINT LOCATION: $200$ SQFT UNOBS MARK/REFERENCE FOINT LOCATION: $200$ FTO TION OF PROPOSED SYSTEM SITE IS $0.4$ [INCHES/FT] [] INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO TE WATER:FT DITCHES/SWALES: : FUBLIC:FT LIMITED USE:FT PRI ING FOUNDATIONS: S FT PROFERTY LINES: $3$ SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 DEPTH 1040-32 PS 2990 700 SOIL F 1040-32 PS 2970 DIFC [0] 3040-32 PS 3040-32 PS 2970 DIFC [0] 3040-32 PS 2970 DIFC [0] 3040-32 PS 2970 DIFC [0] 3040-32 PS 3040-32 PS 3040-3	OR OTHER QUALIFIED PERSON. ENGINE PAGE OF SUBMITTAL. COMPLETE ALL ITE I USABLE AREA AVAILABLE: <u>26</u> AC AY (RESIDENCES-TABLE 1/OTHER FABLE AY (RESIDENCES-TABLE 1/OTHER FABLE AY (1505 GFD/ACRE OR 2500 GFD/ACRE IRUCTED AREA REQUIRED: <u>360 SF</u> IRUCTED AREA REQUIRED: <u>360 SF</u> INTERPORT AREA REQUIRED: <u>36</u>
COMPLETED BY ENGINEER, HEALTH DEPARTEMENT EMPLOYER PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH RTY SIZE CONFORMS TO SITE PLAN: [] YES [] NO NE ESTIMATED SEWAGE FLOW: $200$ GALLONS PER D RIZED SEWAGE FLOW: $200$ GALLONS PER D RIZED SEWAGE FLOW: $200$ GALLONS PER D TRUCTED AREA AVAILABLE: $] 000$ SQFT UNOBS MARK/REFERENCE POINT LOCATION: $200$ SQFT UNOBS MARK/REFERENCE FOINT LOCATION: $200$ FTO TION OF PROPOSED SYSTEM SITE IS $0.4$ [INCHES/FT] [] INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO TE WATER:FT DITCHES/SWALES: : FUBLIC:FT LIMITED USE:FT PRI ING FOUNDATIONS: S FT PROFERTY LINES: $3$ SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE 1 DEPTH 1040-32 PS 2990 700 SOIL F 1040-32 PS 2970 DIFC [0] 3040-32 PS 3040-32 PS 2970 DIFC [0] 3040-32 PS 2970 DIFC [0] 3040-32 PS 2970 DIFC [0] 3040-32 PS 3040-32 PS 3040-3	OR OTHER QUALIFIED PERSON. ENGINE PAGE OF SUBMITTAL. COMPLETE ALL ITE I USABLE AREA AVAILABLE: <u>26</u> AC AY (RESIDENCES-TABLE 1/OTHER FABLE AY (RESIDENCES-TABLE 1/OTHER FABLE AY (1505 GFD/ACRE OR 2500 GFD/ACRE IRUCTED AREA REQUIRED: <u>360 SF</u> IRUCTED AREA REQUIRED: <u>360 SF</u> INTERPORT AREA REQUIRED: <u>36</u>
PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH         RTY SIZE CONFORMS TO SITE PLAN:       [] YES [] NO NE         ESTIMATED SEWAGE FLOW:       200       GALLONS PER D.         RIZED SEWAGE FLOW:       200       GALLONS PER D.         RIZED SEWAGE FLOW:       200       GALLONS PER D.         RIZED SEWAGE FLOW:       201       GALLONS PER D.         RIZED SEWAGE FLOW:       201       GALLONS PER D.         TRUCTED AREA AVAILABLE:       )000       SOFT       UNOBS         MARK/REFERENCE POINT LOCATION:       ()002       001       000         TION OF PROPOSED SYSTEM SITE IS 04       INCERS/FCI []       INCERS/FCI []         INIMUM SETEACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT       DITCHES/SWALES:         TO       FT       LIMITED USE:       FT       FT         ING FOUNDATIONS:       S       FT       PROPERTY LINES:       SOIL         SUBJECT TO FREQUENT FLOODING:       I       YES       YES       SOIL F         SUBJECT TO FREQUENT FLOODING:       I       YES       YES       SOIL F         SUBJECT TO FREQUENT FLOODING:       I       YES       YES       SOIL F         SUBJECT TO FREQUENT FLOODING:       I       YES       YES       SOIL F	PAGE OF SUBMITTAL. COMPLETE ALL ITE I USABLE AREA AVAILABLE: 2 6 AC AY (RESIDENCES-TABLE 1/OTHER HARLE AY (RESIDENCES-TABLE 1/OTHER HARLE AY (RESIDENCES-TABLE 1/OTHER HARLE AY (RESIDENCES-TABLE 1/OTHER HARLE AY (RESIDENCES-TABLE ) AY (RESIDENCES-TABLE ) AY (RESIDENCES-TABLE) AC AY (RESIDENCES-TABLE) AC NG OF SLAD AT ()) & NG OF SLAD AT ()
ESTIMATED SEWAGE FLOW:       200       GALLONS PER D.         RIZED SEWAGE FLOW:       900       GALLONS PER D.         TRUCTED AREA AVAILABLE:       9000       SQFT       UNOBS         MARK/REFERENCE POINT LOCATION:       900       901       900         FICON OF PROPOSED SYSTEM SITE IS       900       901       900         INIMUM SETEACK WHICH CAN BE MAINTAINED FROM THE PROF       FT       900         CE WATER:       FT       DITCHES/SWALES:       900         SUBJECT TO FREQUENT FLOODING:       I       YES       YES         SUBJECT TO FREQUENT FLOODING:       I       YES       INO         AR FLOOD ELEVATION FOR SITE:       FT       MSL/NGVD         SUBJECT TO FREQUENT FLOODING:       I       YES       SOIL F         PROFILE INFORMATION SITE 1       O       TO       900         SOIL #       PS       JOO       TO       JOO         SOUL       FS       JOO       JOO       JOO       JOO         SOU	AY TRESIDENCES TABLE / OTHER TABLE AY [1500 OFD/ACRE OF 2500 GPD/ACRS TRUCTED AREA REQUIRED: 30 5 NGA OF SLAD AT SUSTO BOME/DELOW] DENGHBARK/REFERENCE PO POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? [-] YES [] ATE:FT NON-POTABLE: 25 FT POTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: SQCFT MSL/NO
ESTIMATED SEWAGE FLOW:       200       GALLONS PER D.         RIZED SEWAGE FLOW:       900       GALLONS PER D.         TRUCTED AREA AVAILABLE:       9000       SQFT       UNOBS         MARK/REFERENCE POINT LOCATION:       900       901       900         FICON OF PROPOSED SYSTEM SITE IS       900       901       900         INIMUM SETEACK WHICH CAN BE MAINTAINED FROM THE PROF       FT       900         CE WATER:       FT       DITCHES/SWALES:       900         SUBJECT TO FREQUENT FLOODING:       I       YES       YES         SUBJECT TO FREQUENT FLOODING:       I       YES       INO         AR FLOOD ELEVATION FOR SITE:       FT       MSL/NGVD         SUBJECT TO FREQUENT FLOODING:       I       YES       SOIL F         PROFILE INFORMATION SITE 1       O       TO       900         SOIL #       PS       JOO       TO       JOO         SOUL       FS       JOO       JOO       JOO       JOO         SOU	AY RESIDENCES TABLE / OTHER TABLE AY [1900 OFD/ACRE OF 2500 GPD/ACRS IRUCTED AREA REQUIRED: 34 0 NGA OF SLAD AT SNEW BONE SELON DENGINARRY REFERENCE PO POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? [-] YES [] ATE:FT NON-POTABLE: 25 FT POTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: SQL FT MSL/NG
MARK/REFERENCE POINT LOCATION: $(2) N^2$ $(2) T (2) N^2$ $(2) N^2$ $(2) T (2) N^2$ FILON OF PROPOSED SYSTEM SITE IS $(2) Y$ [INCHES/E] $(2) N^2$ $(2) N^2$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ FT PROPERTY LINES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$	NEA OF SLAD AT ENER MOVE ABELON DEMONDARK/REFERENCE PO POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? -[-] YES -[-] VATE:FT NON-POTABLE: 25 FT FOTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES -[] SITE ELEVATION: SQL FT MSL/NO
MARK/REFERENCE POINT LOCATION: $(2) N^2$ $(2) T (2) N^2$ $(2) N^2$ $(2) T (2) N^2$ FILON OF PROPOSED SYSTEM SITE IS $(2) Y$ [INCHES/E] $(2) N^2$ $(2) N^2$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ FT PROPERTY LINES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$	NEADE SLAD AT SUE MOVE ABELON BENGHARK/REFERENCE PO POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? [-] YES [] VATE: FT NON-POTABLE: 25 FT FOTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: SQC FT MSL/NG
MARK/REFERENCE POINT LOCATION: $(2) N^2$ $(2) T (2) N^2$ $(2) N^2$ $(2) T (2) N^2$ FILON OF PROPOSED SYSTEM SITE IS $(2) Y$ [INCHES/E] $(2) N^2$ $(2) N^2$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $(2) N^2$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ INIMUM SETBACK WHICH CAN HE MAINTAINED FROM THE PROPOSED       FT DITCHES/SWALES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ FT PROPERTY LINES: $()$ $()$ ING FOUNDATIONS: $()$ $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ SUBJECT TO FREQUENT FLOODING: I J YES I MONAR $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$ $()$	NEA OF SLAD AT ENER MOVE ABELON DEMONDARK/REFERENCE PO POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? -[-] YES -[-] VATE:FT NON-POTABLE: 25 FT FOTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES -[] SITE ELEVATION: SQL FT MSL/NO
INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO TO MATER:FT DITCHES/SWALES:FT PRI ING FOUNDATIONS:FT PROPERTY LINES: SUBJECT TO FREQUENT FLOODING: I J YES I J NO AR FLOOD ELEVATION FOR SITE:FT MSL/NGVD AR FLOOD ELEVATION FOR SITE:FT MSL/NGVD PROFILE INFORMATION SITE 1 PROFILE INFORMATION S	POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? [-] YES [-] VATE: FT NON-POTABLE: 25 FT POTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: <u>SQC</u> FT MSL/NO
INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO INIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PRO TO MATER:FT DITCHES/SWALES:FT PRI ING FOUNDATIONS:FT PROPERTY LINES: SUBJECT TO FREQUENT FLOODING: I J YES I J NO AR FLOOD ELEVATION FOR SITE:FT MSL/NGVD AR FLOOD ELEVATION FOR SITE:FT MSL/NGVD PROFILE INFORMATION SITE 1 PROFILE INFORMATION S	POSED SYSTEM TO THE FOLLOWING FEATUR FT NORMALLY WET? [-] YES [-] VATE: FT NON-POTABLE: 25 FT POTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: <u>SQC</u> FT MSL/NO
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	FT NORMALLY WET? [_] YES [] VATE: FT NON-POTABLE: 25 FT FOTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: <u>SQC</u> FT MSL/NO
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	FT NORMALLY WET? [_] YES [] VATE: FT NON-POTABLE: 25 FT FOTABLE WATER LINES: 3- 10 YEAR FLOODING? [] YES [] SITE ELEVATION: <u>SQC</u> FT MSL/NO
SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE: FT MSL/NGVD PROFILE INFORMATION SITE 1 PROFILE INFORMATION S	10 YEAR FLOODING? [] YES 1 SITE ELEVATION: <u>9994</u> FT MSL/MC
SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE: FT MSL/NGVD PROFILE INFORMATION SITE 1 PROFILE INFORMATION S	10 YEAR FLOODING? [] YES 1 SITE ELEVATION: <u>9994</u> FT MSL/MC
SUBJECT TO FREQUENT FLOODING: [] YES [] NO AR FLOOD ELEVATION FOR SITE: FT MSL/NGVD PROFILE INFORMATION SITE 1 PROFILE INFORMATION S	10 YEAR FLOODING? [] YES 1 SITE ELEVATION: <u>9994</u> FT MSL/MC
Intervention       Fight       Intervention       Inter	SITE ELEVATION: <u>SASL</u> FT MSL/NO
Intervention       Fight       Intervention       Inter	SITE ELEVATION: <u>SASL</u> FT MSL/NO
PROFILE INFORMATION SITE 1SOIL EPROFILE INFORMATION SITE 1SOIL EELL #/COLORTEXTOREDEPTHMUNSEI $10 \times 0.27$ $\overline{PS}$ $\overline{O} \times 0.70$ $10 \times 0.27$ $\overline{PS}$ $\overline{O} \times 0.70$ $Ionological and and and and and and and and and and$	12A
PROFILE INFORMATION SITE 1SOIL EELL #/COLORTEXTOREDEPTH $1 \ge 4 \ge 12$ $\overrightarrow{P}_1$ $\overrightarrow{O}$ TO /O $1 \ge 12$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ TO /O $1 \ge 12$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ TO /O $1 \ge 12$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ $\overrightarrow{O}$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ $\overrightarrow{O}$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ $\overrightarrow{O}$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ $\overrightarrow{O}$ $1 \ge 4 \ge 12$ $\overrightarrow{P}_2$ $\overrightarrow{P}_2$ $\overrightarrow{O}$ $\overrightarrow{O}$ $3 \ge 12$ TOTOTO	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SOFILE INFORMATION STER 2
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	TOT ADD THE OTHER TON DITE 2
$\begin{array}{c c} 1 & 1 & 1 & 1 \\ \hline 1 & 1 & 1 \\ \hline$	L #/COLOR TEXTURE DEPTH
Janne J L     Fig     Jan TOLA     Jan       Janne J L     Fig     Jan TOLA     Jan       Janne J L     Fig     Jan TOLA     Jan       Janne J L     Jan     Jan     Jan       Janne J L     Fig     Jan     Jan       Jan     Jan     Jan     Jan	
Dayn (2) # 29 TOYD Dayn 32 (FF 9/2 TO (EV2-10 8 4)2" TO TO	
John 32 LFS 12 TO	1~ 5/2_ [Fr ]9 TO ]
<u>(eveneus</u> <u>To</u>	20 TO 10
<u></u>	Jarah LAS 41 TO
	COVENNE48" TO
	<u>TO</u>
<u>TO</u>	TO
	TO
USDA	SOIL SERIES: 1711 MARKIZA
ED WATER TABLE: 3 3 INCHES (ADDIVE / GELOW) EXI	
	TING GRADE. TYPE: PERCHED / APPAR
	HES [A CALL / SELON] EXISTING G NG: [-] YES [] NO DEPTH: 6 ING
A MOLET AND AND THE FORMER AND	NG: T- J YES [ ] NO DEPTH: 6 ING
EXTURE/LOADING RATE FOR SYSTEM SIZING: TABLE JU	• • •
	DEPTH OF EXCAVATION: INC THER (SPECIFY)
S/ADDITIONAL CRITERIA:	
	· · · · · · · · · · · · · · · · · · ·
, s. 11.	n an
VALUATED BY:	DATE: 4)
ED: YES NO DATE	
, 10/95 (Replaces BRS-E Form 4015 [page 3] which may be used)	
	Page 3 of
	Page 3 of
	Page 3 of

#### NOTICE OF RIGHTS

A party whose substantial interest is affected by this order may petition for an administrative hearing pursuant to sections 120.569 and 120.57; Florida Statutes. Such proceedings are governed by Rule 28-106, Florida Administrative Code. A petition for administrative hearing must be in writing and must be received by the Agentey Clerk for the Department, within twenty-one (21) days from the receipt of this order. The address of the Agency Clerk is 4052 Bald Cypress Way, BIN # #02, Tallahassee, Florida 32399-1703. The Agency Clerk's facsimile number is 850-410-1448.

Mediation is not available as an alternative remedy.

Your failure to submit a petition for hearing within 21 days from receipt of this order will constitute a waiver of your right to an administrative hearing, and this order shall become a 'final order'.

Should this order become a final order, a party who is adversely affected by it is entitled to judicial review pursuant to Section 120.68, Florida Statutes. Review proceedings are governed by the Florida Rules of Appellate Procedure. Such proceedings may be commenced by filing one copy of a Notice of Appeal with the Agency Clerk of the Department of Health and a second copy, accompanied by the filing fees required by law, with the Court of Appeal in the appropriate District Court. The notice must be filed within 30 days of rendition of the final order.