Lee County Board Of County Co	mmissioners
Agenda Item Summar	y

Blue Sheet No. 20020733

1. REQUESTED MOTION:

ACTION REQUESTED: Approve the award of Project # EX020588, the purchase of two (2) John Deere 410G backhoe/loaders for the Lee County Solid Waste Division, from Nortrax Equipment Co., at the prices given in Federal General Services Administration (GSA) contract # GS-30F-1021D. Contract cost per unit is \$59,563.53 – plus non-contract items in the amount of \$19,781.00 – for a total cost of \$79,344.53 each. Grand total cost for two (2) units: \$158,689.06.

WHY ACTION IS NECESSARY: Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

WHAT ACTION ACCOMPLISHES: These backhoe/loaders will be used for the loading and handling of waste products at the Hendry County Landfill and Transfer Station.

					•	•		
	2. <u>DEPARTMENTAL CATEGORY</u> : 3. <u>MEETING DATE</u> :							
COMMISSION DISTRICT # C8B				07-09-2002				
4. <u>AGENDA</u> : 5. <u>REQUIREMENT/PURPOSE</u> : (Specify)			6. REQUESTOR OF	INFOR	MATION:			
X CON	SENT	(-1	STATU	TE		A. COMMISSIONE	R	
ADM			B. DEPARTMENT					
APPE	EALS	X	ADMIN CODE	v	AC-4-1	C. DIVISION	Solid	I Waste
PUBI	IC		OTHE	3		BY: Linds	ey Samp	son, P.E., Director
WAL	K ON						1	
	E REQUIRED:					Tin	Saigly,	Sampaan
7. BACKGR	<u>OUND</u> :					<i>F</i>		
8. MANAGE	BA	ACKGROUN MMENDAT		IS ON PAC	GE TWO	·		
			9. <u>REC</u>	OMMENI	DED APP	ROVAL:		
A	В	C	D	E		F		G
Department	Purchasing	Human	Other	County		Budget Services		County Manager
Director	or Contracts	Resources		Attorney		apper 6/24		
Walter S	Jant Sheehad 6-18-02 Modellypps	N/A-		60/00	OA ehv 624-02	DM Risk	GC Way	a little
10. COMMIS	SSION ACTIO	\mathbf{N} :			Manage of the same		HECKE C	
APPROVED DENIED DEFERRED OTHER COUNTY ADMIN. RECEIVED BY COUNTY ADMIN. COUN								

--BACKGROUND CONTINUED FROM PAGE ONE--

On June 18, 2002, the Division of Purchasing received a request from the Lee County Solid Waste Division and the Division of Fleet Management to purchase two (2) John Deere 410G backhoe/loaders for Solid Waste, from Nortrax Equipment Co., at the prices given in Federal General Services Administration (GSA) contract # GS-30F-1021D.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase two (2) John Deere 410G backhoe/loaders at the prices given in Federal General Services Administration (GSA) contract # GS-30F-1021D. Contract cost per unit is \$59,563.53 – plus non-contract items in the amount of \$19,781.00 – for a total cost of \$79,344.53 each. Grand total cost for two (2) units: \$158,689.06.

Funding is available: 20092440130

Attachments:

- (1) Department Request for Purchase
- (2) Vendor Quotation
- (3) Federal GSA Contract # GS-30F-1021D

MEMORANDUM FROM THE DIVISION OF PURCHASING

DATE: <u>JUNE 18, 2002</u>

FROM: JANET SHEEHAN, CPPB **PURCHASING DIRECTOR**

TO: MARILYN RAWLINGS FLEET MANAGER

RE: BLUE SHEET # 20020733

PROJECT:

Two (2) John Deere Backhoe/Loaders

TYPE:

GSA Contract Purchase

AWARDED TO:

Nortrax Equipment Co.

Attn. Ms. Rawlings - When you have finished your review of this package, please forward it to Lindsey Sampson, Solid Waste.

Attn. Mr. Sampson - When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.





DIVISION OF FLEET MANAGEMENT

To:

Janet Sheehan, Purchasing Director

From:

Marilyn Rawlings, Fleet Manager

Date:

06/14/02

Re:

Blue Sheet for the purchase of (2) John Deere 410 G Backhoe/Loaders.

Please prepare a Blue Sheet for the purchase of two (2) John Deere 410 G Backhoe/Loaders as requested by the Department of Solid Waste.

ACTION REQUESTED:

Approve the purchase of (2) John Deere 410 G Backhoe/Loaders from Nortrax Equipment Co, from the G.S.A Contract # GS-30F-1021D in the amount of \$ 59,563.53 each. Approve the purchase of additional non — contract options for \$19,781.00 each. Total purchase price of one John Deere Backhoe/Loader is \$ 79,344.53. Total price of two (2) John Deere Backhoe/Loaders with options is \$ 158,689.06

WHY ACTION IS NECESSARY:

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00." As this expenditure will exceed \$50,000.00, Board approval is necessary.

WHAT ACTION ACCOMPLISHES:

These John Deere Backhoe/Loaders will be used for the loading and handling of waste products at the Hendry County Landfill and Transfer Station. These two John Deere Backhoe/Loaders will replaced two Loaders, which are currently at the Hendry County Landfill. The County has assumed responsibility for the operation of the Hendry County Landfill and so the old equipment, which was poorly maintained by the prior owners, will be replaced.

BACKGROUND:

Lee County Fleet Management received a request from the Department of Solid Waste to purchase two (2) John Deere Backhoe/Loaders to more efficiently remove waste and debris from the Hendry County Landfill and Transfer Station. Funds are available for these purchases from account string 20092440130.

Please see attachments.

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION	N: (name)	lid WAS	TE DIVISION
	(number)		
2. REQUESTED BY: (print)	Linosey	SAMPSON	PHONE #: 338-3302
3. IS THIS A REPLACEMEN	NT EQUIPMENT OR V	VEHICLE ? [] YE	es [4no
If yes: Asset #;	Yr: Make:	Model:	Meter:
4. WHAT TYPE OF EQUIPM	MENT OR VEHICLE A	RE YOU REQUESTI	NG?
Select all appropriate boxes:			
[] Sedan [] Mid-Siz [] Station Wagon [] Full-Siz [] Sport Util Veh [] Regular [] Pickup Truck [] Extende [] Cab & Chassis [] Crew C [] Van [] 2 Whee [] Other [] 4 Whee	te []½ Ton Cab []¾ Ton ed Cab []1 Ton ab [] Class 6 I Drive [] Class 7 I Drive B [] Class 8	[] 3 Door L-Side [] 3 Door R-Side [] 4 Door [] Utility Body A [] Flat Bed A [] Dump Truck A	[] 7 Passenger [] Diesel [] 12 Passenger [] 4 Cylinder [] 15 Passenger [] 6 Cylinder [] Sliding Door [] 8 Cylinder [] Swing Door [] 10 Cylinder [] Single RW [] Dual RW
Additional description for vehicle	es or equipment: $\int \!\!\! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! $	hn Deek	e 410 G
BACK HOE Belease provide detailed justifice	OBPER IL	ACTON OR	EQUIVALENT
appropriate options below a	and list any additional op	otions on the lines belo	E REQUIRED? Please check all ow: i.e. lift gates, 50' telestick boom, ease attach brochures if applicable:
ALL COUNTY VEHICLES AN AM/FM Radio, Automatic Transi			DARD OPTIONS: Air Conditioning,
[] Short Bed []	Strobe Light Floor – Carpet Floor – Rubber	Seats - Cloth Seats - Vinyl	[] Tires - All Terrain [] Tow Package [] Windows - Tinted
See ATTACH	100 QUOTE	From 1	JOKTRAY S.E.
DATED 5/28,	loz. CORD	IN ATE W/ 1	DOKTRAX S.E. VOLTERX & JASON
6. WHAT WILL BE THE PRI			FOULNIER
LOADING & hA			AT HENDRY COUNTY
A Specify Dimensions or Model _			TRANSFER STATIONS

Fleet Use Only: #

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM

(PLEASE PRINT OR TYPE)

7. FUNDING SOURCE:		<u>-</u>	
[] Vehicle Replacement Fun	đ		
[4-Capital, Please Specify A	count String	2009 24 401 30	0
[] Other, Please Specify Acc	ount String		
If needed, please provide addit	tional account strings:		
8. WE ARE AUTHORIZING	A PURCHASE NOT	TO EXCEED: \$ _ 92, &00.0	10
REAUEST FOR	A & SECON	DMENT IS SECOND D (TWO, 2, TOTAL) LOAD	DERT BACKHOE
REQUESTED BY	DATE	1 ST LEVEL APPROVAL	DATE
2 ND LEVEL APPROVAL	DATE	DIVISION DIRECTOR	u 6/13/02 DATE
Option 1: [/] QUOTES AND authorizes Fleet M	REQUISITION. This Ianagement to issue a r	option authorizes Fleet Management requisition using the account string(s) pro	to obtain quotes and ovided above.
obtain quotes and funds (formerly k	authorizes Fleet Mana byn as swcharge fund	ECTOR 6/3/07 Lavender - out till 6/2	hicle using motor pool
* REQI	JIRED FOR ALL PURCHA	ASES BETWEEN \$ 25,000 - \$50,000.	
	OMPLETED F	ORM TO FLEET MANAGE	MENT 6/14/02

Fleet Use Only: #02 - 0

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) So//	111 >
:	
(number)	
2. REQUESTED BY: (print) LINDS EY S	AMPSON PHONE #: 338-3302
3. IS THIS A REPLACEMENT EQUIPMENT OR VE	HICLE ? [] YES [MNO
If yes: Asset #: Yr: Make:	Model: Meter:
4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARI	• •
Select all appropriate boxes:	
	Jount Hack [Jongle Kw [Jonal Kw
Additional description for vehicles or equipment:	hn Deere 410 G
BACK hoe Loaven TRACTOR B Please provide detailed justification on separate sheet.	OR. EQUIVALENT
5. WHAT, IF ANY, SPECIAL OPTIONS OR As appropriate options below and list any additional options below and list any additional option emergency lighting package, light-bar, 60" hydraulic real. ALI. COUNTY VEHICLES ARE ORDERED WITH FOR AM/FM Radio, Automatic Transmission, Rear Anti-Lock Branch	ons on the lines below: i.e. lift gates, 50' telestick boom, tary mower, etc. Please attach brochures if applicable: LLOWING STANDARD OPTIONS: Air Conditioning,
[] AM/FM/Cassette [] Bed-Liner [] Arrow Board A [] Strobe Light [] Long Bed [] Floor – Carpet [] Short Bed [] Floor – Rubber [Limited Slip
DATED 5/15/02 , ALSO	COOKDINATE EQUIP, & OPTIONS W/
6. WHAT WILL BE THE PRIMARY USE OF THE NE	COORDINATE EQUIP, A OPTIONS W/ JASON FOURNIER ES WEQUIPMENT OR VEHICLE? 339-330
LOADING AND LANDLING SO	I'V WASTE AT HENDRY CO.
A Specify Dimensions or Model	TRANSFER STATE

Recd 9/30

Fleet Use Only: # <u>02 - 092/</u>

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

7. FUNDING SOURCE:			÷	
[] Vehicle Replacement Fund				
[X] Capital, Please Specify Account	String	924 40130		
[] Other, Please Specify Account S	String			
If needed, please provide additional	account strings:			
•				
8. WE ARE AUTHORIZING A PUR	RCHASE NOT TO	DEXCEED: \$ <u>92,00</u>	0,00	·
REQUESTED BY	DATE	1 ST LEVEL APPROVAL	 ,	DATE
ATT		Inday la	mpaon	5/21/02
2 ND LEVEL APPROVAL	DATE	DIVISION DIVECTOR		DATE
obtain quotes and author funds (formerly known a	rizes Fleet Manage	5/14/00 DAVE	orizes Fleet M at or vehicle us	fanagement to ing motor pool
* REQUIRED	FOR ALL PURCHASE	S BETWEEN \$ 25,000 - \$50,000.		
SUBMIT THIS COM [**/ RECOMMENDED [] N.R. **/ APPROVED [] DEC Quore From North **/ EASIE COORDINATE ***/ 338-3302	A.T.T. FLEE	a de la awar a de la coursition specialis awar a la coursition	(A) 6/1	5./02/ ATE/ 14/02
7 7 3 3 8 Page 2 of 2	Ver. 3.2	Fleet Use Only: # 02 - C	42_	





QUOTATION

June 5, 2002

Lee County Solid Waste 10550 Buckingham Road Ft. Myers, FL 33905 Attn: Mr. Jason Fournier

CC: Mr. Don Lawes, Purchasing

Ph: (239) 338-3302

NORTRAX EQUIPMENT CO. is pleased to quote you the following equipment:

One NEW 2002 John Deere 410G Backhoe Loader, 93 Net HP

Co	ntra	ict l	tems

* 1770T	410G Backhoe Base Machine	\$ 73,021.00
* 2025	ROPS/FOPS Canopy	In Base Price
* 2625	Mechanical Suspension Vinyl Seat	\$ 562.00
* 3085	Four Wheel Drive w/ Limited Slip Diff	\$ 8,408.00
* 4790	Goodyear 19.5L x 24, 12.5/80-18 Front	\$ 758.00
* 5025	Standard Dipperstick Backhoe	In Base Price
* 5120	5 Function Control Valve	\$ 402.00
* 5225	Deere 2 Lever Controls, Backhoe	In Base Price
* 5310	Less Auxiliary Plumbing	In Base Price
* 5678	One 24" Severe Duty Bucket, Backhoe	\$ 1,363.00
* 7075	3 Function Valve with Dual Lever Controls	\$ 1,164.00
* 7600	Less Loader Bucket	In Base Price
* 8425	400 lbs. Front Counterweight	\$ 412.00
* 8625	Single Battery	In Base Price
* 9090	95 Amp Alternator	\$ 60.00
* AT194411	Hydraulic Loader Coupler, Installed	\$ 4,144.00
* AT192092	Universal Backhoe Bucket Coupler	\$ 978.00
* AT189090	Flat Trash Screen for Front Grille	\$ 105.00
* AT187815	2 Bulb Amber Strobe and Switch	\$ 247.00
* AT196352	Backhoe Bolt-on Protection Plate	\$ 319.00
* AT194368	Attachment Hydraulic Plumbing Kit	\$ 388.00
* AT178792	Standard Dipperstick Aux. Plumbing	\$ 429.00
* AT194824	Full Length Trans. Bottom Guard	<u>\$ 761.00</u>
	Total of Contract Items:	\$ 93,521.00
	Less 36.31% Government Discount:	\$ 33,957.47
	Total Net of Contract Items:	\$ 59,563.53
Non-Contract		
	d Grapple Bucket with Edge, Installed	\$ 7,870.00
	30" Grapple for Backhoe	\$ 3,400.00
	00 Hour Full Machine Extended Warranty	\$ 3,030.00
	00 hours of Preventative Maintenance	\$ 2,483.00
* Foam Filling	g of Tires (Set of 4)	<u>\$ 2,998.00</u>
	Total of Non-Contract Items:	\$ 19,781.00
	Total of All Items:	\$ 79,344.53



GENERAL SERVICES ADMINISTRATION OFFICE OF FEDERAL SUPPLY AND SERVICES

Authorized Federal Supply Schedule Price List (Catalog)

Machinery Listed:

Backhoe Loaders, Dozers, Wheel Loaders,

Motorgraders, Excavators and Crawler Loaders

Manufacturer Name: John Deere Construction Equipment Co.

FSC Class - 2410, 3805

Contract Number: GS-30F-1021D

Contract Period: 1 October 2000 through 29 September 2005

Delivering Dealer and Warranty Service Centers:

Nortrax Equipment Co. 4343 N.W. 76th Avenue

Miami, FL 33166

Nortrax Equipment Co. 2611 Hammondville Rd. Pompano Beach, FL 33069

Nortrax Equipment Co. 3933 Beeline Highway

West Palm Beach, FL 33404

Nortrax Equipment Co. 2995 Hanson Street Ft. Myers, FL 33916

Nortrax Equipment Co. 4333 John Young Parkway Orlando, FL 32804 Nortrax Equipment Co. 5102 N. 56th Street Tampa, FL 33610

Contact Information:

Bob Rainey

Government Sales Mgr., Central Florida

(813) 621-4902

Eny Sanchez

Government Sales, South Florida

(888) 235-6333

Federal ID # 58-2507812

DISCOUNTS FROM LIST			
INSTRECTAL BY THE WIND MEETING	HAMAGHINE MODELLA	ANDISCOUNTEROMILIST	
271-101	310G	36.31%	
271-101	310SG	36.31%	
271-101	410G	36.31%	
271-101	710D	30.40%	
271-101	455G	19.70%	
271-101	555G	19.70%	
271-101	450H	26.00%	
271-101	550H	26.00%	
271-101	650H	26.00%	
271-101	700H	26.00%	
271-101	750C	18.94%	
271-101	750C LGP	18.94%	
271-101	304H	29.29%	
271-101	324H	29.29%	
271-101	344H	29.29%	
271-101	444H	30.71%	
271-101	TC44H	30.71%	
271-101	544H	32.12%	
271-101	TC54H	32.12%	
271-101	624H	32.12%	
271-101	644H	32.12%	
271-101	670C	36.36%	
271-101	670CH	36.36%	
271-101	672CH	36.36%	
271-101	770C	38.64%	
271-101	770CH	38.64%	
271-101	772CH	38.64%	
271-101	25ZTS	22.18%	
271-101	35ZTS	22.18%	
271-101	50ZTS	22.18%	
271-101	80	30.71%	
271-101	120	24.34%	
271-101	160LC	29.29%	
271-101	200LC	30.00%	
271-101	230LC	30.00%	

.

Equipment for Base Machine

ENGINE: John Deere PowerTech (TM) 4045T 4.5L (276 Cu. In.) Rated hp: 97 SAE Gross hp / 92 SAE Net hp Turbocharged, Isolation Mounted Engine Coolant -34 Degrees F. (-37 C) Coolant Recovery Tank Sucker-Type Cooling Fan Vertical Spin-On Engine Oil Filter Oil-to-Water Engine Oil Cooler Spin-on John Deere Fuel Filter with Water Separator Dual Safety Element Dry-Type Air Cleaner Muffler, Underhood, with Vertical Curved Exhaust Stack Left and Right Side Access and Non-Spark Arresting Enclosed Safety Fan Guard POWERTRAIN: Powershift transmission with torque converter, Isolation Mounted to Mainframe Electrically actuated twist grip F-N-R in 1st through 4th gears. Vertical Spin-on Transmission Filter Planetary Final Drives Differential Lock, Foot Switch Activated Non-Powered Front Axle Hydrostatic Power Steering with Emergency Manual Mode Power-Assisted, Hydraulic Service Brakes Inboard, Wet Disc, Self-Adjusting and Self- Equalizing (Conforms to SAE J1473) Parking/Emergency Brake: Independent of Service Brakes (Conforms to SAE J1473) Spring Applied, Hydraulically Released, Wet Multi-Disc Transmission Oil Cooler BACKHOE: 15 Ft. 10 In. Digging Depth Backhoe Transport Lock Lever Swing Locking Pin Stored in Op. Station Deere Two Lever Backhoe

Controls

Pin Lock Reversible Stabilizer Feet Independent Isolation Mounted Stabilizer Valve with Two-Direction Anti-Drift Valves Less Bucket with Bucket Pins LOADER: Return-to-Dig Feature Bucket Level Indicator Hydraulic Self-Leveling Single Lever Control with Electric Clutch Cut-off Switch Less Bucket with Bucket Pins Loader Boom Service Lock OPERATOR STATION: Modular Design ROPS/FOPS Canopy Isolation Mounted with Molded Roof (Conforms to SAE J1040) Slip-Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185) Non-Suspension Vinyl Seat with Fore, Aft and Vertical Adjustment 2 In. (51 mm) Seat Belt w/Retractors Adjusts Independent of Seat Position Electric Monitor System with Audible and Visual Warning: Air Cleaner Restriction Low Alternator Voltage Indicator Engine Coolant Temperature gauge Engine Oil Pressure Indicator Hydraulic Filter Restriction Indicator Hydraulic Oil Temperature Display Park Brake On-Off Indicator Low Brake Pressure Indicator Seat Belt Indicator Torque Converter Temp. gauge Electric Fuel Gauge, Illuminated Electric Hourmeter / Tachometer / Voltmeter Key Start Switch with Electric Fuel Shut-Off Two (2) Power Ports for accessories

Interior Rearview Mirror Hand Throttle with Fuel Boonomy Setting at 2100 RPM Suspended Foot Throttle Built-In Operator's Manual Storage Compartment with Manual Built-In Beverage and Thermos Bottle Holder Coat Hook Molded Floor Mat Headliner LIGHTS: Two Front Driving/Working and Two Rear Working Halogen (35,200 Candlepower Each) Two Front and Two Rear Turn Signal/ Flashing Two Rear Stop and Tail Two Rear Reflectors OVERALL VEHICLE: Two Front and One Rear Built-In Tie Downs One-Piece Unitized Construction Mainframe Tilt Hood with (2) Service Positions Rigid Mounted Front Bumper Dent Resistant Rear Fenders 19.5 - 24 In. 10 PR (R4) Rear Tires 11L-16 In. 12 PR (F3) Front Tires Remote Grease Bank for Front Axle Vandal Protection Locking for: Engine Access Tilt Hood Instrument Panel - Lockable Tool Box - Lockable Fuel Tank - Lockable 36 Gal. (136L) Fuel Tank Ground Level Fueling Reverse Warning Alarm Switchable to 97 DBA or ELECTRICAL: 12 Volt System 65 Amp Alternator Single Battery with 150 Min. Reserve Capacity and 75000A Blade Type Multi-Fused Circuits By-Pass Start Safety Cover on

Starter

Continued

Positive Terminal Battery Cover HYDRAULICS: 42 GPM Axial Piston Pump -

Hydraulic Oil Cooler

PCLS System
Independent Hydraulic
Reservoir
10 Micron Vertical Spin-On

Filter
"O" Ring Face Seal Connectors
Circuit Relief Valve
Protection

CODE

DESCRIPTION

LIST PRICE

Select One Code From Each Required Category

BASE MACHINE 17701 410G BACKHOE LOADER 73,021.00 (ROPS)/(FOPS) CANOPY OR CAB 2025 (ROPS)/(FOPS) Canopy with Floormat and Headliner In Base Price includes 65 amp alternator, molded roof, (2) front halogen driving/work lights and (2) rear halogen work lights (35,200 candlepower each), (2) front and (2) rear turn signal/warning lights, (2) stop and tail lights and (2) rear reflectors. 2050 (ROPS)/(FOPS) Canopy with Front Tinted Safety Glass Windshield and 1,131.00 2-Speed Windshield Wiper NOTE: Includes 65 amp alternator, molded roof, floor mats and headliner, and (2) front halogen driving/work lights -35,200 candlepower each. (2) Rear turn signal/warning lights, (2) stop and taillights and (2) rear reflectors. All right, left and rear canopy features are the same as Code 2025. 2075 Cab with Dual Doors 6,396.00 NOTE: Includes 65 amp alternator, tinted safety glass, molded roof, deluxe interior trim, floormat, head liner, 3-speed 40,000 BTU fresh air intake heater, defroster and pressurizer, (2) front halogen driving/work lights and (2) rear halogen work lights (35,200 candlepower each), (2) front and (2) rear tum signal/warning lights, (2) stop and tail lights, (2) rear reflectors, (2) front 2-speed, and (1) rear 1-speed 2085 Cab with Dual Doors and Air Conditioning 8,456,00 NOTE: Same as Code 2075 plus 4-speed 40,000 BTU air conditioner. * CFC free R134a * Includes high ambient temperature cooling package. * Includes 95-amp atternator. SEAT

~^~	SEAT Continued	
2615	Non-Suspension, Vinyl, Swivel Seat without Arm Rests NOTE:	In Base Price
	* Includes 2 in. retractable seat beft.	
2625	Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable NOTE: * Includes 2 in. retractable seat belt.	562.00
2635		-
2033	Air Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fulty Adjustable NOTE: * Includes 2 in. retractable seat belt. * Requires Code 9055, Titt Steering Wheel.	672.00
2675		F00.00
2075	Mechanical Suspension Deluxe, Fabric, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable NOTE:	562,00
	* Recommended for use with Code 2075, 2080 or 2085, Cab. * Includes 2 in. retractable seat belt.	
685	Air Suspension Deluxe, Fabric, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable NOTE:	672.00
	* Includes 2 in, retractable seat belt. * Recommended for use with Code 2075, 2080 or 2085, Cab. * Requires code 9055, Tilt Steering Wheel.	
	FRONT AXLE AND TRANSMISSION	
035	Two Wheel Drive (2WD) with Powershift Transmission	In Base Price
	NOTE: * Includes torque converter with electrically actuated twist grip F-N-R in 1st through 4th gears.	
085	Four Wheel Drive (4WD) with Front Wheel Limited Slip Differential and Powershift Transmission NOTE:	8,408.00
	* Includes drive shaft guard on main frame, * Four-wheel drive on/off indicator illuminated.	
	* Includes torque converter with electrically actuated twist grip F-N-R in 1st through 4th gears.	
	TIDES AND MULEEUS (EDONT AND DEAD)	
	TIRES AND WHEELS (FRONT AND REAR) FORUSEWITH TWO WHEELDRIVE	
270	Goodyear 19.5 - 24 kn. 10 PR (R4) Tubeless Rear & 11L - 16 kn. 12 PR (F3) Front Tires	In Base Price
	NOTE: * 86 in. (2.18 m) overall width.	
	* Requires Code 3025, 3035 2WD.	

4791 4890 4891	* Requires Code 3075, 30854 Wheel Drive. * Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 30854 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 In. (2.34 m) overall width. * Requires Code 3075, 30854 Wheel Drive. * Rear tire chains require width. * Requires Code 3075, 30854 Wheel Drive. * Rear tire chains require width. * Requires Code 3075, 30854 Wheel Drive. * Rear tire chains require width. * Requires Code 3075, 30854 Wheel Drive. * Rear tire chains require widel spacers.	1,769.0
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers.	1,769.0
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive.	1,769.00
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive.	758.0 1,769.00
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE:	1,769.00
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Firestone 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires	1,769.00
890	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers.	1,769.00
	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Gnp Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive. * Rear tire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive.	
	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 92 in. (2.34 m) overall width.	
	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear tire chains require wheel spacers. Goodyear 21L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Grip Lug Tires NOTE:	
	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive, * Rear fire chains require wheel spacers. Goodyear 21L - 24 In. 10 PR (R4) Tubeless Rear &	
791	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Gnp Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive.	75 8.0
791	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 in. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 in. 10 PR Traction Front Sure Gnp Lug Tires NOTE: * 86 in. (2.18 m) overall width. * Requires Code 3075, 3085 4 Wheel Drive.	758.0
791	* Rear fire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE:	7 <i>5</i> 8.0
791	* Rear tire chains require wheel spacers. Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires	758.0
701	* Rear tire chains require wheel spacers.	750 0
	* 86 in. (2.18 m) overall width.	
	12.5/80 - 18 In. 10 PR Traction Front Sure Grip Lug Tires NOTE:	
790	Goodyear 19.5L - 24 In. 10 PR (R4) Tubeless Rear &	758.0
	FOR USE WITH FOUR WHEEL DRIVE	
	* Rear tire chains require wheel spacers	
	* 92 in. (2.34 m) overall width. * Requires Code 3025, 3035 2WD.	
	NOTE:	
1361	Firestone 21L - 24in, 10PR (R4) Tubeless Rear & 14.5/75 - 16 in, 10PR (F3) Front Tires	1,108.0
	* Rear tire chains require wheel spacers	
	* Requires Code 3025, 3035 2WD.	
	NOTE: * 92 in. (2.34 m) overall width.	
	14.5/75 - 16 In. 10PR (F3) Front Tires	•
1360	Goodyear 21L - 24in. 10PR (R4) Tubeless Rear &	1,108.0
	* Rear tire chains require wheel spacers	
	* 86 in. (2.18 m) overall width. * Requires Code 3025,3035 2WD.	
	NOTE:	
127 (Firestone 19.5 - 24 in. 10 PR (R4) Tubeless Rear & 11L - 16 in. 12 PR (F3) Front Tires	No Charg
4271	Firestroe 19.5 - 24 In 10 PR /R4) Tubeless Rear &	No Chan

	DESCRIPTION BACKHOE VALVES	
# # # # # # # # # # # # # # # # # # #	NOTE: Refer to Additional Available Equipment for complete tnformation when installing hydraulic backhoe attachments.	
5110	Four Function Valve NOTE: * Requires Code 5025, Standard Dipperstick.	In Base Price
5120	Five Function Control Valve NOTE: * If Equipped With 5025, Standard Dipperstick, fifth valve section can operate: Field Installed extendible dipperstick OR Thumbs, swingers or jaw buckets * Fifth valve section with work ports plugged, without circuit reliefs, with right pedal. * If Equipped With 5075, Extendible Dipperstick, fifth valve section operates extendible dipperstick.	402.00
5130	Five Function Valve Plus Selective Flow Valve (9, 13 and Variable from 13 to 34 GPM),1000-3000 PSI Adjustable NOTE: * Factory setting at 25 GPM. * Includes a side console switch to activate the selective flow valve section and foot switch to control attachment on/off. * Fifth valve section work ports plugged without circuit reliefs, with right pedator lever control. * Selective flow valve section with work port plugged, with controls. * Codes 5330 and 5350 provide plumbing from selective flow control valve to end of Dipperstick. * If equipped with 5025, Standard Dipperstick, fifth valve section can operate cylinder-actuated attachments. * If equipped with 5075, Extendible Dipperstick, fifth valve section operates extendible dipperstick. * Selective flow valve can operate low or high flow motor attachments.	2,009.00
5140	Six Function Manual Control Valve NOTE: * Includes fifth and sixth valve section with work ports plugged without circuit reliefs. Includes left pedal. * Also order AT194368, Attachment Hydraulic Plumbing Kit for Thumb, Clamp, Swinger or Jaw Bucket. * If equipped with code 5025, Standard Dipperstick, fifth and/or sixth valve section operates cylinder actuated attachments. * If equipped with code 5075, Extendible Dipperstick: - Fifth valve section operates extendible dipperstick Sixth valve section operates cylinder actuated attachments.	1,891,00

CODE	DESCRIPTION BACKHOE VALVES	LIST PRICE
5150	Six Function Control Valve Plus Selective Flow Valve (9, 13, and Variable from 13 to 34 GPM) 1000-3000 PSI Adjustable NOTE: * Factory setting at 25 GPM * Includes a side console switch to activate the selective flow valve section and foot switch to control attachment on/off. * Includes fifth and sidth valve section with work ports plugged without circuit reliefs. Includes left pedat. * Selective flow valve section with work port plugged with controls. * Codes 5330 or 5350 provide auxiliary plumbing from selective	2,740.00
	flow valve to end of Dipperstick. * If equipped with Code 5025, Standard Dipperstick, fifth and/or sixth valve section operates cylinder-actualed attachments. * If equipped with Code 5075, Extendible Dipperstick: - Fifth valve section operates Extendible Dipperstick Sixth valve section operates cylinder actuated attachments. * Selective flow valve can operate low or high flow motor attachments.	
	BACKHOE CONTROLS	
5225	Deere Two Lever Controls (Standard Backhoe or Extendible Dipperstick) NOTE: * Includes all Controls.	In Base Price
5245	Case Three Lever Controls with Foot Swing (Standard Backhoe or Extendible Dipperstick) NOTE: * Includes all Controls. * Requires Code 5110, 5120 or 5130 Backhoe Valve.	494.00
5265	SAE Excavator Style Two Lever Controls NOTE: * Includes all Controls.	173.00
	BACKHOE AUXILIARY PLUMBING	
5310	Less Backhoe Auxiliary Plumbing	In Base Price
5330	Standard Dipperstick Auxiliary Plumbing for Five Function Valve Plus Selective Flow Valve NOTE: * Requires Code 5025, Standard Dipperstick, and Code 5130 or 5150, Flow Control Valve.	1,143.00
	 * Includes hydraulic lines from the selective flow valve section to end of dipperstick. * Required for hammers, compactors, high or low flow motor attachments mounted to end of dipperstick. 	
5350	Extendible Dipperstick Auxiliary Plumbing for Five Function Valve Plus Selective Flow Valve NOTE: * Requires Code 5075, Extendible Dipperstick, and Code 5130 or 5150, Flow Control Valve. * Includes hydraulic lines from the selective flow valve section to end of dipperstick. * Required for hammers, compactors, high or low flow motor attachments mounted to end of dipperstick.	1,349.00

CODE TO DESCRIPTION	LIST PRICE US \$
---------------------	---------------------

	BACKHOE BUCKETS	
	NOTE: * All bucketsinclude lift holes. * Fanggs teeth are standard on HD buckets. * Fabricated teeth are standard on regular buckets.	
5600	Less Backhoe Bucket with Bucket Pins	In Base Price
5616	12" (305 mm) Wide - HD - 3.3 Cu. Ft. (0.09 Cu. M.) Capacity	743.00
5626	18" (457 mm) Wide - HD - 5.1 Cu. Ft. (0.14 Cu. M.) Capacity	858.00
5628	18" (457 mm) Wide - Severe Duty - 5.1 Ct. Ft. (0.14 Cu. M.) Capacity	1,035.00
5654	24" (610 mm) Wide - Regular - 7.5 Cu.Ft: (0.21 Cu. M.) Capacity	965.00
5656	24" (610 mm) Wide - HD - 7.5 Cu. Ft. (0.21 Cu. M.) Capacity	1,009.00
5658	24" (610 mm) Wide - Severe Duty - 7.5 Cu. Ft. (0.21 Cu. M.) Capacity	1,186.00
5676	24" (610 mm) Wide - HD - 8.8 Cu. Ft (0.25 Cu. M.) Capacity	1,192.00
5678	24" (610 mm) Wide - Severe Duty - 8.8 Cu. Ft. (0.25 Cu. M.) Capacity	1,363.00
5686	30" (762 mm) Wide - HD - 10 Cu. Ft. (0.28 Cu. M.) Capacity	1,132.00
	LOADER HYDRAULICS	
7025	Two Function Valve and Lines with Single Control Lever	In Base Price
7075	Three Function Valve and Lines with Dual Lever Controls NOTE: * For multi-purpose bucket and front attachments. * Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.	1,164.00
	LOADER BUCKETS (NOT FOR USE WITH COUPLER)	
7600	Less Loader Bucket with Pins for Buckets or Front Attachments	In Base Price

	LOADER BUCKETS (NOT FOR USE WITH COUPLER)	0 a, U
7640	1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * 86 in. (2.18 m) wide. * Punched for bott-on cutting edge. For cutting edge, order T150517 and appropriate attaching hardware from parts. * Includes two lift holes.	_ 2,000 .00
7645	1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * 92 in. (2.34 m) wide. * Includes reversible bolt-on cutting edge and skid plates. * Includes two lift holes	2,250,00
7655	1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * 92in. (2.34 m.) wide. * Includes reversible bott-on cutting edge and skid plates. * Includes two lift holes	2,500.00
7685	1.32 Cu. Yd. (.96 Cu. M.)Multi-Purpose Bucket NOTE: * Requires Code 7075, Aux. Loader Hydraulics. * 92 in. (2.34 m) bucket width. * Includes reversible bolt-on cutting edge and skid plates. * Pre-drilled for eight teeth. Order teeth from parts. * Includes two lift holes.	4,750.00
·	FRONT COUNTERWEIGHTS NOTE: See following Counterweight Selection Chart for	
	appropriate combination of counterweights.	
3410	Front Bumper - 30 Lb. (14 kg.)	In Base Price
8425	400 Lb. (181 kg) Front Counterweight NOTE: * (3) additional T165739, 250 Lb. Front Counterweights may be added to a maximum of 1150 lb. (522 kg).	412.00
3455	650 Lb. (295 kg) Front Counterweight NOTE: * (3) additional T165739,250 Lb. (113 kg) Front Counterweights may be added to a maximum of 1400 lb. (635 kg).	670.00
3475	900 Lb. (408 kg) Front Counterweight NOTE: * Includes (1) 650 lb. (295 kg) counterweight and (1) T165739, 250 Lb. (113 kg) Counterweight. * (2) additional T165739, 250 Lb. (113 kg) Front Counterweights may be added to a maximumof 1400 lb. (635 kg).	927.00
3485	1150 Lb. (522 kg) Front Counterweight NOTE: * Includes (1) 650 lb. (295 kg) counterweight and (2) T165739, 250 Lb. (113 kg) Counterweights. * (1) additional T165739, 250 Lb. (113 kg) Front Counterweight may be added to a maximum of 1400 lb. (635 kg).	1,185.00

	FRONT COUNTERWEIGHTS	
8495	1400 Lb. (635 kg) Front Counterweight NOTE: * Includes (1) 650 lb. (295 kg) counterweight and (3) T165739, 250 Lb. (113 kg) Counterweights.	1,442.00
····		
	BATTERY	
8625	Single Battery, 150 Minute Reserve Capacity (750 CCA)	In Base Price
8675	Dual Batteries, 300 Minute Reserve Capacity (1500 CCA) NOTE:	185.00
	* Recommended in temperatures below 32 degrees F (0 degrees C).	
	SPECIAL EQUIPMENT - ORDER AS DESIRED	
•	MISCELLANEOUS	
9025	John Deere Backhoe Bucket Coupler	693.00
	NOTE: * Fits 300 Series SE & SG as well as 410E & G.	
	* Will not fit Case, Cat or other series John Deere buckets. * Proper counterweighting is required. See Counterweight Selection Chart. * Recommend Backhoe Boom Bolt-on Protection Plate.	
9030	Universal Backhoe Bucket Coupler	978.00
	NOTE: * Fits John Deere 310SE, 410E, 300D-510D buckets.	
	* Fits Case K and L Series and Cat B and C Series Buckets.	
	* Recommend 300D-510D and 210C-610C buckets, use high strength pins: -AT181348, Pin for 12 Inch Buckets	
	-AT179130, Pin for 18-36 Inch Buckets	
	* Proper counterweighting is required. See Counterweight Selection Chart. * Recommend Backhoe Boom Bolt-on Protection Plate.	
9045	Chrome Exhaust Extension	96.00
9050	High Ambient Temperature Cooling Package	. 774.00
	NOTE:	
	 Recommended for ambient temperatures above 110 degrees F (43 degrees C), and/or field installed air conditioning. Included in Code 2085, Cab with Air Conditioning. 	·
9055	Tilt Steering Wheel	417.00
9065	Deluxe Lighting Package	279.00
	NOTE: * Additional two (2) front, (2) rear additional Halogen Work Lights and (2) side docking lights for Cab	
	* 35,200 candlepower each,	
	 Requires Code 9090, 95 Amp Alternator, except when ordered with Code 2085, Cab with Air. 	
9070	AM-FM Stereo Weather Band Radio with Digital Clock for Cab NOTE:	521,00
	* Requires Code 2075 or 2085 Cab.	

	DESCRIPTION	LISTPRICE US\$
9080	110 Volt Engine Coolant Heater (1000 Watts) NOTE: * Recommended in temperatures below 32 degrees F (0 degrees C).	62.00
9085	Electric Ether Start Aid NOTE: * Recommended in temperatures below 32 degrees F (0 degrees C).	139.00
9090	95 Amp Alternator NOTE: * Required with Code 9065, Additional Cab Lights. * Not required if equipped with Code 2085, Cab with Air.	60.00 ##
9110	Ride Control NOTE: * Activated by on/off rocker switch on the right console.	996.00
9131	Single Battery Disconnect (!UPDATED 03-27-02)	98,00
9132	NOTE: * Requires Code 8625 * Using disconnect will remove clock settings. Dual Battery Disconnect	93.00
	(!UPDATED 03-27-02) NOTE: * Requires Code 8675 * Using disconnect will remove clock settings.	33.30
9150	Floor Heater for ROPS NOTE: * Requires Code 2025, ROPS or 2050, Canopy w/Windshield	712.00
9175	Front Windshield Washer NOTE: * Requires Code 2075 or 2085, Cab.	170.00
9225	3 in. Retractable Seat Beit	73.00
9460	Spanish Trademarks and Decals	No Charge
9470	French Trademarks and Decals	No Charge
AT185522	DEALER-INSTALLED ATTACHMENTS NOTE: * The following items can be installed by the Dealer, or contact JRB Custom Works for pricing and installation prior to shipping complete unit from the Dubuque Factory. * Prices listed below are for kitmaterial only. LOADER BUCKETS 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty Long Lip Bucket NOTE:	2,000.00
	* 86 in. (2.18 m) wide. * Punched for bolt-on cutting edge. For cutting edge, order T150517 and appropriate attaching hardware from parts. * Includes skid plates and two lift holes.	

CODE	DESCRIPTION	LIST PRICE US \$
AT185519	1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * 92 in. (2.34 m) wide, * Includes reversible boit-on cutting edge with skid plates. * Includes skid plates and two lift holes,	2,380.00
AT185516	1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * 92 ln. (2.34 m) wide. * Includes reversible bott-on cutting edge with skid plates. * Includes two lift loops.	2,620.00
AT185644	1.25 Cu. Yd. (.96 Cu. M.) Multi-Purpose Bucket NOTE: * Requires Code 7075, or AT192173 Third Function Loader Hydraulics. * 92 in. (2.34 m) wide. * Includes reversible bolt-on cutting edge with skid plates. * Pre-drilled for eight teeth. Order teeth from parts. * Two lift loops. * Proper counterweighting is required. See Counterweight Selection Chart.	4,750.00
AT192173	Auxiliary Valve Kit NOTE: * Installation instructions T185977. * Average installation, 6 hours. * Kit converts from 2 to 3 function loader valve and required for multi-purpose buckets. * Includes valve sections and tie-bolts. * Requires AT194372, Loader Auxiliary Plumbing and Linkage Kit for complete installation.	1,482.00
AT194372	Loader Auxiliary Plumbing and Linkage Kit NOTE: * Installation instructions T187188. * Average installation, 3 hours. * Includes control lever and linkage parts with plumbing. * Requires AT192173, Auxiliary Valve Kit.	528.00
AT194410	LOADER COUPLER AND ATTACHMENTS Hydraulic Loader Coupler NOTE: * Includes all electric and hydraulic parts to complete installation. * Electric switch activates pin disconnect from operator's seat. * Fits John Deere AT180838, 1.12 Yard, or AT180839, 1.3 Yard GP Loader Buckets, or AT180842, 48 Inch Pallet Forks.	3,847.00
AT194411	Hydraulic Loader Coupler - Installed Prior to Shipment Note: * Electric switch activates pln disconnect from operator's seat. * Fits John Decre AT180838, 1.12 Yard, or AT180839, 1.3 Yard GP Loader Buckets, or AT180842, 48 Inch Pallet Forks.	4,144.00
AT180839	1.3 Cu. Yd. (1 Cu. M.) Heavy Duty Long Lip Bucket NOTE: * Requires Hydraulic Front Coupler. * 92 in. (2.34 m) wide. * Includes reversible bolt-on cutting edge with skid plates. * Lift holes integral in front coupler.	2,500.00

Service of Control of	THE RESERVE OF THE PROPERTY AND ASSOCIATION OF THE PROPERTY ASSOCIATIO	Security of the second
CODE	S. DESCRIPTION	LIST PRICE US \$
	•	
AT180842	Pallet Forks for Front Coupler NOTE: * Requires Hydraulic Front Coupler. * Manual tine adjustment. * 60-inch (1.52 M.) wide carriage. * 48-inch (1.22 M.) fork tines.	3,090.00
	BACKHOE COUPLER	
AT192092	Universal Backhoe Bucket Coupler NOTE: * Fits John Deere 310SE, 410E, 300D-510D, 210C-610C buckets. * Fits Case K and L Series and Cat B and C Series Buckets. * Recommend 300D-510D and 210C-610C buckets, use high strength pins: -AT181348, Pin for 12 Inch Buckets -AT179130, Pin for 18-36 Inch Buckets * Proper counterweighting is required. See Counterweight Selection Chart. * Recommend Backhoe Boom Bolt-on Protection Plate.	978.00
AT192093	John Deere Backhoe Bucket Coupler NOTE: * Fits 300 Series SE & SG as well as 410E & G. * Will not fit Case, Cat or other series John Deere buckets. * Proper counterweighting is required. See Counterweight Selection Chart. * Recommend Backhoe Boom Bolt-on Protection Plate.	693.00
AT192094	Case Backhoe Bucket Coupler NOTE: * Fits only Case K and L Series buckets. * Will not fit John Deere or Cat buckets. * Proper counterweighting is required. See Counterweight Selection Chart. * Recommend Backhoe Boom Bolt-on Protection Plate.	829.00
	BACKHOE BUCKETS NOTE: * The following buckets fit 310SG, 315SG, and 410G only. * All buckets include lift holes. * Fanggs teeth are standard on HD buckets. * Fabricated teeth are standard on regular buckets.	
AT192011	12 In. (305 mm) Heavy-Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M.)	743.00
AT192012	18 ln. (457 mm) Heavy-Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M.)	858.00
AT192013	18 In. (457 mm) Severe Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M.)	1,035.00
AT192014	24 In. (610 mm) Bucket; 7.5 Cu. Ft. (0.21 Cu. M.)	965.00
AT192015	24 In. (610 mm) Heavy-Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M.)	1,009.00
AT192016	24 In. (610 mm) Severe Duty Bucket, 7.5 Cu. Ft. (0.21 Cu. M.)	1,186.00
AT192017	24 In. (610 mm) Heavy-Duty Bucket; 8.8 Cu. Ft. (0.25 Cu. M.)	1,192.00
AT192018	24 In. (610 mm) Severe Duty Bucket; 8.8 Cu. Ft. (0.25 Cu. M.)	1,363.00

CODE	DESCRIPTION	LIST PRICE US \$
AT192019	30 ln. (762 mm) Heavy-Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M.)	1,132.00
AT192020	30 In. (762 mm) Severe Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M.)	1,309.00
AT192021	36 In. (914 mm) Heavy-Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M.)	1,274.00
AT192022	36 in. (914 mm) Ditching Bucket, 12.5 Cu. Ft. (0.35 Cu. M.) NOTE: * Ditching bucket does not include teeth.	1,092.00
AT192517	ENGINE Pre-Cleaner Kit NOTE: * Installation instructions T185033. * Average installation, 2 hours.	248.00
AT192153	High Pressure Ether Starting Aid NOTE: * Recommended for temperatures below 32 degrees F (0 degrees C). * Installation instructions T185988. * Average installation, 1 hour. * When used with Code 1025, Naturally Aspirated Engine, also order R133187, Air Inlet. * Also order AT171162 Ether cylinder through Parts.	139.00
AT198096	Electrical Master Disconnect (IUPDATED 11-APR-02) NOTE: * Installation instructions T186003. * Average installation, 2 hours. * Recommended for anti-theft protection. * Using disconnect will remove radio settings.	191.00
AT186213	Emergency Start Terminals NOTE: * Installation instructions T166249. * Average installation, 1 hour.	10.00
AT179053	Environmental Oil Drains NOTE: * Installation instructions T161028. * Average installation, 1 hour. * Includes fittings and hoses to safely drain engine oil, transmission oil, coolant, and fuel filter/water separator.	96.00
AT189090	Flat Trash Screen for Front Grille NOTE: * Installation instructions T183644. * Average installation, 1 hour. * Recommended in heavy airborne debris applications: OPERATOR STATION	105.00

CODE	DESCRIPTION	LIST PRICE JUS \$
AT192032	Operator Manual Tether Cables for ROPS or Cab NOTE: * Installation instructions T186008. * Average installation, 1 hour. * Fastens operator manual to unit.	13.00
AT192217	AM/FM Stereo, Weather Band Radio with Digital Clock for Cab NOTE: * Installation instructions T186008, * Average installation, 3 hours. * Requires Code 2075 or 2085, Cab.	521.00
AT187815	Two Bulb Amber Strobe and Switch NOTE: * installation instructions T167213. * Average installation, 1 hour. * Beacon on/off indicator illuminated.	247.00
AT194821	Rotating Beacon	205.00
AT195462	Beacon Wiring Kit	19.00
AT195686	Tift Steering Kit	423.00
AT186307	Sun Visor NOTE: * Installation instructions T166330. * Average installation, 1 hour,	59.00
AT186288	Slow Moving Vehicle Emblem NOTE: * Installation instructions T184086. * Average installation, 1 hour. * Mounts to left rear ROPS or cab. * Removable without tools for trucking.	39.00
AT186155	Two Exterior Rear View Mirrors NOTE: * Installation instructions T148958. * Average installation, 1 hour. * Vertical 16 in. radius convex mirrors * 8 in. wide and 11.88 in. long.	126.00
AT192242	Deluxe Lighting Package with Additional (2) Front, (2) Rear Additional Halogen Work Lights (35,200 C.P. each) and (2) Side Docking lights for Canopy/Cab NOTE: * Installation instructions T186023. * Average installation, 3 hours. * If not equipped with Code 2085, Cab with Air, also requires 95-amp alternator. * Mount below standard work lights.	279.00
AT192200	Canopy Heater Kit NOTE: * Installation Instructions T186007. * Average installation, 4 hours. * 20,000 BTU floor heater	712.00

CODE	DESCRIPTION	LIST PRICE US \$
AT187440	Air Conditioning Conversion Kit (For units equipped with Code 9040, High Ambient Cooling) (&UPDATED 06-MAY-02)	2,060.00
	NOTE: * Average installation time 10 hours. * Installation Instructions T186084. * 4-speed, 27,000 BTU air conditioner. * Requires cab. * Requires Code 9090, 95-amp alternator or from parts.	
AT187442	Air Conditioning Conversion Kit	3,813.00
	(&UPDATED 06-MAY-02) NOTE:	
	* Average installation time 14.5 hours. * Installation instructions T186179.	
	* 4-speed, 27,000 BTU air conditioner. * Requires cab.	
	* Requires Code 9090, 95-amp atternator or from parts. * 310G only - (For units equipped with Factory installed Selective Flow Control * 310G only - (Turbocharger recommended)	
	* 310SG, 315SG, and 410G - only (For units NOT equipped with High Ambient Cooling)	
AT196900	Mechanical to Air Seat Conversion	788.00
AT179287	OVERALL VEHICLE Rear Wheel Spacers for Rear Tire Chains	247.00
	NOTE: * Installation instructions T161124. * Average installation, 1.5 hours. * 2.17 inch (55 mm) wide each * Includes wheel hardware.	25
AT187707	License Plate Bracket and Light	27.00
	NOTE: * Installation Instructions T167141. * Average installation, 1 hour. * Mounts on left rear of operator's station.	
AT185950	Ride Control NOTE:	996.00
	* Installation instructions T188982. * Average Installation, 4 hours. * Requires dealer fabricated hoses.	
	BACKHOE	
	Backhoe Boom Bott-On Protection Plate NOTE: * Installation Instructions T188730. * Average installation, 1.5 hours. * Bots to underside of backhoe boom.	319.00
	* Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.	

CODE	大量的人,这一一一直,这个大概是一般,只是一点,不是一点,一个一点,一点,就是一个一个一个一点,就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	LISTPRICE US \$
AT179689	Extendible Dipperstick Bolt-on Protection Plate NOTE: * Bolts to bottom of dipperstick. * Installation instructions T161309. * Average installation, 2 hours.	162.00
AT179904	410G Extendible Dipperstick NOTE: * Installation instructions T161570. * Average installation, 3 hours. * Requires Code 5120, Five Function Valve, OR AT178794, Fifth Function Control Valve Section, with AT185625, Right Pedal (Deere, Cat or Ford Controls) or AT185627, Fifth Function Lever (Case Controls) OR Code 5130, Five Function Valve Plus Selective Flow Valve. * Requires AT178798, Plumbing for Extendible Dipperstick. * Proper counterweighting required. See Counterweight Selection Chart.	4,594.00
AT178798	Plumbing for Extendible Dipperstick NOTE: * Installation Instructions T160870. * Average installation, 2 hours. * Requires Code 5120, Five Function Valve, OR AT178794, Fifth Function Control Valve Section, with AT185625, Right Pedal (Deere, Cat or Ford Controls) or AT185627, Fifth Function Lever (Case Controls) OR Code 5130, Five Function Valve Plus Selective Flow Valve. * Includes .625 inch (16 mm) lines, clamps and hardware from valve to extendible dipperstick cylinder.	1,236.00
AT182197	Grip Teeth for Extendible Dipperstick NOTE: * Installation instructions T163053. * Average installation, 1 hour. * Weld-on grip teeth replace worn original teeth. BACKHOE VALVES	62.00
AT178794	Fifth Function Control Valve Section (Without Circuit Reliefs) NOTE: * Installation instructions T160866. * Average installation, 4 hours. * Requires AT185625, Right Pedal, (Deere, Cat or Ford Controls) or AT185627, Fifth Function Lever, (Case Controls). * Requires AT194368, Attachment Hydraulic Plumbing Kit, for cylinder operated attachments.	1,097.00
AT192626	Sixth Function Control Valve Section (Without Circuit Reliefs) NOTE: * Installation instructions T186320. * Average installation, 4 hours. * Can use with Code 5110, Four Function Control Valve, Code 5120, Five Function Control Valve, or Code 5130, Five Function Control Valve Plus Selective Flow Valve. * Requires AT185629, Left Pedal, (Deere, Cat or Ford Controls). * Cannot be used with Case Controls. * Requires AT194368, Attachment Hydraulic Plumbing Kit, for cylinder operated attachments.	720.00

CODE	DESCRIPTION	LIST PRICE
\$ T4007404		
AT186717	Selective Flow Valve and Controls (9, 13, or 34GPM 1000-3000 PSI Adjustable) NOTE: * Installation instructions T166680. * Average installation, 6 hours. * Includes a side console switch to activate the selective flow valve section and foot switch to control attachment on/off. * Selective flow valve can operate low or high flow motor attachments	2,332.00
AT194441	Controlled Lowering Device for Backhoe Boom Cylinder	3,066.00
AT178797	Controlled Lowering Device for Backhoe Crowd (Dipper) Cylinder	2,675.00
AT40F604	BACKHOE CONTROLS	
AT185624	Deere Two Lever Controls NOTE: * Installation instructions T186164. * Average installation, 4 hours. * T405006 Flints Branch & Annual Control of the Cont	350.00
	* Requires AT185625, Right Pedal Kit, if equipped with Case controls and five function control valve.	
AT185625	Right Pedal for Fifth Function Backhoe Valve NOTE: * Installation instructions T186167. * Average installation, 1 hour. * Requires Code 5120, Five Function Control Valve, Code 5130, Five Function Control Valve Plus Selective Flow Valve CR AT192247, Fifth Function Control Valve Section	221.00
	 Cannot use with Case three lever controls with foot swing. 	
AT185629	Left Pedal for Sixth Function Backhoe Valve NOTE: * Installation instructions T186168. * Average installation, 1 hour. * Requires AT192334, Sixth Function Control Valve Section. * Cannot use with Case three lever controls with foot swing.	259.00
AT185626	Case Three Lever Controls with Foot Swing NOTE: * Installation instructions T186174. * Average installation, 2 hours. * Requires Code 5110, Four Function Control Valve, Code 5120, Five Function Control Valve, Code 5130, Five Function Control Valve Plus Selective Flow Valve CR AT192247, Fifth Function Control Valve Section * AT192247, Fifth Function Control Valve Section, requires AT185627, Case Fifth Function Lever. * Cannot use with Sixth Function Control Valve.	610.00

CODE	DESCRIPTION	LIST PRICE US \$
AT185630	SAE Excavator Style Two Lever Controls NOTE: * Installation Instructions T186614. * Average Installation, 1 hour.	173.00
AT185628	* Requires Code 5225, Deere Two Lever Controls. Ford Four Lever Controls for Standard and Extendible Dipperstick NOTE: * Units with Code 5245, Case Controls and Five-Function Valve, require AT185625, Right Pedal.	1,589.00
AT185627	Fifth Function Lever Kit NOTE: * Installation Instructions T186180. * Average installation, 1 hours. * Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick	133.00
AT180828	BACKHOE HYDRAULICS Auger Hydraulics for Extendible Dipperstick NOTE: * Includes fittings and hydraulic couplers for bucket cylinder. * Installation instructions T162094. * Average installation, 1 hour. * Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. * Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.	399.00
AT181192	Auger Hydraulics for Standard Dipperstick NOTE: * Includes fittings and hydraulic couplers for bucket cylinder. * Installation instructions T162346. * Average installation, 1 hour. * Bucket cylinder hoses are disconnected; bucket function operates auger forward a No additional controls are required. * Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic ocauger.	
AT190118	Hand Held Hydraulic Tool Kit NOTE: * Installation Instructions T186520. * Average installation, 4 hours. * Includes two circuit reliefs, fittings, clamps and hardware. * Requires Code 5130, 5150 or AT186689 Selective Flow Valve. * Installed in left side Battery Box.	174.00
AT194368	Attachment Hydraulic Plumbing Kit for Thumb, Clamp, Swinger or Jaw Bucket NOTE: * Installation instructions T187192. * Average installation, 2 hours. * Includes two circuit reliefs, fittings, clamps and hardware. * For Low Flow intermittent usage. * Requires Dealer to make eight hoses per installation instructions.	388.00

CODE DESCRIPTION

Continued

Standard Dipperstick Auditary	, a 429.00 h
NOTE: * Complete installation requires Dealer fabrication of hoses. * hoteleties installation 7160084	
* Requires Code 5025, Standard Dipperstick. * Requires Code 5130, Five Function Valve Plus Selective Flow Valve	
CR AT186717, Selective Flow Valve.	
* Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve	•
* Required for hammers, compactors, high or low flow motor	
Extendible Dippersick Auxiliary Plumbing for Selective Flow Valve	433.00
NOTE: * Complete installation requires Dealer fabrication of hoses.	
* Average installation, 2 hours.	
 Same as Code 5350. Requires Code 5075, Extendible Dipperstick. Requires Code 5130, Five Function Valve Plus Selective Flow Valve 	
OR AT186717, Selective Flow Valve.	
 Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve 	
* Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.	
Low Return Pressure Kit for Hammers and Compactors NOTE:	268.00
* Installation instructions T187212. * Average installation. 2 hours.	
* Lowers hammer and compactor return pressures from 400 PSI to 170 PSI at 22 GPM on 410G units.	
Check with your attachment manufacturer. * Includes return fitter with check valve.	
seal drain connection and connectors. * Hoses must be fabricated by dealer.	
STABILIZER	
Stabilizer Cylinder Guards (Set of Two) NOTE:	221.00
* Average installation, 1 hour.	
	721.00
NOTE:	. 2 ,,00
* Average installation, 1 hour.	
	Plumbing for Selective Flow Valve NOTE: Complete installation requires Dealer fabrication of hoses. Installation Instructions T160884. Average installation; 2 hours. Same as Code 5330. Requires Code 5330. Requires Code 5130, Five Function Valve Plus Selective Flow Valve CR AT186717, Selective Flow Valve. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of dipperstick. Required for hammens, compactors, high or low flow motor attachments mounted on end of dipperstick. Extendible Dipperstick Auxiliary Plumbing for Selective Flow Valve NOTE: Complete installation requires Dealer fabrication of hoses. Installation instructions T183450. Average installation, 2 hours. Same as Code 5030. Requires Code 5075, Extendible Dipperstick. Requires Code 5075, Extendible Dipperstick. Requires Code 5075, Extendible Dipperstick. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick. Low Return Pressure Kit for Hammers and Compactors NOTE: Installation instructions T187212. Average installation, 2 hours. Lowes hammer and compactor return pressures from 400 PSI to 170 PSI at 22 GPM on 410G units. Check with your attachment manufacturer. Includes return filter with check valve, seal drain connection and connectors. Hoses must be fabricated by dealer. STABILIZER Stabilizer Cylinder Guards (Set of Two) NOTE: Installation instructions T185991, Average installation, 1 hour. Helps protect stabilizer eylinders from damage. Reversible Stabilizer Pads NOTE:

COUNTERWEIGHTS

Continued

CODE DESCRIPTION	. :	3							14		ġ.		受利 表表	LIS	T PF	US!	<u>=</u>

T165739

250 Lb. (113 Kg) Auxiliary Front Counterweight

* If equipped with Code 8410, Front Bumper, T165950, 400 Lb. (181 kg) or T185525, 650 Lb. (295 kg)
Counterweight, must be used in place of front bumper before any auxiliary weights are added.

*If equipped with Code 8425, 400 Lb. (181 kg)

Counterweight, (3) additional counterweights can be

added to a maximum of 1,150 lb. (522 kg).

If equipped with Code 8455, 650 Lb. (295 kg) Counterweight, and (3) additional counterweights can be added to a maximum of 1,400 lb. (635 kg).

* If equipped with Code 8475, 900 Lb. (408 kg)
Counterweight, and (2) additional counterweights can
be added to a maximum of 1,400 lb. (635 kg).

* If equipped with Code 8485, 1,150 Lb. (522 kg) Counterweight, (1) additional counterweight can be added to a maximum of 1,400 tb. (635 kg).

T165950

400 Lb. (181 Kg) Front Auxiliary Counterweight NOTE:

412.00

670.00

258.00

* Replaces Code 8410, Front Bumper

* Bolts directly to mainframe using (4) 19M8021 and (4) T119912 from parts.

* Same as Code 8425.

* T165739, 250 Lb. (131 kg) Auxiliary Front

Counterweight, can be added to a maximum of 1400

lb. (635 kg).

T165525

650 Lb. (295 Kg) Front Auxiliary Counterweight NOTE:

* Replaces Code 8410, Front Bumper

* Bolts directly to mainframe using (4) 19M8021 and (4)

T119912 from parts. Same as Code 8455.

* T165739, 250 Lb. (131 kg) Auxiliary Front Counterweights, can be added to a maximum of 1,400

b. (635 kg).

REFERRAL ATTACHMENTS

Dealer purchases approved by Deere and accepted by the supplier will be billed by Deere on the ordering Dealer's John Deere Statement with the terms in effect at the time of billing. Following credit approval, Deere will forward Dealer orders to the supplier for acceptance. Upon accepting the order, the supplier will sell and ship the product directly to the ordering Dealer.

G. R. MANUFACTURING BACKHOE ATTACHMENTS

Continued

CODE DESCRIPTION

LISTPRICE US\$

Full Length Transmission Bottom Guard NOTE:

761.00

- * Installation instructions included.
- * Average installation, 0.5 hour.
- * Fits two and four wheel drive units.
- * Protects transmission, filters and hoses.
- * Bolts and hooks to main frame.
- * Cannot use with AT178315, Bolt-on Transmission Guard.

All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800) 841-8001 Fax: (205) 655-8005

DEERETRAX PROVIDED & INSTALLED BY JRB

NOTE:

- * For JRB installed DeereTrax, dealers must include in the "remarks" area of the attachment order, machine order number(s) for DeereTrax installation.
- * For dealer installed DeereTrax, please refer to Customer Applications on JDC&FDealerNet.

All Hardware components are covered by a 12-month warranty from John Deere. Technical support is provided through a call center 24/7 for both dealers and customers. John Deere Global Vehicle Communications phone: (800) 939-0805. Warranty for JRB installed DeereTraxTM will be the responsibility of JRB Company, Inc., and is handled directly between the dealer and JRB.

 $JRB\ Company, Inc.$ 820 Gaser Parkway Akron, Ohio 44306 Phone: (800) 428-2538

* AT196543

Installed Deere Trax with 24 Month Communication Contract

- * Provides machine location and hours back to customer via internet.
- * Provides theft prevention through geofencing capability.
- Wireless Communication service Contract service billed to customer monthly.

* AT196544

Installed DeereTrax with 36 Month Communication Contract NOTE:

524.00

524.00

- * Provides machine location and hours back to customer. via Internet.
- * Provides theft prevention through geofencing capability.
- * Wireless Communication service Contract service billed to customer monthly.