

**Lee County Board Of County Commissioners  
Agenda Item Summary**

**Blue Sheet No. 20021395**

**1. REQUESTED MOTION:**

**ACTION REQUESTED:** Approve award of the following Projects: EX030162, the purchase of three (3) new International cab and chassis trucks from International Truck and Engine Corporation, at the Florida State Contract base price with contract options of \$38,550.00 each – total for three (3) trucks: \$115,650.00; and W-030163, the purchase and installation of three (3) Conibear sand spreader box bodies from the Conibear Equipment Company at a price of \$27,488.00 each – total for three (3) spreader box bodies: \$82,464.00. Grand total for three (3) complete trucks, which are for use by the Lee County Department of Transportation, is \$198,114.00. A waiver has been requested because the Conibear Equipment Company is the sole source distributor for these spreader box bodies.

**WHY ACTION IS NECESSARY:** Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

**WHAT ACTION ACCOMPLISHES:** This purchase allows Lee County DOT to update its aging spreader box fleet; trucks that are used for road maintenance and hazardous waste spills. The three (3) units are replacements for equipment #019267, #019484, and #019543; all of which have met Fleet Management's replacement criteria (please see Attachment #5).

**2. DEPARTMENTAL CATEGORY:  
COMMISSION DISTRICT #**

**A9A**

**3. MEETING DATE:**

**01-07-2003**

**4. AGENDA:**

CONSENT  
 ADMINISTRATIVE  
APPEALS  
  
 PUBLIC  
WALK ON  
TIME REQUIRED:

**5. REQUIREMENT/PURPOSE:  
(Specify)**

STATUTE  
 ORDINANCE  
 ADMIN. AC-4-1  
 CODE  
 OTHER

**6. REQUESTOR OF INFORMATION:**

A. COMMISSIONER  
B. DEPARTMENT Transportation  
C. DIVISION

BY: Scott Gilbertson, P.E., Director

**7. BACKGROUND:**

--BACKGROUND BEGINS ON PAGE TWO--

**8. MANAGEMENT RECOMMENDATIONS:**

**9. RECOMMENDED APPROVAL:**

A Department Director	B Purchasing or Contracts	C Human Resources	D Other	E County Attorney	F Budget Services				G County Manager
<i>Mrawlings 12/15/02</i>	<i>Janet Sheehan 12-4-02</i>	<i>N/A</i>		<i>[Signature]</i> 12/17/02	OA <i>RK 12/17</i>	OM <i>12/18/02</i>	Risk <i>12/18/02</i>	GC <i>12/18/02</i>	<i>[Signature]</i>

**10. COMMISSION ACTION:**

APPROVED  
 DENIED  
 DEFERRED  
 OTHER

Rec. by CoAtty  
Date: 12/16/02  
Time: 4:00 PM  
Forwarded To:  
*Budget*  
12/19/02

REC'D  
12/17/02  
COUNTY ATTORNEY  
FORWARDED TO: *BL*  
12/19/02

--BACKGROUND CONTINUED FROM PAGE ONE--

On November 25, 2002, the Division of Purchasing received a request from the Department of Transportation and the Division of Fleet Management to purchase three (3) new International cab and chassis trucks at the prices listed in the Florida State Contract #070-700-02-1; and three (3) spreader box bodies from the Conibear Equipment Company.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase three (3) new International cab and chassis trucks from International Truck and Engine Corporation, at the Florida State Contract base price with contract options of \$38,550.00 each – total for three (3) trucks: \$115,650.00; and the purchase and installation of three (3) Conibear sand spreader box bodies from the Conibear Equipment Company at a price of \$27,488.00 each – total for three (3) spreader box bodies: \$82,464.00. Grand total for three (3) complete trucks, which are for use by the Lee County Department of Transportation, is \$198,114.00. A waiver has been requested because the Conibear Equipment Company is the sole source distributor for these spreader box bodies.

Funds are available: PC5410117500.546430

Attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract #070-700-02-1/International Truck and Engine Corporation Quotation
- (3) Conibear Equipment Company Quotation
- (4) Sole Source Verification Letter from Conibear Equipment Company
- (5) Repair History/Replacement Justification for Units #019267, #019484, and #019543



# ATTACHMENT # 1

## DIVISION OF FLEET MANAGEMENT

02 NOV 25 AM 10:56

**To:** Janet Sheehan, Purchasing Director  
**From:** Marilyn Rawlings, Fleet Manager *MR*  
**Date:** 11/21/2002  
**Re:** Blue Sheet for the purchase (3) three International Model 4400 Spreader Trucks

---

Please prepare a Blue Sheet as follows: (3) International Model 4400 Cab and Chassis.

### **ACTION REQUESTED:**

Approve the purchase of (3) International Model 4400 Cab and Chassis from International Truck and Engine Corporation from Florida State Contract #070-700-230. The base price of the truck is \$31,681 with additional options of \$6,869 for a total contract price of \$38,550 per truck. Approve the sole source purchase from Conibear Equipment Company of Lakeland Florida of attached spreader equipment at a cost of \$27,488 per truck.

Total per truck cost including spreader box installation is \$66,038 for a total acquisition cost for these units of \$198,114.

### **WHY ACTION IS NECESSARY:**

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000." As this expenditure will exceed \$50,000, Board approval is necessary.

### **WHAT ACTION ACCOMPLISHES:**

Fleet Management received a request from the Department of Transportation to replace the aging spreader box fleet, (#019267, #019484 and #019543). These units will be used in road maintenance and hazardous waste spills. These three pieces of equipment have met Fleet's replacement criteria. (See attached).

### **BACKGROUND:**

Conibear Equipment Company of Lakeland Florida is a sole source provider of spreader box equipment in the state of Florida. Attached is sole source documentation from Conibear Equipment Company.

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) LEE CO. DOT Operations  
(number) 54212

2. REQUESTED BY: (print) Carroll Johnston PHONE #: (941) 694-3334

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ?  YES [ ] NO

If yes: Asset #: 19593 Yr: 94 Make: International Model: 4600 Meter: 68316

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?

Select all appropriate boxes:

- |   |   |                                  |  |   |  |
|---|---|----------------------------------|--|---|--|
| <input type="checkbox"/> Sedan                    | <input type="checkbox"/> Mid-Size                   | <input type="checkbox"/> 1/4 Ton | <input checked="" type="checkbox"/> 2 Door         | <input checked="" type="checkbox"/> Cargo | <input type="checkbox"/> Gasoline              |
| <input type="checkbox"/> Station Wagon            | <input type="checkbox"/> Full-Size                  | <input type="checkbox"/> 1/2 Ton | <input type="checkbox"/> 3 Door L-Side             | <input type="checkbox"/> 7 Passenger      | <input checked="" type="checkbox"/> Diesel     |
| <input type="checkbox"/> Sport Util Veh           | <input checked="" type="checkbox"/> Regular Cab     | <input type="checkbox"/> 3/4 Ton | <input type="checkbox"/> 3 Door R-Side             | <input type="checkbox"/> 12 Passenger     | <input type="checkbox"/> 4 Cylinder            |
| <input type="checkbox"/> Pickup Truck             | <input type="checkbox"/> Extended Cab               | <input type="checkbox"/> 1 Ton   | <input type="checkbox"/> 4 Door                    | <input type="checkbox"/> 15 Passenger     | <input type="checkbox"/> 6 Cylinder            |
| <input checked="" type="checkbox"/> Cab & Chassis | <input type="checkbox"/> Crew Cab                   | <input type="checkbox"/> Class 6 | <input type="checkbox"/> Utility Body <sup>A</sup> | <input type="checkbox"/> Sliding Door     | <input checked="" type="checkbox"/> 8 Cylinder |
| <input type="checkbox"/> Van                      | <input type="checkbox"/> 2 Wheel Drive              | <input type="checkbox"/> Class 7 | <input type="checkbox"/> Flat Bed <sup>A</sup>     | <input type="checkbox"/> Swing Door       | <input type="checkbox"/> 10 Cylinder           |
| <input type="checkbox"/> Other                    | <input type="checkbox"/> 4 Wheel Drive <sup>B</sup> | <input type="checkbox"/> Class 8 | <input type="checkbox"/> Dump Truck <sup>A</sup>   | <input type="checkbox"/> Single RW        | <input checked="" type="checkbox"/> Dual RW    |

Additional description for vehicles or equipment: International 4400 DT 466

<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

- |   |  |   |  |
|---|--|---|--|
| <input type="checkbox"/> AM/FM/Cassette           | <input type="checkbox"/> Bed Liner                 | <input type="checkbox"/> Limited Slip             | <input type="checkbox"/> Trailer Hitch Receiver      |
| <input type="checkbox"/> Arrow Board <sup>A</sup> | <input checked="" type="checkbox"/> Strobe Light   | <input type="checkbox"/> Power Win/Locks          | <input type="checkbox"/> Tires - All Terrain         |
| <input type="checkbox"/> Long Bed                 | <input type="checkbox"/> Floor - Carpet            | <input type="checkbox"/> Seats - Cloth            | <input type="checkbox"/> Tow Package                 |
| <input type="checkbox"/> Short Bed                | <input checked="" type="checkbox"/> Floor - Rubber | <input checked="" type="checkbox"/> Seats - Vinyl | <input checked="" type="checkbox"/> Windows - Tinted |

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? \_\_\_\_\_

haul shoulder material to fill and

maintain road right of ways

<sup>A</sup> Specify Dimensions or Model \_\_\_\_\_

(SAME AS 49028 PCN)

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital, Please Specify Account String PC5410117500546430

Other, Please Specify Account String \_\_\_\_\_

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$** \$ 39,000

<u>Billy Faust</u> REQUESTED BY	<u>10/22/07</u> DATE	_____	_____
		1 <sup>ST</sup> LEVEL APPROVAL	DATE
<u>D. Y. Chism</u> 2 <sup>ND</sup> LEVEL APPROVAL	<u>10/22/2007</u> DATE	<u>R. X. [Signature]</u> DIVISION DIRECTOR	<u>10/25/07</u> DATE

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds)

<u>[Signature]</u> DEPARTMENT DIRECTOR	<u>11/28/07</u> DATE
<u>[Signature]</u> * COUNTY MANAGER / DESIGNEE	<u>11-29-07</u> DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED     N.R.A.T.T.    Joel C. Laws    11-15-07  
FLEET ACQUISITION SPECIALIST    DATE

APPROVED     DECLINED    \_\_\_\_\_    \_\_\_\_\_  
FLEET MANAGER    DATE

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) Lee Co. D.O.T. operations  
(number) 54212

2. REQUESTED BY: (print) CARROLL JOHNSTON PHONE #: (941) 694-3334

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE?  YES  NO

If yes: Asset #: 19484 Yr: 94 Make: International Model: 4600 Meter: 70,023

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?

Select all appropriate boxes:

- |   |   |                                  |  |   |  |
|---|---|----------------------------------|--|---|--|
| <input type="checkbox"/> Sedan                    | <input type="checkbox"/> Mid-Size                   | <input type="checkbox"/> 1/4 Ton | <input checked="" type="checkbox"/> 2 Door         | <input checked="" type="checkbox"/> Cargo | <input type="checkbox"/> Gasoline              |
| <input type="checkbox"/> Station Wagon            | <input type="checkbox"/> Full-Size                  | <input type="checkbox"/> 1/2 Ton | <input type="checkbox"/> 3 Door L-Side             | <input type="checkbox"/> 7 Passenger      | <input checked="" type="checkbox"/> Diesel     |
| <input type="checkbox"/> Sport Util Veh           | <input checked="" type="checkbox"/> Regular Cab     | <input type="checkbox"/> 3/4 Ton | <input type="checkbox"/> 3 Door R-Side             | <input type="checkbox"/> 12 Passenger     | <input type="checkbox"/> 4 Cylinder            |
| <input type="checkbox"/> Pickup Truck             | <input type="checkbox"/> Extended Cab               | <input type="checkbox"/> 1 Ton   | <input type="checkbox"/> 4 Door                    | <input type="checkbox"/> 15 Passenger     | <input type="checkbox"/> 6 Cylinder            |
| <input checked="" type="checkbox"/> Cab & Chassis | <input type="checkbox"/> Crew Cab                   | <input type="checkbox"/> Class 6 | <input type="checkbox"/> Utility Body <sup>A</sup> | <input type="checkbox"/> Sliding Door     | <input checked="" type="checkbox"/> 8 Cylinder |
| <input type="checkbox"/> Van                      | <input type="checkbox"/> 2 Wheel Drive              | <input type="checkbox"/> Class 7 | <input type="checkbox"/> Flat Bed <sup>A</sup>     | <input type="checkbox"/> Swing Door       | <input type="checkbox"/> 10 Cylinder           |
| <input type="checkbox"/> Other                    | <input type="checkbox"/> 4 Wheel Drive <sup>B</sup> | <input type="checkbox"/> Class 8 | <input type="checkbox"/> Dump Truck <sup>A</sup>   | <input type="checkbox"/> Single RW        | <input checked="" type="checkbox"/> Dual RW    |

Additional description for vehicles or equipment: INTERNATIONAL 4400 D.T. 466

<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telestick boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

- |   |  |   |  |
|---|--|---|--|
| <input type="checkbox"/> AM/FM/Cassette           | <input type="checkbox"/> Bed - Iner                | <input type="checkbox"/> Limited Slip             | <input type="checkbox"/> Trailer Hitch Receiver      |
| <input type="checkbox"/> Arrow Board <sup>A</sup> | <input checked="" type="checkbox"/> Strobe Light   | <input type="checkbox"/> Power Win/Locks          | <input type="checkbox"/> Tires - All Terrain         |
| <input type="checkbox"/> Long Bed                 | <input type="checkbox"/> Floor - Carpet            | <input type="checkbox"/> Seats - Cloth            | <input type="checkbox"/> Tow Package                 |
| <input type="checkbox"/> Short Bed                | <input checked="" type="checkbox"/> Floor - Rubber | <input checked="" type="checkbox"/> Seats - Vinyl | <input checked="" type="checkbox"/> Windows - Tinted |

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? \_\_\_\_\_

haul shoulder material to fill and  
maintain road right of ways.

<sup>A</sup> Specify Dimensions or Model \_\_\_\_\_

1 mod 47  
reel 100  
eye 5  
15.0 (SAME AS PCN49028)

KS

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM  
(PLEASE PRINT OR TYPE)**

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital, Please Specify Account String PC-5410117500546430

Other, Please Specify Account String \_\_\_\_\_

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$** \$39,000

<u>Bolly. J. Faust</u> REQUESTED BY	<u>10/22/02</u> DATE	_____	_____
_____	_____	1 <sup>ST</sup> LEVEL APPROVAL	DATE
<u>[Signature]</u> 2 <sup>ND</sup> LEVEL APPROVAL	<u>10/22/2002</u> DATE	<u>[Signature]</u> DIVISION DIRECTOR	<u>10/25/02</u> DATE

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

[Signature] 10/28/02  
 DEPARTMENT DIRECTOR DATE  
[Signature] 10.29.02  
 \* COUNTY MANAGER / DESIGNEE DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED  N.R.A.T.T. [Signature] 11.18.02  
 FLEET ACQUISITION SPECIALIST DATE

APPROVED  DECLINED \_\_\_\_\_  
 FLEET MANAGER DATE

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) LEE CO. DOT Operations  
(number) 54212

2. REQUESTED BY: (print) CARROLL JOHNSTON PHONE #: (941) 694-3334

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ?  YES [ ] NO

If yes: Asset #: 19267 Yr: 91 Make: International Model: 4600 Meter: 52,195

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?

Select all appropriate boxes:

<input type="checkbox"/> Sedan	<input type="checkbox"/> Mid-Size	<input type="checkbox"/> 1/4 Ton	<input checked="" type="checkbox"/> 2 Door	<input checked="" type="checkbox"/> Cargo	<input type="checkbox"/> Gasoline
<input type="checkbox"/> Station Wagon	<input type="checkbox"/> Full-Size	<input type="checkbox"/> 1/2 Ton	<input type="checkbox"/> 3 Door L-Side	<input type="checkbox"/> 7 Passenger	<input checked="" type="checkbox"/> Diesel
<input type="checkbox"/> Sport Util Veh	<input checked="" type="checkbox"/> Regular Cab	<input type="checkbox"/> 3/4 Ton	<input type="checkbox"/> 3 Door R-Side	<input type="checkbox"/> 12 Passenger	<input type="checkbox"/> 4 Cylinder
<input type="checkbox"/> Pickup Truck	<input type="checkbox"/> Extended Cab	<input type="checkbox"/> 1 Ton	<input type="checkbox"/> 4 Door	<input type="checkbox"/> 15 Passenger	<input type="checkbox"/> 6 Cylinder
<input checked="" type="checkbox"/> Cab & Chassis	<input type="checkbox"/> Crew Cab	<input type="checkbox"/> Class 6	<input type="checkbox"/> Utility Body <sup>A</sup>	<input type="checkbox"/> Sliding Door	<input checked="" type="checkbox"/> 8 Cylinder
<input type="checkbox"/> Van	<input type="checkbox"/> 2 Wheel Drive	<input type="checkbox"/> Class 7	<input type="checkbox"/> Flat Bed <sup>A</sup>	<input type="checkbox"/> Swing Door	<input type="checkbox"/> 10 Cylinder
<input type="checkbox"/> Other	<input type="checkbox"/> 4 Wheel Drive <sup>B</sup>	<input type="checkbox"/> Class 8	<input type="checkbox"/> Dump Truck <sup>A</sup>	<input type="checkbox"/> Single RW	<input checked="" type="checkbox"/> Dual RW

Additional description for vehicles or equipment: International 4400 DT 466

<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

<input type="checkbox"/> AM/FM/Cassette	<input type="checkbox"/> Bed Liner	<input type="checkbox"/> Limited Slip	<input type="checkbox"/> Trailer Hitch Receiver
<input type="checkbox"/> Arrow Board <sup>A</sup>	<input checked="" type="checkbox"/> Strobe Light	<input type="checkbox"/> Power Win/Locks	<input type="checkbox"/> Tires - All Terrain
<input type="checkbox"/> Long Bed	<input type="checkbox"/> Floor - Carpet	<input type="checkbox"/> Seats - Cloth	<input type="checkbox"/> Tow Package
<input type="checkbox"/> Short Bed	<input checked="" type="checkbox"/> Floor - Rubber	<input checked="" type="checkbox"/> Seats - Vinyl	<input checked="" type="checkbox"/> Windows - Tinted

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? \_\_\_\_\_

haul shoulder material to fill and maintain road right of ways

Specify Dimensions or Model \_\_\_\_\_

(SAME AS PCN# 49028)

H. make 3.5  
rent 9.3  
age 5  
15.0 KS



**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital, Please Specify Account String PC54101 17500.506430

Other, Please Specify Account String \_\_\_\_\_

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$39,000**

Bobby L Faust  
REQUESTED BY

10/22/02  
DATE

1<sup>ST</sup> LEVEL APPROVAL

DATE

D. V. Chilson  
2<sup>ND</sup> LEVEL APPROVAL

10/22/2002  
DATE

R. X. [Signature]  
DIVISION DIRECTOR

10/25/02  
DATE

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

[Signature]  
DEPARTMENT DIRECTOR

10/25/02  
DATE

[Signature]  
\* COUNTY MANAGER / DESIGNEE

10.29.02  
DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED  N.R.A.T.T.

Donat. C. Lawler  
FLEET ACQUISITION SPECIALIST

11.15.02  
DATE

APPROVED  DECLINED

Marilyn Rawling  
FLEET MANAGER

11/20/02  
DATE

# ATTACHMENT # 2

## Medium and Heavy Trucks 070-700-02-1

Effective: 1/7/02 through 5/31/03

---

### Certification

#### Special Conditions

Exhibit A - Specifications

Exhibit B - Price Sheet

Exhibit C - Truck Bodies

Exhibit D - Purchase Order Information

Exhibit E - Notice of Non-Contract Purchase

Exhibit F - Certification of Compliance

Exhibit G - Acknowledgement of Order

Exhibit H - Ordering Instructions

Complete Contract

---

## Exhibit "B"

### Trucks: Medium and Heavy 070-700-02-1

---

#### Specifications and Price Sheets

070-700-100 Chassis-Cab, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-110 Dump Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-120 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-130 Dry Freight Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-230 Chassis-Cab, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-235 Chassis-Cab, Single Axle, Crew-Cab, Class 6, 24,500 GVWR 4x2  
070-700-240 Dump Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-245 Dump Truck, Single Axle, Crew-Cab, Class 6, 24,500 GVWR 4x2  
070-700-250 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-255 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-260 Dry Freight Truck, Single Axle, Class 6, 24,500 GVWR 4x2  
070-700-300 Chassis-Cab, Tandem Axle, Class 8, 52,000 GVWR 6x4  
070-700-310 Chassis-Cab, Tandem Axle, Class 8, 64,000 GVWR 6x4  
070-700-400 8 YD Dump Truck, Tandem Axle, Class 8, 52,000 GVWR 6x4  
070-700-450 12 YD Dump Truck, Tandem Axle, Class 8, 64,000 GVW 6x4  
070-700-498 Truck Tractor, Single Axle, Class 8, 50,000 GCWR 4x2  
070-700-500 Truck Tractor, Tandem Axle, Class 8, 80,000 GCWR 6x4  
070-700-510 Truck Tractor, Tandem Axle, Class 8, 120,000 GCWR 6x4

**NOTE: This Specification/Price List is not complete unless it is used in conjunction with General Specifications All Medium And Heavy Trucks, GSAT-1.**

### INTENDED VEHICLE USE

USED FOR INSTALLATION OF VARIOUS TYPES OF AFTERMARKET BODIES RANGING FROM 10 FEET TO 24 FEET IN LENGTH AND TRANSPORTATION OF UP TO THREE INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.

THE BASE VEHICLE DOES NOT REQUIRE THE OPERATOR TO HAVE A VALID COMMERCIAL DRIVERS LICENSE (CDL). THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.

*STD GVWR	24,500 LBS.
STD PAYLOAD CAPACITY	14,350 LBS. (APPROX)
USE OPTIONS	PAYLOAD CAPACITY
OPTION 8018, 28,000 LB. GVWR	17,650 LBS. (APPROX)
OPTION 8019, 33,000 LB. GVWR	22,150 LBS. (APPROX)
OPTION 8020, 35,000 LB. GVWR	24,000 LBS. (APPROX)

\*GVWR - Gross Vehicle Weight Rating is the total maximum weight of a fully equipped, fully loaded truck.

#### 10. ENGINE:

- A. Diesel engine, liquid cooled, with a minimum of 190 Gross HP and 520 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 5.9L (359 CID). The following engines, or approved equivalent, are acceptable:

CAT 3126: 7.2L (439 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque  
 CUMMINS ISB: 5.9L (359 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque  
 INT T444E: 7.3L (444 CID), 195 Gross HP, 520 lbs.-ft. Gross Torque  
 MERCEDES BENZ: 6.4L (390 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque

- B. Standard cooling system with antifreeze.

- C. Premium rubber (International Premium (EPDM), Gates Blue Stripe or approved equivalent) or silicone radiator hoses, by-pass hoses, heater hoses, and other coolant hoses.
- D. Dry type air cleaner with service (restriction) indicator.
- E. Engine protection system, at a minimum, must be activated by low engine oil pressure, and high engine temperature. System shall, at a minimum, include a warning light(s) and derate (rampdown) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
- F. Horizontal exhaust.

12. ELECTRICAL SYSTEM:

- A. Minimum 90 amp 12 v. alternator.
- B. Batteries to have a minimum total of 1100 CCA @ 0 degrees F.

20. TRANSMISSION: Minimum 5-speed automatic transmission with PTO opening(s). Allison 2000P or approved equivalent.

30. AXLES & SUSPENSION:

- A. Steel front axle and suspension with shock absorbers, minimum 7,000 lb. GAWR.
- B. Front wheel oil-lubricated bearings and seals.
- C. Single speed rear axle and suspension, minimum 17,500 lb. GAWR. Rear axle ratio is to be a 5.57 for a 2500 RPM engine, or 5.63 for a 2600 RPM engine, or the closest possible ratio available.

NOTE TO CONTRACTOR: THIS TRUCK MUST BE CAPABLE OF PROVIDING A TOP SPEED OF APPROXIMATELY 65 MPH AT THE PUBLISHED GOVERNED RPM FOR THE ENGINE SPECIFIED.

- D. Front wheel hubs and rear axle shall be filled with synthetic lubricant.
- E. Auxiliary rear springs.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash mounted engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

- A. Factory installed AM-FM radio.
- B. Fresh air heater and defogger.
- C. Arm rests both sides, if available; sunvisors, both sides.
- D. Tinted glass all windows, including windshield.
- E. Air conditioning.

60. SAFETY ITEMS:

- A. Dual electric horns.
- B. Stainless steel or aluminum outside mirrors and brackets left and right side. Mirrors to be large West Coast type, 6 inches x 16 inches minimum, to include stainless steel lower convex spot mirrors on both sides.
- C. Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB(A). Factory or dealer installed.
- D. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.

- E. All access steps shall be self-cleaning slip-resistant grating.
- F. Daytime running lights.

62. BRAKES:

- A. ABS air brake system, minimum 13.2 cfm air compressor, and air reservoir(s) with automatic moisture ejector valve(s) (unheated).
- B. Moisture ejector valve(s) not to be mounted on bottom of air tank if at all possible. Side or remote location(s) preferred.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Automatic slack adjusters front and rear.
- E. Brake dust shields.
- F. Outboard mounted brake drums, front and rear, if available. (NOTE: Allows brake repair without removing axle hubs.)
- G. Low air pressure warning indicator in cab.
- H. Air dryer with heater. Allied-Signal/Bendix AD-9 or AD-IP, Wabco System Saver 1200 or approved equivalent.

70. TIRES & WHEELS:

- A. Six (6) 255/80R22.5G (14PR) or 265/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread.
- B. All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
- C. Front, inside rear and outside rear wheels to be fully interchangeable.

80. CHASSIS, FRAME, CAB:

- A. Minimum 24,500 lb. GVWR, maximum 26,000 lb. GVWR, factory certified.
- B. Minimum 860,000 in-lb RBM frame, factory reinforced if necessary. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- C. Cab-axle dimension of 72 inches.

- D. Factory installed, step-type steel fuel tank, minimum 30 U.S. gallon capacity.
- E. Front tow hooks or tow pins.
- F. Standard front bumper.

82. CAB EQUIPMENT:

- A. Conventional cab, with tilt-type hood and fender assembly.
- B. Full-width bench seat or individual driver seat and two-man passenger seat. The same Manufacturer must provide individual driver seat and two-man passenger seat.
- C. Exterior grab handles both sides.
- D. Manufacturer's standard paint and colors.
- E. Rear cab window with fixed tinted glass.

90. **CONDITIONS:** Contractor shall provide a Manufacturer's print-out (Ford "DORA", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customer/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the Vehicle meets all the requirements of this Specification. Also, any dealer installed aftermarket components, if specified, must be noted on the Manufacturer's print-out. All enclosed Conditions and Requirements shall apply.

070-700-230  
(8D)

MAKE: INTERNATIONAL

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>INTERNATIONAL</u>	<u>480.00</u>	<u>4700 4X2</u>	<u>31,939.00 (A)</u>
Northern District	<u>INTERNATIONAL</u>	<u>318.00</u>	<u>4700 4X2</u>	<u>31,777.00 (B)</u>
Central District	<u>INTERNATIONAL</u>	<u>222.00</u>	<u>4700 4X2</u>	<u>31,681.00 (C)</u>
Southern District	<u>INTERNATIONAL</u>	<u>450.00</u>	<u>4700 4X2</u>	<u>31,909.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 60 TO 90 DAYS

MAKE: FORD

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,789.00 (A)</u>
Northern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,789.00 (B)</u>
Central District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,689.00 (C)</u>
Southern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,689.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 75-150 DAYS



MAKE: STERLING

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (A)</u>
Northern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (B)</u>
Central District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (C)</u>
Southern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 75-120 DAYS

OPTIONS: 070-700-231-Option, Chassis-Cab, Class 6, 24,500 Lb. GVWR (4x2)

OPTIONS: (INT) INTERNATIONAL TRUCK; (ATF) ATLANTIC TRUCK (FORD);  
(ATS) ATLANTIC TRUCK (STERLING)

(1) 1001. Delay in warranty start date to allow for body installation. (Warranty to become effective when Vehicle is placed in service rather than at time of delivery).

(INT) PRICE: N/C  
(ATF) PRICE: N/C  
(ATS) PRICE: N/C

**(INT) CUSTOMER MUST ADVISE INTERNATIONAL WHEN UNIT IS PLACED IN SERVICE**

(2) 1002. Extended engine warranty, covering 100% of parts and labor for all engine parts between crankshaft pulley and flywheel. Bid for a period of 60 months/150,000 miles/6500 hours. The remaining terms, other than the above, to be in accordance with the engine Manufacturer's published warranty which is closest to each warranty Bid. Submit two copies of the standard engine warranty and of each special warranty Bid. Also, submit two copies of all extended engine warranties that are normally available to commercial customers and commercial list prices for same.

(INT) PRICE: 670.00  
(ATF) (CUMMINS) PRICE: 561.00  
(ATS) (CUMMINS) PRICE: 561.00  
(ATS) (CATERPILLAR) PRICE: 505.00

(ATS) (MERCEDES-BENZ) PRICE: 350.00

**(INT) WARRANTY UPDATE FORM WILL BE INCLUDED WITH DELIVERY PACKET**

(NOTE TO ELIGIBLE USER: CONSULT THE DEALER FOR EXACT COVERAGE OF THIS WARRANTY)

- (3) 1003. Cummins diesel engine in lieu of the engine provided in the base truck and option 8018, 8019, and 8020. Bid "STD" if this engine was provided in any of the above. All other requirements of Section 10 apply.

(INT) (BASE) PRICE: N/A  
(ATF) (BASE) PRICE: STD  
(ATS) (BASE) PRICE: 340.00

(INT) (OPT 8018) PRICE: N/A  
(ATF) (OPT 8018) PRICE: STD  
(ATS) (OPT 8018) PRICE: 340.00

(INT) (OPT 8019) PRICE: N/A  
(ATF) (OPT 8019) PRICE: STD  
(ATS) (OPT 8019) PRICE: 780.00

(INT) (OPT 8020) PRICE: N/A  
(ATF) (OPT 8020) PRICE: N/A  
(ATS) (OPT 8020) PRICE: 1,250.00

- (4) 1004. Caterpillar diesel engine in lieu of the engine provided in the base truck and option 8018, 8019, and 8020. Bid "STD" if this engine was provided in any of the above. All other requirements of Section 10 apply.

(INT) (BASE) PRICE: N/A  
(ATF) (BASE) PRICE: N/A  
(ATS) (BASE) PRICE: 1,950.00

(INT) (OPT 8018) PRICE: N/A  
(ATF) (OPT 8018) PRICE: N/A  
(ATS) (OPT 8018) PRICE: 1,950.00

(INT) (OPT 8019) PRICE: N/A  
(ATF) (OPT 8019) PRICE: N/A  
(ATS) (OPT 8019) PRICE: 1,950.00

(INT) (OPT 8020) PRICE: N/A  
(ATF) (OPT 8020) PRICE: N/A  
(ATS) (OPT 8020) PRICE: 2,250.00

- (5) 2001. Power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-air switch and indicator light. Chelsea 440, Muncie TG Series or approved equivalent. For manual transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: 440

(INT) PRICE: 647.00

(ATF) PRICE: 1,040.00

(ATS) PRICE: 712.00

(NOTE TO ELIGIBLE USER: USE WITH MANUAL TRANSMISSIONS ONLY)

- (6) 2002. "Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 271, Muncie CS Series or approved equivalent. For base Vehicle and option 8018 automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: 271

(INT) PRICE: 1,067.00

(ATF) PRICE: 1,140.00

(ATS) PRICE: 994.00

(NOTE TO ELIGIBLE USER: USE WITH 2000P AUTOMATIC TRANSMISSION ONLY)

- (7) 2003. Electronic PTO overspeed control. Chelsea, Muncie or approved equivalent. For automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: EOC

(INT) PRICE: 332.00

(ATF) PRICE: 340.00

(ATS) PRICE: 270.00

(NOTE TO ELIGIBLE USER: USE WITH AUTOMATIC TRANSMISSION ONLY)

- (8) 2005. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.11 for a 2500 RPM engine, or 4.33 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For base Vehicle only. Indicate Manufacturer and model.

MANUFACTURER: FULLER

MODEL NO.: FS5406A

(INT) PRICE (CREDIT): (2,073.00)

(ATF) PRICE (CREDIT): (2,000.00)

(ATS) PRICE (CREDIT): (2,332.00)

- (9) 2006. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.33 for a 2500 RPM engine, or a 4.44 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8018 only. Indicate Manufacturer and model.

MANUFACTURER: FULLER

MODEL NO.: FS5406A

(INT) PRICE (CREDIT): (2,073.00)

(ATF) PRICE (CREDIT): (2,500.00)

(ATS) PRICE (CREDIT): (2,332.00)

- (10) 2007. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.33 for a 2500 RPM engine, or 4.44 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8019 only. Indicate Manufacturer and model.

(INT) (ATS) MANUFACTURER: FULLER

MODEL NO.: FS5406A

(ATF) MANUFACTURER: FULLER

MODEL NO.: FS6406A

(INT) PRICE (CREDIT): (5,500.00)

(ATF) PRICE (CREDIT): (4,500.00)

(ATS) PRICE (CREDIT): (4,500.00)

- (11) 2008. Manual transmission, 6-speed minimum, with PTO opening (s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.33 for a 2400 RPM engine, or 4.56 for a 2500 RPM engine, or 4.63 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8020 only. Indicate Manufacturer and model.

MANUFACTURER: FULLER

MODEL NO.: FS6406A

(INT) PRICE (CREDIT): (5,298.00)

(ATF) PRICE (CREDIT): N/A

(ATS) PRICE (CREDIT): (4,100.00)

- (12) 2009. Automatic transmission, 6-speed minimum, with PTO opening(s). Allison MD3560P or approved equivalent. Bid in lieu of the MD 3060P specified in option 8019 and 8020. Indicate Manufacturer and model.

MANUFACTURER: ALLISON

MODEL NO.: MD3560P

(INT) PRICE: N/C

(ATF) PRICE: 2,400.00  
(ATS) PRICE: 1,351.00

(NOTE TO ELIGIBLE USER: FOR SUBSTANTIAL OFF ROAD USE, LOOSE DRY SAND, AND SPONGY SOIL OR LOOSE GRAVEL.)

- (13) 2010. "Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 276, Muncie CS Series or approved equivalent. For option 8019 and 8020 automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA MODEL NO.: 276

(INT) PRICE: 1,135.00  
(ATF) PRICE: 1,195.00  
(ATF) PRICE: 1,195.00

(NOTE TO ELIGIBLE USER: USE WITH MD SERIES AUTOMATIC TRANSMISSION ONLY)

- (14) 3005. "No-Spin" or driver control traction differential (DCDL) on rear axle. For base Vehicle only.

(INT) PRICE: 670.00  
(ATF) PRICE: 600.00  
(ATS) PRICE: 537.00

- (15) 3006 "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8018 only.

(INT) PRICE: 670.00  
(ATF) PRICE: 1,264.00  
(ATS) PRICE: 537.00

- (16) 3007. "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8019 only.

(INT) PRICE: 670.00  
(ATF) PRICE: 1,264.00  
(ATS) PRICE: 537.00

- (17) 3008. "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8020 only.

(INT) PRICE: 670.00  
(ATF) PRICE: N/A  
(ATS) PRICE: 537.00

- (18) 5002. Delete air conditioning.
- (INT) PRICE (CREDIT): (585.00)  
(ATF) PRICE (CREDIT): (650.00)  
(ATS) PRICE (CREDIT): (485.00)
- (19) 5003. Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.
- (INT) PRICE: 35.00  
(ATF) PRICE: 100.00  
(ATS) PRICE: 71.00
- (20) 6001. Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the Vehicle.)
- (INT) PRICE: 41.00  
(ATF) PRICE: 75.00  
(ATS) PRICE: 74.00
- (21) 6002. Dual air horns, single base.
- (INT) PRICE: 68.00  
(ATF) PRICE: 125.00  
(ATS) PRICE: 47.00
- (22) 6202. Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section 62. H. Unit must be installed by the Vehicle Manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.
- (INT) PRICE: 611.00  
(ATF) PRICE: N/A  
(ATS) PRICE: 655.00
- (23) 7001. Tubeless radial tires with on/off highway tread for rear only. Four (4) 10R22.5F (12PR) or larger tires for on/off highway use and two (2) 10R22.5F (12PR) or larger tires for highway use. For base Vehicle only. Rear tires to be Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.
- (INT) PRICE: 207.00  
(ATF) PRICE: N/C  
(ATS) PRICE: 178.00
- (24) 7004. Tubeless radial tires with on/off highway tread for rear only. Four (4) 11R22.5G (14PR) or larger tires for on/off highway use and two (2) 11R22.5G (14PR) or larger

tires for highway use. For option 8018 or 8019 only. Rear tires to be Bridgestone M711, Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

(INT) PRICE: 60.00  
(ATF) PRICE (CREDIT): (100.00)  
(ATS) PRICE: 88.00

- (25) 7009. Tubeless radial tires with on/off highway tread for rear only. Four (4) 11R22.5H (16PR) or larger tires for on/off highway use and two (2) 11R22.5H (16PR) or larger tires for highway use. For option 8020 only. Rear tires to be Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

(INT) PRICE: 165.00  
(ATF) PRICE: N/A  
(ATS) PRICE: 17.00

- (26) 8001. Pintle hook, installed. To be swivel type and must have a capacity of 49,000 lbs. gross trailer weight and 9800 lbs. vertical load, minimum. Pintle hook shall be installed no more than 14 inches forward from the end of the body as measured from the center of the eye. Holland Model PH-760, Wallace Model B30 or approved equivalent. Indicate Manufacturer and model.

MANUFACTURER: WALLACE MODEL NO.: B-30

(INT) PRICE: 394.00

MANUFACTURER: WALLACE/HOLLAND MODEL NO.: B-30/PH760

(ATF) PRICE: 395.00

MANUFACTURER: WALLACE/HOLLAND MODEL NO.: B-30/PH760

(ATS) PRICE: 395.00

(NOTE TO ELIGIBLE USER: ELIGIBLE USER MUST SPECIFY BODY LENGTH AND TYPE (DUMP, STAKE, ETC.) IN ORDER FOR THE DEALER TO INSTALL THE PINTLE HOOK IN THE PROPER LOCATION)

- (27) 8002. Additional fuel capacity. Factory installed, step-type, steel fuel tank(s), minimum 75 U.S. gallon capacity.

(INT) PRICE: 235.00  
(ATF) PRICE: 350.00  
(ATS) PRICE: 66.00

(NOTE TO ELIGIBLE USER: MUST DEDUCT APPROXIMATELY 400 LBS. FROM THE PAYLOAD CAPACITY)

(28) 8003. Optional cab-axle dimension (CA) 84 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: N/C  
(ATF) PRICE (CREDIT): (200.00)  
(ATS) PRICE: N/C

(29) 8004. Optional cab-axle dimension (CA) 102 inches to 103 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE: 245.00  
(ATS) PRICE: N/C

(30) 8005. Optional cab-axle dimension (CA) 108 inches to 109 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE (CREDIT): (250.00)  
(ATS) PRICE: N/C

(31) 8006. Optional cab-axle dimension (CA) 120 inches to 121 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE (CREDIT): (185.00)  
(ATS) PRICE: 258.00

(32) 8007. Optional cab-axle dimension (CA) 138 inches to 139 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 348.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 258.00

(33) 8008. Optional cab-axle dimension (CA) 150 inches to 156 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 348.00  
(ATF) PRICE: 540.00  
(ATS) PRICE: 406.00



- (34) 8009. Optional cab-axle dimension (CA) 168 inches to 169 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 348.00  
(ATF) PRICE: 565.00  
(ATS) PRICE: 406.00
- (35) 8011. Optional cab-axle dimension (CA) 102 inches to 103 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE: 245.00  
(ATS) PRICE: N/C
- (36) 8012. Optional cab-axle dimension (CA) 108 inches to 109 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE (CREDIT): (250.00)  
(ATS) PRICE: N/C
- (37) 8013. Optional cab-axle dimension (CA) 120 inches to 121 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 272.00  
(ATF) PRICE (CREDIT): (185.00)  
(ATS) PRICE: 308.00
- (38) 8014. Optional cab-axle dimension (CA) 138 inches to 139 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 272.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 308.00
- (39) 8015. Optional cab-axle dimension (CA) 150 inches to 156 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 430.00  
(ATF) PRICE: 540.00  
(ATS) PRICE: 456.00

- (40) 8016. Optional cab-axle dimension (CA) 168 inches to 169 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION SCMH-1.

(INT) PRICE: 430.00  
(ATF) PRICE: 565.00  
(ATS) PRICE: 456.00

- (41) 8017. Air brake package for straight truck and trailer. Full trailer air brake controls with air lines, glad hands and wiring routed to the rear end of the frame.

(INT) PRICE: 479.00  
(ATF) PRICE: 450.00  
(ATS) PRICE: 318.00

- (42) 8018. Minimum 28,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 195 Gross HP @ 520 lbs.-ft. Gross Torque; steel front axle and suspension, minimum 9,000 lb. GAWR and a single speed rear axle and suspension, minimum 19,000 lb. GAWR; rear axle ratio is to be a 5.86 for a 2500 RPM engine, or 6.14 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); and six (6) 275/80R22.5G (14PR) or 295/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for the additional components.

(INT) PRICE: 584.00  
(ATF) PRICE: 2800.00  
(ATS) PRICE: 835.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8003 THROUGH 8009 AND 8021 THROUGH 8023. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

- (43) 8019. Minimum 33,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 210 Gross HP @ 560 lbs.-ft. Gross Torque; minimum 6-speed automatic transmission with PTO opening(s), Allison MD 3060P or approved equivalent; steel front axle and suspension, minimum 12,000 lb. GAWR and a single speed rear axle and suspension, minimum 21,000 lb. GAWR; rear axle ratio is to be a 6.14 for a 2500 RPM engine, or 6.57 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); minimum 1,740,000 in.-lb RBM frame; CA dimension of 84 inches to 90 inches; and six (6) 275/80R22.5G (14PR) or 295/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for the additional components.

(INT) PRICE: 5,631.00

(ATF) PRICE: 9,200.00

(ATS) PRICE: 3,669.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8010 THROUGH 8016 AND 8024 THROUGH 8026 FOR THIS OPTION. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

- (44) 8020. Minimum 35,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 230 Gross HP @ 620 lbs.-ft. Gross Torque; minimum 6-speed automatic transmission with PTO opening(s), Allison MD3060P or approved equivalent; steel front axle and suspension, minimum 12,000 lb. GAWR and a single speed rear axle and suspension, minimum 23,000 lb. GAWR; rear axle ratio is to be a 6.43 for a 2400 RPM engine, or 6.83 for a 2500 RPM engine, or 7.17 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); six (6) 11R22.5H (16PR) or larger, tubeless, radial tires with highway tread; minimum 1,740,000 in.-lb. RBM frame; and CA dimension of 84 inches to 90 inches. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for additional components.

(INT) PRICE: 6,898.00

(ATF) PRICE: N/A

(ATS) PRICE: 4,794.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8010 THROUGH 8016 AND 8024 THROUGH 8026 FOR THIS OPTION. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

- (45) 8021. Optional cab-axle dimension (CA) 114 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 360.00

(ATF) PRICE: 215.00

(ATS) PRICE: 257.00

- (46) 8022. Optional cab-axle dimension (CA) 124 inches to 125 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 450.00  
(ATF) PRICE: 550.00  
(ATS) PRICE: 257.00
- (47) 8023. Optional cab-axle dimension (CA) 186 inches to 187 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 520.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 406.00
- (48) 8024. Optional cab-axle dimension (CA) 114 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 270.00  
(ATF) PRICE: 215.00  
(ATS) PRICE: 308.00
- (49) 8025. Optional cab-axle dimension (CA) 124 inches to 125 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 270.00  
(ATF) PRICE: 550.00  
(ATS) PRICE: 308.00
- (50) 8026. Optional cab-axle dimension (CA) 186 inches to 187 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 421.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 456.00
- (51) 8201. Special state color. DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, GM 86, Navistar 4421). SEE NOTE 3 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE: N/C  
(ATS) PRICE (CREDIT): (83.00)
- (52) 8203. Special colors. Special colors other than Manufacturer's and the one listed in option 8201.
- (INT) PRICE: 195.00

(ATF) PRICE: 250.00

(ATS) PRICE: N/C

**(INT) MUST PROVIDE COLOR NUMBER**

- (53) 8205. Special state colors, two-tone. White (DuPont Centari K9031A, Freightliner/Sterling 0007, GM 12, Navistar 9219) above dripstrip on cab and DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, GM 86, Navistar 4421) on remainder of cab. SEE NOTE 3 OF SPECIFICATION GSAT-1.

(INT) PRICE: 155.00

(ATF) PRICE: 300.00

(ATS) PRICE (CREDIT): (83.00)

- (54) 8206. Non-tilting hood and fender assembly or tilting hood and fender assembly with service access features. Contractor must provide serviceability enhancement features, if recommended.

(INT) PRICE: N/A

(ATF) PRICE: N/A

(ATS) PRICE: 193.00

- (55) 8207. Two-tone colors. Manufacturer's standard two-tone colors.

(INT) PRICE: 160.00

(ATF) PRICE: 300.00

(ATS) PRICE: 120.00

**(INT) MUST PROVIDE COLOR NUMBER**

- (56) 8208. Special colors, two-tone. Special two-tone colors other than the one listed in option 8205.

(INT) PRICE: 287.00

(ATF) PRICE: 400.00

(ATS) PRICE: 120.00

**(INT) MUST PROVIDE COLOR NUMBER**



INTERNATIONAL TRUCK AND ENGINE CORPORATION  
 2400 COMMERCE AVENUE • BLDG. 1100 • SUITE 100, DULUTH, GA 30066

T 678 584 2700

F 678 584 2791

**TRUCK GROUP**

November 18, 2002

Don Lawes  
 Lee County, FL

Subject: Florida State Contract  
 Commodity Code # 070-700-230

Don,

Enclosed please find pricing and specifications on the same unit you purchased from International this past spring. These were the units we shipped to Conibear Equipment. The pricing is the same.

<u>Options</u>	Base Central Price	\$ 31,681.00
6202	Automatic Air Brake Drain System	611.00
7004	On-off tires	60.00
8002	Additional fuel capacity	235.00
8012	108" CA	N/C
8019	33,000 GVWR package	5,631.00
2003	Electronic over speed control	332.00
	<b>Total</b>	<b>\$38,550.00 each</b>

Please do not hesitate to call me if you have any questions.

Sincerely,

W. J. Parham  
 National Account Manager  
 678-376-0069 – New home office number



**INTERNATIONAL**

November 18, 2002

Prepared For:  
Lee County Florida Spec: 230  
Don Lewis  
408 Esplanade Way  
Tallahassee, FL 32309  
(904)461-5607

Presented By:  
International Truck and Engine Corp.  
Perham Bldg  
2400 COMMERCE AVE  
BLD. 1100 - SUITE 100  
DULUTH, GA 30084865  
(678)584-2777

Reference ID: N/A

Model Profile  
2003 4400 88A 4x2 (MA035)

- APPLICATION: Landscape Dump
- MISISON: Required GVWR: 33000 Calc. Start / Grade Ability: 30.7% / 1.82% @ 55 MPH  
Calc. GVWR: 33000
- FUEL ECONOMY: 8.67 MPG @ 55 MPH
- DIMENSION: Wheelbase: 175, CA: 107.9, Axle to Frame: 63
- ENGINE, DIESEL: (International DT466 High Torque) Electro-Hydraulic Fuel System, 50 Seats, 215 H P @ 2300/2400 RPM,  
620 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 225 Peak HP (Max)
- TRANSMISSION, AUTOMATIC: (Allison MD-3060P) Close Ratio, 6-Speed; With PTO Gear and Lock Retarder
- CLUTCH: Onix Mem (Clutch & Control)
- AXLE, FRONT, I-BEAM TYPE: (International I-1203G) 12,000-lb Capacity
- AXLE, REAR, SINGLE: (Dana Spicer 21060S) Single Reduction, 21,000-lb Capacity, 190 Wheel Ends  
Gear Ratio: 6.50
- CAB: Conventional, Steel
- TIRE, FRONT: (2) 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range G, 14 ply
- TIRE, REAR: (4) 11R22.5 G164 RTD (GOODYEAR) 489 rev/mile, load range G, 14 ply
- SUSPENSION, RR, SPRING, SINGLE: Vari-Rate: 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring

INTERNATIONAL\*

Vehicle Description  
2003 4400 8BA 4x2 (MA036)

November 18, 2002

Code	Description
MA03500	Base Chassis, Model 4400 8BA 4X2 with 175 Wheelbase, 107.9 CA, and 63 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted.
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.370" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL.
1LNN	BUMPER, FRONT Full Width, Aerodynamic, Chrome Plated Steel, 0.142" Material Thickness
1WEH	WHEELBASE RANGE 134" (340cm) Through and including 157" (500cm)
2ADD	AXLE, FRONT, I-BEAM TYPE (International I-120SG) 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 12,000-lb Capacity; With Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4081	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : SPRING BRAKE MODULATOR VALVE : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4JBG	BRAKES, FRONT, AIR CAM 6-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
4SBC	AIR COMPRESSOR (Bendix Tu-Flu 550) 13.2 CFM
5708	STEERING COLUMN Tilt
5CAL	STEERING WHEEL 2-Spoke, 18" Diam, Black
5PRJ	STEERING GEAR (TRW (Rice) TAS-85) Power
7AAY	EXHAUST SYSTEM Single, Horizontal Muffler and Short Tail Pipe, Aluminized Steel, Frame Mounted Right Side
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : FUSES, ELECTRICAL SAE Blade-Type : TURN SIGNAL SWITCH Self-Canceling, Headlight Dimmer (with Flash-To-Pass Feature) : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STOP, TURN, TAIL & BRAKE LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : TURN SIGNALS, FRONT Flush Mounted Include Reflectors and Auxiliary Side Turn Signals. Solid State Flashers; : DATA LINK CONNECTOR in Cab For Vehicle Programming and Diagnostics : WINDSHIELD WIPERS Single Motor, Electric, Cab Mounted : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature, : WIRING, CHASSIS Color Coded and Continuously Numbered
8540	HORN, ELECTRIC (2)
8GCS	ALTERNATOR (Delco-Remy America Inc. Z2-S) 12-Volt 100 Amp. Capacity



## INTERNATIONAL

Vehicle Identification  
2003 4499 SBA 412 (MA030)

November 18, 2002

Code	Description
8HAB	BODY BUILDER WIRING Back of Cab at Frame, Includes Sealed Connectors for Tell/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MED	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1100CCA Total
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers  <u>Includes</u> : SPEAKERS IN CAB (4) Coastal with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8WPB	HEADLIGHTS Long Life Halogen, Composite Aero Design for Two Light System, Includes Daytime Running Lights
8WPP	ENGINE SHUTDOWN Automatic, With 30 Second Delay, With International Engines
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WWN	STARTING MOTOR (Lescage-Neville M100R) 12-Volt, less Thermal Over-Crank Protection
9HAD	GRILLE Chrome
9WAY	FRONT END Tiling, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100  <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"
10781	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10WYZ	QUALIFICATION IDENTITY for Non-Diamond SPEC Vehicle
11001	CLUTCH Omit Item (Clutch & Control)
12NMG	ENGINE, DIESEL (International DT488 High Torque) Electro-Hydraulic Fuel System, 50 State, 215 HP @ 2300/2400 RPM, 620 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 225 Peak HP (Max)  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : ENGINE SHUTDOWN Electric, Key Operated : GOVERNOR Road Speed, Electronic : ENGINE OIL DRAIN PLUG Magnetic : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL CHANGE SYSTEM 30 Quart Capacity : DAMPER, CRANKSHAFT Viscous : FAN Optimized Position : FUEL FILTER Engine Mounted
12T5Y	FAN DRIVE (Berg-Werner S480) Viscous Screw On Type  <u>Includes</u> : FAN Nylon
12UWA	RADIATOR (Modine) Aluminum, 2 Row, Cross Flow, Over Under System, 518 SqIn, Louvered, With 270 SqIn Charge Air Cooler, 10 Fins per In., 3.5" Core  <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Polypropylene Tank : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element

INTERNATIONAL\*

Vehicle Specifications  
2003 4400 SEA 4-2 (MA034)

November 18, 2003

<u>Code</u>	<u>Description</u>
12VWV	ENGINE CONTROL, REMOTE MOUNTED Provision for, Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
13ABA	TRANSMISSION, AUTOMATIC (Allison MD-3060P) Close Ratio, 6-Speed; With PTO Gear and Lase Retarder <u>Includes</u> : TRANSMISSION OIL PAN Magnet In Oil Pan
13WBN	TRANSMISSION SHIFT CONTROL (Allison) T-Bar Type; for Allison MD & HD Transmission
13WTA	ALLISON WT SPARE INPUT/OUTPUT for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
14AGG	AXLE, REAR, SINGLE (Dana Spicer 210806) Single Reduction, 21,000-lb Capacity, 180 Wheel Ends Gear Ratio: 6.50 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
14WLA	AXLE, REAR, LUBE (Emgard 7SW-90) Synthetic Oil; 1 thru 29.99 Pints
15SEM	FUEL TANK Top Draw, D Style, Steel, 19" Deep, 70 U.S. Gal., 265 L Capacity, With Quick Connect Outlet, Mounted Left Side, Under Cab <u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel <u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Piller Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Piller Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp. and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER GAUGES (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter
16J0Y	SEAT, DRIVER (Gra-Mag) Non-Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) With Two Integral Headrest, Vinyl, With Fixed Back, Lase Under Seat Storage Compartment <u>Includes</u> : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt
16SDN	MIRRORS (2) (Long Mirror) Styled; Rectangular, 7.08" x 15.75", Brackets Breakaway Type, With 102" Wide Spacing, With Integral Corner Both Sides, With Bright Finish Head and Brackets
16SED	GRAB HANDLE (2) Black, Aluminum; for Cab Entry Mounted Left and Right
16WJS	INSTRUMENT PANEL Center Section, Flat Panel

INTERNATIONAL\*


Vehicle Specifications  
2003 4400 8BA 4x2 (MA034)

November 18, 2002

<u>Code</u>	<u>Description</u>
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster  <u>Includes</u> : REFRIGERANT Hydrofluorocarbon HFC-134A : HEATER HOSES Percolum
16VRX	CAB INTERIOR TRIM Deluxe  <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoker Gray with Black Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smokey Gray : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Timed Theater Dimming : SUN VISOR (2) Padded Vinyl Integral to Console with Toll Ticket Strap and with Integral Extenders : STORAGE POCKET, DOOR (1) Molded Plastic, Smokey Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs  <u>Includes</u> : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs  <u>Includes</u> : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
28S00	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings
28WLA	WHEEL BEARING, FRONT, LUBE (Emgard 50W) Synthetic Oil
7302690179	(2) TIRE, FRONT 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range G, 14 ply
7372130116	(4) TIRE, REAR 11R22.5 G184 RTD (GOODYEAR) 499 rev/mile, load range G, 14 ply  Cab Schematic 100GA Location 1: R219, WINTER WHITE Chassis Schematic N/A
	<b>Service Section:</b>
10WZD	COMPETITIVE SURCHARGE CREDIT
12JXC	FEDERAL EMISSIONS for 2002; for International VT365, T444E, DT468 and DT530 Engines

Automatic air brake drain system  
Electronic PTO Overspeed control

SINCE 1950 ATTACHMENT #3




P.O. BOX 90215  
PHONE 888-4414  
FAX 888-6367  
6910 N. ROAD 98  
LAKELAND, FLORIDA 33804-0215

MANUFACTURERS OF  
**CONIBEAR SPREADERS**

A COMPLETE LINE OF TRACTOR DRAWN OR TRUCK MOUNTED SPREADERS

November 19, 2002



County of Lee  
2955 Van Buren Street  
Ft. Myers, Fl 33916

Attention: Mr. Don C. Lawes

Dear Don,

We are pleased to quote you on 3 Sand Spreaders, as per spec's:

11'6" Conibear Sand Spreaders, 84" wide, all hyd. floor conveyor, 24" with 3/8x1-1/2 bars, front or rear delivery, 96" front conveyor drivers side delivery, extend out 35-1/2" from side of catwalks, 96" width, 2-20" hyd. fans, 2 hyd. motors and 6:1 gear boxes, drives front & rear floor discharge to change rotation turn, hyd. valve, rear side plate over fans for discharge, strobe lights, one front & 2 rear, cab protector, roll over tarp, ICC lights, turn signals & mud flaps, body to be mounted on 108" cab to axle, P.T.O. & hyd. pump mounted on truck transmission.




\$26,868.00 each

Air shift P.T.O. 195.00  
Electric tarp 425.00

3 or more \$27,488.00 each


1- Same spec's as above \$27,988.00 each



Sincerely,

Conibear Equipment Co., Inc.  
*Robert E. Conibear*  
Robert E. Conibear

REC/jac



SINCE 195 ATTACHMENT #1



P.O. BOX 00215  
PHONE 850-4474  
FAX 850-5367  
8910 N. ROAD 08  
LAKELAND, FLORIDA 33804-0215

MANUFACTURERS OF  
**CONIBEAR SPREADERS**

A COMPLETE LINE OF TRACTOR DRAWN OR TRUCK MOUNTED SPREADERS

November 19, 2002




County of Lee  
2955 Van Buren Street  
Ft. Myers, Fl 33916

Attention: Mr. Don C. Lawes

Dear Don,

In regards to the Sand Spreader with side front conveyor, the first spreader we manufactured was in July of 1987, for the City of Tampa. We have built several since then. Several people have copied our spreader, but as far as we know we are the only manufacturer building this type of unit.




Sincerely,

Conibear Equipment Co., Inc.

*Robert E. Conibear*  
Robert E. Conibear

REC/jac



# ATTACHMENT *AS*

Equipment Directory 145111 130.017

941 Lee County Fleet Management

610267 1000 INC 4600 EQ

Inventory # 52290

VIN: 1HTSAZPH0HM526412 114924

Color: WHITE Make: RES DOT

Class: 6220 Truck, Dump, 67 Class

Department: TOP RD COM

Employee: Not defined in table file

BYC: 07 Monthly/Thursday 7:00 AM - 5:30 PM

Depreciation: 25485.00 (est Work Order: 589900000)

---

Print  Back  Home  Add/Dep  Vehicle Replacement  Search  Query  History  Comments

Date: 12/03/2002 Cost: 40273.00 Model: LTD 20254.22 Inflation Rate: 0.04 Salvage Rate: 0.07

Account: 75 Department: Highway Maint 3.5 Maintenance: 3.5 Age: 5.0

Item	Qty	Unit	Acquire	Begin FY
H	X		01/01/1990 12:12:48	52290 0 52119

Salvage Value: 2278.62  
 Recovery Collected: 2812.69  
 Recovery Balance: 2736.97

Life Expectancy Months: 129  
 Current Life in Months: 133  
 Total Points: 19.0  
 Condition Factor: 0.0

Month	Life	Replacement	Monthly Recovery
01/01/2002	35	42210.50	857.84
12/03/2002	0	47540.57	868.76

FASTER, Cheryl Tech

**Equipment Inventory - EAST**

Equipment Number: 918484 Year: 1994 Make: IHC Model: 4000 Priority: 60 Location: [ ]

Parent Equipment: [ ] Serial Number: INTSA1PP6RH562130 License: 67444 [ ]

Color: [ ] Shop: [ ] Site: [ ] P.O.T. OPERATIONS: [ ]

Employee: JOHNSTON, CARROL [ ] JOHNSTON, EARHOLL [ ] DOT: [ ]

Depreciation: 21355.00 Last Work Order: 0000000722

---

Model  Cap. Rate  Hours  Acc. Depn  Value Replacement  Search  Show  History  Comments

Date Acquired: 11/16/1993 Base: 12:12:47 Actual: 79155 Audited: 0 Book Value: 60619

Salvage Value: 2320.19  
 Recovery Collected: 9422.00  
 Recovery Balance: 5299.81

Revised Life	Replacement	Replacement Monthly Recovery
11/16/1993	43959.96	566.58
12/15/1992	42899.01	559.85

Life Expectancy Months: 124  
 Current Life In Months: 108  
 Total Points: 15.0  
 Condition Factor: 0.8

MASTER Chart Tools

Equipment Inventory 10/11/2001

Company: 001 Lee County Fleet Management

Equipment Number: 019043 Make: JHC Model: 4709 Priority: EQ Location: EQ

Serial Number: 1HTSCABP8SH841885 License: 166066 38 SPREADER BOX TRUCK

Color: Shop: Site: MES POT D.O.Y. OPERATIONS / ZEPH

Year: 3300 Department: TOP RD COM Operators: D.O.T. Pica

Employee: STAFF Shift: 07 Monday-Thursday 7:00AM - 6:30 PM

Depreciation: 28808.60 Last Work Order: 0400093284

---

Master  Alerts  Notes  Accounts  Vehicle Replacement  Search  Query  History  Company

Date: 08/24/1994 Cost: 8120.50 Unit: 03007.50 Inflation Rate: 0.04 Salvage Rate: 0.05

Department: Maintenance Highest Meter: 7.8 Age: 7.8

Report	Priority	Date	Time	Actual	Acquire	Begin/End
M	X	08/24/1994	12:12:48	88868	0	87402

Salvage Value: 8120.50  
 Recovery Collected: 12210.40  
 Recovery Balance: 6970.10

Remaining Life	Assessment	Replacement	Monthly Recovery
19	08/24/2004	59025.74	491.89
0	12/03/2002	59025.84	552.74

Life Expectancy Months: 190  
 Current Life In Months: 191  
 Total Points: 38.0  
 Condition Factor: 0.0

FASTER Client Tools



MEMORANDUM  
FROM  
THE DIVISION OF PURCHASING

*JS*  
12/13/02

DATE: DECEMBER 3, 2002

TO: MARILYN RAWLINGS  
FLEET MANAGER

FROM: *Janet*  
JANET SHEEHAN, CPPB  
PURCHASING DIRECTOR

RE: BLUE SHEET # 20021395

PROJECT: Three (3) International Trucks w/ Conibear Spreader Bodies

TYPE: State Contract Purchase and Bid Waiver

AWARDED TO: International Truck and Engine Corporation & Conibear Equipment Company

Attn. Ms. Rawlings – When you have finished your review of this package, please forward it to Scott Gilbertson, DOT.

*To →* Attn. Mr. Gilbertson - When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.

