Lee County Board Of County Commissioners					
Agenda Item Summary Blue Sheet No. 20021430					
hydraulic excavator for the Lee	County Department of Transportation (D 01-03-1 – base contract price: \$179,475	or purchase of one (1) new Gradall XL 3100 OT), from The Gradall Company, at the prices given 1.00 – plus \$16,958.00 in contract and non-contract			
exempts "the purchase of equipmed Federal General Services Admin	nent that has gone through the Administr	Purchasing and Payment Procedures Manual ative Code Procedure, such as State Contracts or use, rental, or lease amount does not exceed all is required.			
WHAT ACTION ACCOMPLE and provide road maintenance.	SHES : This new equipment will provid t replaces equipment that has met Fleet N	e Lee County DOT with the ability to clean ditches Management's replacement criteria requirements.			
2. DEPARTMENTAL CATEGORISSION DISTRICT		3. <u>MEETING DATE</u> : 01-07-2003			
4. AGENDA:	5. REQUIREMENT/PURPOSE:	6. REQUESTOR OF INFORMATION:			
X CONSENT ADMINISTRATIVE APPEALS PUBLIC WALK ON	(Specify) STATUTE ORDINANCE X ADMIN. AC-4-1 CODE OTHER	A. COMMISSIONER B. DEPARTMENT Transportation C. DIVISION BY: Scott Gilbertson, P.E., Director			
TIME REQUIRED: 7. <u>BACKGROUND</u> :BA	ACKGROUND BEGINS ON PAGE TW	O			
8. MANAGEMENT RECOMM	MENDATIONS:				
9. <u>RECOMMENDED APPROVAL</u> :					
	C D E Iuman Other County Attorney	F Budget Services County Manager			
William Javet Sheehan 12/12/02 13-10-02 10. COMMISSION ACTION:	13/7/02 OA RK12/17	OM Risk GG			
APPROVED Denied Deferred OTHER Rec. by Coatty Rec. by Coatty Date: Diulo Date: Diulo Time: A, U do Forwarded To: Diglar 9 250					

--BACKGROUND CONTINUED FROM PAGE ONE--

On December 5, 2002, the Division of Purchasing received a request from Lee County DOT and the Division of Fleet Management to purchase one (1) new Gradall XL 3100 hydraulic excavator from The Gradall Company, at the prices given in Florida State Contract # 760-001-03-1.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase one (1) new Gradall XL 3100 hydraulic excavator for the Lee County Department of Transportation (DOT), from The Gradall Company, at the prices given in Florida State Contract # 760-001-03-1 – base contract price: \$179,475.00 – plus \$16,958.00 in contract and non-contract options. Grand total amount: \$196,433.00.

Funding is available: PC5379114600.506430 RX

ATTACHMENTS:

- (1) Department Request for Purchase
- (2) Vendor Quotation
- (3) Florida State Contract # 760-001-03-1
- (4) Repair History of Equipment Being Replaced



DIVISION OF FLEET MANAGEMENT

Memorandum

To: Janet Sheehan, Purchasing Director

From: Marilyn Rawlings, Fleet Manager,

Date: 12/03/2002

Re: Prepare a Blue Sheet for the purchase of one Gradall XL 3100 Hydraulic Excavator.

Please prepare a Blue Sheet for the purchase of one Gradall XL 3100 (4X4) Hydraulic Excavator for Department of DOT Operations, using the account string, PC 5379114600504643.

ACTION REQUESTED:

Approve the State Contract #760-840-650 purchase of one new Gradall XL 3100 (4X4) for DOT Operations from The Gradall Company, in the amount of \$179,475 base price plus additional options totaling \$16,958, for a total of \$196,433.

WHY ACTION IS NECESSARY:

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000". As this expenditure will exceed \$50,000, Board approval is necessary.

WHAT ACTION ACCOMPLISHES:

Lee County received a request from the Department of Transportation to purchase one Gradall XL 3100 Hydraulic Excavator. This is a replacement purchase to their fleet. This machinery is necessary to clean ditches and provide road maintenance.

BACKGROUND:

Fleet Management received a request from the Department of Transportation to replace the aging Badger Excavator which has high maintenance costs, etc. and meets the Fleet criteria for replacement. This unit will be used in ditch cleaning and road maintenance.

See Attachments

C: Donat Lawes

OS DEC -2 VHII: 39

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT **EQUIPMENT AND VEHICLE REQUEST FORM** 1. DEPARTMENT/DIVISION: (name) DOT OFERATION (number) 5425 2. REQUESTED BY: (print) -IM KISER PHONE #: 694-3334 3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ? [YES]] NO If yes: Asset #: 18840 Yr: 1986 Make: BAOLER Model: 888 Meter: 4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING? Select ail appropriate toxes: [] Sedan [] Mid-Size [] 1/4 Ton [] 2 Door [] Cargo [] Gasoline Station Wagon | Full-Size [] ½ Ton 3 Door L-Side [] 7 Passenger | Diesel Sport Util Veh Regular Cab [] 4 Cylinder [] % Ton [] 3 Door R-Side [] 12 Passenger [] 4 Door [] Pickup Truck [] Extended Cab 1 1 Ton [] 6 Cylinder [] 15 Passenger [] Cab & Chassis [] Crew Cab [] Utility Body A [] Class 6 [] Sliding Door [] 8 Cylinder [] Swing Door [] Van 1 2 Wheel Drive [] Flat Bed A [] Class 7 [] 10 Cylinder [] 4 Wheel Drive B [] Dump Truck A M Other [] Single RW [] Class 8 Dual RW Additional description for vehicles or equipment: X6 GRADAIL B Please provide detailed justification on separate sheet. 5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telestick boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable: ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes. I AM/Five Coscie [Bod-Line: 1 Himnee Slip [] Trailer Laion Receiver Strobe Light [] Power Win/Locks Arrow Board A M Tires - All Terrain [] Floor - Carpet [] Long Bed Seats - Cloth Tow Package [] Short Bed [] Floor - Rubber [] Seats - Vinyl [] Windows - Tinted 6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? CLEANING OF

Page 1 of 2 Ver. 3.2 Fleet Use Only: # 15

A Specify Dimensions or Model _____

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

7. FUNDING SOURCE:

	graphy and the second of the s
	[] Vehicle Replacement Fund 6430 Mu
	Capital, Please Specify Account String PC 5379114600.50
	[] Other, Please Specify Account String
	If needed, please provide additional account strings:
	8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$ 200,000,
	Bolly L Faut 10/21/02 REQUESTED BY DATE 1ST LEVEL APPROVAL DATE
	DICY. Character 10.21. 2002 DIVISION DIRECTOR DATE
	,
	Option 1: [QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
	Option 2: [] VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain
	quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known asysurcharge funds).
	Detalline 10000
	DEPARTMENT DIRECTOR DATE
	* COUNTY MANAGER / DESIGNEE DATE
	* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.
	SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT
	TRECOMMENDED [] N.R.A.T.T.
	JAPPROVED []DECLINED MOULYN ROWLLD 12/02/02
10	Ligh Meter Date
(,~)	Might were.
0,0	Maint. 03-03) Age Page 2 of 2 Ver. 32 Fleet Use Only: #13-03-03
	Page 2 of 2 Ver. 3.2 Fleet Use Only: #
9.0	148 11/19/02



4555 LAREDO AVENUE • FORT MYERS, FLORIDA 33905 • PHONE (941) 334-6063

November 12, 2002

Mr. Don C. Lawes Acquisition Specialist Lee County Division of Fleet Management 2955 Van Buren Street Fort Myers, FL 33916

Mr. Lawes;

Further to our telephone conversation today, please find below pricing for the Gradall XL3100 under the State of Florida Contract# 760-840-650

Base 4x4 Machine, (e	quipped per State of Florida specs)	\$ 179,475.00
Additional Options:		
_	Work Light Package	956.00
	A/C Upper	3,825.00
	Roof Mounted Strobe Light, Upper	510.00
	Engine Spark Arrestor	276.00
	A/C Carrier	3,383.00
	Rear Tow Hooks	285.00
	Special Paint, Federal/DOT Yellow	879.00
	30" Excavating Bucket	2,104.00
	Total Machine Cost	

Please note that the dome light and the 60" ditching bucket are standard equipment on this machine under the contract.

The Purchase Order should be made out to:

The Gradall Company Attn: Mark Allison, Sales Manager 406 Mill Ave., SW New Philadelphia, OH 44663

Gradall is anticipating machine availability of 60-90 Days at this time.

If you require additional information or details, please do not hesitate to call me at (941) 809-8703.

Thank you again for the opportunity to service your equipment needs.

Marc F. Young

1023 S. 50th STREET (U.S. 41 S.) • TAMPA, FLORIDA 33619 • PHONE (813) 248-4971

1301 CENTRAL FLORIDA PARKWAY • ORLANDO, FLORIDA 32837 • PHONE (407) 859-9160 12849-1 PHILLIPS HIGHWAY • JACKSONVILLE, FLORIDA 32256 • PHONE (904) 268-4400 4501 OAKS ROAD • DAVIE, FLORIDA 33314 • PHONE (954) 327-8808



Construction/Industrial Equipment and Forklifts

760-001-03-1

Effective: 10/30/2002 through 5/31/2004

Certification

Legal Information

Exhibit A - General Specifications

Exhibit B - Price Sheets

Ordering Instructions

Sample Purchase Order

Complete Contract

Construction/Industrial Equipment and Forklifts 760-001-03-1

Vendor Information

Barloworld Handling LP

www.barloworld.com

Briggs Equipment

www.briggsequipment.com

GS Equipment, Inc.

www.gsequipment.com

Joe Money Machinery Company, Inc.

John Deere Construction & Forestry Equipment Company

L.B. Smith, Inc.

Linder Industrial Machinery Company

www.linderco.com

Mid-Florida Forklift, Inc.

www.midfloridaforklift.com

M.D. Moody & Sons, Inc.

National Lift Truck Service, Inc.

Nortrax Equipment Company

Pitts Trailer, Inc.

www.pittstrailers.com

Ringhaver Equipment Company

RWG Farm Trailer Supplies

The Gradall Company

Yale Industrial Trucks

www.yaleflorida.com

www.deere.com

760-840-650 HYDRAULIC EXCAVATOR, TRUCK MOUNTED, 39,000 LB. GVWR (4X4)

NOTE: This detailed Specification/Price Sheet is not complete unless it is used in conjunction with specification GSCI-1, GENERAL SPECIFICATIONS All Construction/Industrial Equipment.

INTENDED USE

USED PRIMARILY FOR DITCH CLEANING AND SMALL EXCAVATING APPLICATIONS.

10. CARRIER

11. ENGINE:

- A. Diesel engine, liquid cooled, with a minimum of 190 Gross HP and 520 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 5.9L (359 CID).
- B. Permanent anti-freeze and corrosion protection.
- C. Dry type air cleaner with service (restriction) indicator.

12. ELECTRICAL SYSTEM:

- A. Minimum 12-volt electrical system.
- B. Battery(ies) to have a minimum total of 1620 CCA @ 0 degrees F.
- 20. TRANSMISSION AND TRANSFER CASE: Overdrive transmission with a minimum of nine (9) forward speeds and two (2) reverse speeds.

30. AXLES & SUSPENSION:

- A. Steel front drive axle and suspension, minimum 16,000 lb. GAWR.
- B. Single speed; tandem drive rear axle with a driver controlled, locking differential, minimum 23,000 lb. GAWR. NOTE: The rear axle ratio is to be selected by the Contractor in accordance with the engine and transmission provided. A ratio that will provide the maximum possible reduction as well as a minimum top speed of 50 MPH on a level grade.
- C. Front and rear axles shall be filled with synthetic lubricant.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer, odometer, animeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

A. Fresh air heater and defogger.

- B. Sunvisor.
- C. Tinted safety glass.

60. SAFETY ITEMS:

- A. Horn(s), electric.
- B. Large West Coast type mirrors, 6 inches x 16 inches minimum, to include lower convex spot mirrors on both sides.
- C. Automatic-adjustable volume backup alarm (may be provided and installed by the Contractor, if not available from the Manufacturer), per the latest issue of SAE J994.
- D. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, to be installed on heavy-duty hangers (may be provided and installed by the Contractor, if not available from the Manufacturer).

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION, WILL BE PERMITTED ON RAIN FLAPS.

- E. Turn signals, front and rear, with traffic hazard warning switch.
- F. Windshield wiper, windshield washer, lights, and reflectors shall be according to ICC and all other State and Federal regulations.
- G. One 10-lb. hand held fire extinguisher.
- H. All access steps shall be self-cleaning slip-resistant grating.

61. BRAKES:

- A. Full air brakes system.
- B. Automatic slack adjusters.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Low air pressure warning indicator in cab.
- E. Air dryer between air compressor and the No. 1 reservoir.

70. TIRES & WHEELS:

- A. Front tires: 15.00-22.5H (16PR) with traction tread.
- B. Rear tires: 10.00-20G (14PR) with traction tread.
- C. All wheels to be steel disc.

80. CHASSIS, FRAME, CAB:

- A. Minimum 39,000 lb. GVWR, factory certified.
- B. 156 inch wheel base, minimum.
- C. Front tow hooks or tow pins.
- D. Standard front bumper.

81. CAB EQUIPMENT:

- A. Air suspension driver seat.
- B. Cab assist handles, both sides.
- C. Manufacturer's standard paint and colors.
- D. Vandal protection, including locks for cab door(s), engine compartment, and exposed (outside of locked cab or locked engine compartment) battery box and fluid

82. UPPER UNIT

A. CAB:

- 1. Fully enclosed all weather cab with maximum cab heat and sound insulation, 4-way adjustable seat, factory-tinted safety glass, skylight, heater and defroster.
- 2. Cab assist handle(s).
- 3. Heater and defroster.
- 4. Vandal protection kit, including locks for cab door(s) and fluid caps.
- 5. Hydraulic system to provide independent swing and remote control travel.
- 6. Visual hydraulic oil level gauges on reservoir.
- 7. One 10-lb, hand held fire extinguisher mounted inside cab.
- 8. Paint to be the same as for carrier.
- 9. Hydraulic Joy Stick controls for all upperstructure movement.
- B. REMOTE CONTROLS: Separate controls shall be provided in the upper cab for remote operation of the carrier. Controls shall provide propel, steer, and brake functions.
- C. BUCKET: Heavy-duty, Quick-Change bucket, with a struck capacity (per latest issue of SAE J296) of 0.50 cubic yard, minimum.
- D. PERFORMANCE: (with the machine equipped per this base specification, per the latest issues of SAE J1057, J1116, and J1234):
 - 1. Travel height of complete machine not to exceed 13 feet, and travel width of complete machine not to exceed 8 feet 6 inches.
 - 2. 360 degree swings, left and right.
 - 3. Bucket tilt to be done hydraulically.
 - 4. Lift capacity on rubber, over side, with 30 inch bucket, without boom extension, at 20 feet radius, 5 feet above ground level, per the latest issue of SAE J1097, 3,900 lbs. min.
 - 5. Dimensions, with the 0.50 cubic yard bucket in a single adjustment position, per the latest issue of SAE J1193:
 - (a) Swing clearance, rear of upperstructure (i.e. tail swing), 7 feet 6 inches, maximum.
 - (b) Ground clearance per latest issue of SAE J1234, 10 inches minimum.
 - (c) Maximum radius at groundline (i.e. surface reach) (must be adjusted for actual bucket radius on 60 inch ditching bucket), 26 feet, minimum.
 - (d) Maximum digging depth (without boom extension), 19 feet, minimum.
 - (e) Bucket pivot angle (i.e. sweep angle), 165 degrees minimum.
 - (f) Minimum telescoping boom length (boom pivot to bucket pivot) 12 feet.
 - (g) Bucket tilt angle, 220 degrees minimum.
 - (h) Minimum clearance of bucket at maximum boom height (i.e. loading height) (with boom at maximum angle, with bucket fully retracted, and no boom extension), 10 feet 6 inches, minimum.
 - 6. Boom pivot angle (over rear), 30.0 degrees above horizontal and 75.0 degrees below

horizontal, minimum.

E. SAFETY ITEMS:

- 1. Windshield wiper(s) and washer(s).
- 2. Electric travel alarm, per latest issue of SAE J994, for remote control operation in either direction.
- 3. Electric warning horn, per latest issue of SAE J1105, or air horn.
- 4. Safe access to machine cab and servicing points to be in accordance with the latest issue of SAE J185.
- 5. Safety signs per latest issue of SAE J115.
- 6. Provisions to prevent unauthorized starting or movement of machines, per latest issue of SAE J1083.
- 7. "Dead-man" type self-centering controls to stop movement when released.

F. CONDITIONS:

- A. The services of a factory technician, thoroughly trained in the use and operation of the unit, shall be furnished for a period of not less than one (1) day and up to (2) days, if requested by the Eligible User, to instruct personnel in the use, operation and maintenance of the unit after delivery. This is to be done at the delivery location.
- B. At a minimum, the Manufacturer's standard warranty for state and municipalities shall be provided. A copy of the warranty shall be provided with the bid.
- C. The Contractor shall provide any and all non-specified features or components necessary in order to provide a complete unit.
- D. See GENERAL SPECIFICATIONS All Construction/Industrial Equipment (GSCI-1).

*DISCOUNT

CONTRACTOR

MODEL

F.O.B. CONTRACTOR

PRICE

THE GRADALL COMPANY

XL3100 4X4

\$0.00

<u>\$179,475.00</u> (21)

1. Percentage discount off Manufacturer's current published retail prices for nonspecified Options for a State of Florida Base Unit and any Optional models bid. (The percentage discount is applied to the Manufacturer's current published retail prices.)

15% Discount

**Date of current published retail price book: 01/01/02

**NOTE: ALL DATES <u>MUST</u> BE FOR THE <u>CURRENT PUBLISHED</u> RETAIL PRICE BOOK.

Approximate delivery time required after receipt of order: 60-90 DAYS

OPTION CODING:

760-840-651-Option Number, Hydraulic Excavator, Truck Mtd.,

39,000 GVWR (4X4)

OPTIONS:

(1) 1001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577. Bid for carrier engine only.

PRICE: N/A

(2) 1002. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577. Bid for upper engine only.

(OPT 9901) PRICE: N/A

(3) 3003. Delete front driving axle (4x2 model or 6x4). Include highway tread front tires in lieu of on/off road or all-terrain tread.

(BASE) PRICE: (\$17,131.00)

(OPT 9901) PRICE: (\$15,822.00)

^{*}Discount for pickup by ordering agency at Contractor's place of business.

(4) 4001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate hydraulic oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: N/A

(5) 4002. Automatic lubrication system. System shall consist of an electronically operated pump delivering fluid grease of NLGI grades 000 and 00 to adjustable piston distributors that can meter the amount of grease to each lubrication point. Vogel Automatic Lubrication System of approved equivalent. Vogel Lubrication, Inc. (757) 380-8585, email: vogel@vogel-lube.com.

(BASE) PRICE: N/A (OPT 9901) PRICE: N/A

(6) 5001. Air conditioner for carrier cab.

(BASE) PRICE: \$3,383.00 (OPT 9901) PRICE: \$3,383.00

(7) 5002. Air conditioner for upper cab.

(BASE) PRICE: \$3,825.00 (OPT 9901) PRICE: \$2,482.00

(8) 8001. Special state color, DOT Yellow, Federal Yellow No. 13538, DuPont #L9069A, ACME No. 2712, Deere No. PT102, or approved equivalent, (may be Contractor painted if factory painting is not available). NOTE: The entire unit, including Options, shall be painted the same color.

(BASE) PRICE: \$879.00 (OPT 9901) PRICE: \$1,317.00

(9) 9901. 62,000 lbs. GVWR, 6x6 model. Unit shall have a 60 inch Quick-Change ditching bucket, with a minimum SAE heaped capacity of .87 cubic yards. Total advertised machine operating weight, per the latest issue of SAE J1234, of 47,400 lbs. minimum. Unit shall be of the same Manufacturer. Model bid shall meet or exceed all other minimum requirements and features as specified for the base model bid. Note to bidder: Provide only a price difference between the base model and model bid.

MODEL: XL4100 6X6 BUCKET CAPACITY: 1.0 CU YD

OPERATING WEIGHT: 47,410 LBS

PRICE: <u>\$70,830.00</u>

XL 3100

U	pper Optiona	l Equipment Includes:	15%
Q.	8036-5016	AIR CONDITIONING	500.00 `
2.	8032-5008	AUXILIARY HYDRAULICS WITH FOUR (4) LINE HOSE TROUGH4,0	
3		PAINT, SPECIAL COLOR (STANDARD FORMULA ONLY)	
4.	8036-5013	SEAT BELT	
(5)		STROBE LIGHT6	
6.		VANDALISM PROTECTION KIT (INCLUDES WINDOW COVERS)9	25.00
7.	8036-5005	WINDSHIELD WIPER/WASHER7	20.00
(8)	8036-5017	WORK LIGHT/STANDARD PACKAGE	25.00
9.	8036-5030	AM/FM CASSETTE RADIO	35.00
Ca	arrier Optiona	al Equipment Includes:	
0		AIR CONDITIONING	80.00
(3)		ENGINE SPARK ARRESTOR	25.00 ~
3.		EXTRA BATTERY1	60.00
(4)	8038-5051	REAR TOW HOOKS	35.00 ~
5.	8038-5012 & 8368-5075	1500X22.5 FRONT/1000X20 REAR TIRES ON DISC WHEELS (4X2)	50.00
6.	7738-5160 & 7738-5036	1800X22.5-16PR TUBELESS TRACTION TREAD TIRES, SINGLE FRONT AND REAR FOR 4X4	90.00
7.	8368-5076	SPARE 1000X20-14PR TRACTION TREAD TIRE, TUBE AND SPOKE WHEEL FOR 4X2 REAR	35.00
8.	8368-5075	SPARE 1000X20-14PR TRACTION TREAD TIRE, TUBE AND DISC WHEEL FOR 4X4 REAR (OR 4X2 WITH DISC WHEELS)	65. 00
9.	8038-5011	SPARE 1500X22.5-16PR HIGHWAY TREAD TIRE & SPOKE WHEEL FRONT (4X2)1,25	50.00
10.	8038-5012	SPARE 1500X22.5-16PR HIGHWY TREAD TIRE & DISC WHEEL (FOR 4X2)1,35	50.00
11.	8038-5013	SPARE 1500X22.5-16PR TRACTION TREAD TIRE & DISC WHEEL (FRONT 4X4)1,35	50.00
12.	7738-5160	SPARE 1800X22.5-16PR TRACTION TREAD TIRE & DISC WHEEL (FRONT 4X4)1,46	
13.	7738-5036	SPARE 1800X22.5-16PR TRACTION TREAD TIRE & DISC WHEEL (REAR 4X4)1,46	30.00
14.		VANDALISM PROTECTION KIT (INCLUDES METAL WINDOW COVERS))5.00
4acı15.		FIRE EXTINGUISHER (10-POUND CAPACITY)	25.00
16.		AM/FM CASSETTE RADIO	
17.	8038-5057	PROTECTO-SEAL LOCKING FUEL CAP	00.00





XL 3100

Attachments:				Yards³ (m³)	Approximate Net wt-lb (kg)	
.7	12	8035-6006	30" (760 mm) EXCAVATING BUCKET	.57 (.43)	734 (333) 2,475.00 🗸	
	2.	8035-6014	24" (610 mm) EXCAVATING BUCKET	.38 (.31)	655 (297)	
	3.	8035-6002	36" (910 mm) EXCAVATING BUCKET	.68 (.53)	575 (261)2,750.00	
	4.	8035-6003	30" (760 mm) PAVEMENT REMOVAL		1142 (518) 3,850.00	
luccuseo	5.	8035-6004	60" (1.52 m) DITCHING BUCKET	.80 (.61)	870 (395)2,750.00	
	6.	8035-6009	66" (1.67 m) DITCHING BUCKET	.62 (.47)	891 (404)2,810.00	
	7.	8035-5001	4' (1.2 m) BOOM EXTENSION		4,950.00	
	8.	8035-6015	8' (2.4 m) GRADING BLADE		452 (205)2,035.00	
	9.	8035-5003	FIXED THUMB GRAPPLE		770 (349)3,960.00	
	10.	8035-6016	SINGLE TOOTH RIPPER		345 (156) 2,400.00	



ATTACHMENT#4

Egulpment Inventory - F.	ASTER 4.46.017	to the car care			_(c).x(
Equipment Information: Compa	ny 001 🕶 Lee County	Fleet Managemen			121
Equipment Number Y	ear Hake	Model	Priori	ty ISet Location	<u> </u>
018840	986 V BADGER	₹ 888		EQ - 085474	11
Janear Danding 1	Parent Equipment	Serial Number	License	MG .	11
Meter Reading C	Component 🔻	165847	80798	HE - HEAVY EQUIPMENT	[i
		Color	Shop Site	, <u></u>	
,		URITE	HES - COT	DO T. OPERATIONS /	ZIP DRI
Status A	Removable			Department	
Motor Pool S	tatus [Attuched	Employ		TOP CANAL - Operations · D.C	7.1 Ca
Reservation	ast PH	Cispito)		x defined in Table File	
Out# 0	Type Cycle Date D	Done - DTC		- Parting at Foots the	11
Date	L H 09/24/ L O 09/24/	TTT 101 T 3	Monday-Thursday 7.0	0 AM - 5:30 PM	
117	H A9/24/		ation 122552.00	Last Work Order 00000936	89
		- marian and an area and a second			
Master [Billing [Notes Acq/Disp	© Vehicle Replacemen	* O Search Q	Buery Q History Q Compon	er <u> { } } }</u>
Date 10/01/1986 Cost	181979.00 Mai	nt \$ LTD 193148	3.81 Inflation 6	Rate 0 04 Salvage Rate	0.02
	Department A			Intenence 10.0 Age	
Expected Life In Mete				TO B Age	5.8
Type Fuel? Date		Actual Acquire		Salvage Value 1364	8.42
	986 12:12:34	Actual Acquire 27772 0	BeginFY 29766 F	Recovery Collected: 5942	
			23700	Recovery Balance 25075	
[+ <u> </u>			• {	200,3	
0		The state of the s		Life Expectancy Months	144
Remaining Lif Drigonal -50		Replacement Mont	Same a State of the Control of the C	Current Life In Months?	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Adjusted o	(10/01/1550	320185 67	1927 19	Total Points	55,000
	1510515005	250182 91	1650.44	Condition Factor	
the transfer of the second of the second				Send (C) Dil 1 ac (O)	0.0
Start a C	EQ \$\\ \\$\\ \\$		* **	· · · · · · · · · · · · · · · · · · ·	1 10 68
Start	22.0 ROM 01 10 10	71 <i>-</i> 2700111-	N ASSOCIATION	Address (1 10 68

MEMORANDUM FROM THE DIVISION OF PURCHASING

DATE: DECEMBER 10, 2002

TO: MARILYN RAWLINGS

FLEET MANAGER

FROM: JANET SHEEHAN, CPPB
PURCHASING DIRECTOR

RE: BLUE SHEET # 20021430

PROJECT: Gradall Hydraulic Excavator

TYPE: State Contract Purchase

AWARDED TO: The Gradall Company

Attn. Ms. Rawlings – When you have finished your review of this package, please forward it to Scott Gilbertson, DOT. (A. 1), (1)

Attn. Mr. Gilbertson - When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.

