

**Lee County Board Of County Commissioners
Agenda Item Summary**

Blue Sheet No. 20030304

1. REQUESTED MOTION:

ACTION REQUESTED: Approve the award of the following Projects: # EX030389, the purchase of one (1) International cab and chassis truck from International Truck and Engine Corporation at the Florida State Contract price (including several non-contract options) of \$53,009.00; and # IT030390, the purchase and installation of a dump body at the informally quoted price of \$10,130.12 from the best price vendor Jim Hardee Equipment Company, Inc.; for Lee County Parks and Recreation. Grand total for this purchase: \$63,139.12.

WHY ACTION IS NECESSARY: Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

WHAT ACTION ACCOMPLISHES: Provides Lee County Parks and Recreation with the equipment necessary to keep up with ever increasing ball field maintenance and construction; as well as any additional special projects that Parks may undertake in the future. This truck replaces asset #019564 which has met Fleet Management's replacement criteria.

**2. DEPARTMENTAL CATEGORY:
COMMISSION DISTRICT #**

C11A

3. MEETING DATE:

04-08-2003

4. AGENDA:

- CONSENT ADMINISTRATIVE APPEALS
- PUBLIC WALK ON TIME REQUIRED:


**5. REQUIREMENT/PURPOSE:
(Specify)**

- STATUTE
- ORDINANCE
- ADMIN. CODE AC-4-1
- OTHER

6. REQUESTOR OF INFORMATION:

- A. COMMISSIONER
- B. DEPARTMENT Parks & Recreation
- C. DIVISION

BY: John Yarbrough, Director



7. BACKGROUND:

--BACKGROUND BEGINS ON PAGE TWO--

8. MANAGEMENT RECOMMENDATIONS:

9. RECOMMENDED APPROVAL:

A Department Director	B Purchasing or Contracts	C Human Resources	D Other	E County Attorney	F Budget Services				G County Manager
<i>M... 3/14/03</i>	<i>Permit & Spec her 3-12-03</i>	N/A		<i>K... 3/24/03</i>	OA <i>CA 3/25/03</i>	QM <i>3/25/03</i>	Risk <i>3/26/03</i>	GC <i>3/25/03</i>	<i>[Signature]</i>

10. COMMISSION ACTION:

- APPROVED
- DENIED
- DEFERRED
- OTHER

Rec. by CoAtty
Date: 3/20/03
Time: 1:05 pm
Forwarded To: City Admin

RECEIVED BY
COUNTY ADMIN. CA
3-24-03
3:15
ADMIN.
TO: BH
3/20/03

--BACKGROUND CONTINUED FROM PAGE ONE--

On March 11, 2003, the Division of Purchasing received a request from the Parks and Recreation Department and the Division of Fleet Management to purchase one (1) new International cab and chassis truck at the prices listed in the Florida State Contract #070-700-02-1; and one (1) dump body from Jim Hardee Equipment Company, Inc.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase one (1) new International cab and chassis truck from International Truck and Engine Corporation, at the Florida State Contract base price with contract and non-contract options of \$53,009.00; and the purchase and installation of one (1) dump body from Jim Hardee Equipment Company, Inc. at a competitively quoted price of \$10,130.12. Grand total for one (1) complete truck, which is for use by Parks and Recreation, is \$63,139.12.

Funds are available: KH5722015500.506430

Attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract #070-700-02-1/International Truck and Engine Corporation Quotation
- (3) Tabulation Sheet and Quotes for IT030390
- (4) Repair History/Replacement Justification for Unit #019564



ATTACHMENT #1
DIVISION OF
FLEET MANAGEMENT

03 MAR 11 PM 1:35

To: Janet Sheehan, Purchasing Director
From: Marilyn Rawlings, Fleet Manager *MR*
Date: 3/7/2003
Re: Blue Sheet for the purchase (1) one International 5600 GVWR Dump Truck

Please prepare a Blue Sheet for the purchase of one (1) International 5600 GVWR Cab and Chassis' from International Truck and Engine Corporation.

ACTION REQUESTED:

Approve the Florida State Contract purchase of (1) International 5600 GVWR cab and chassis' from International Truck and Engine Corporation in the amount of \$53,009.00. Approve the purchase on non-contract items from International Truck and Engine Corporation in the amount of \$2,713.00. Approve the purchase of the dump body from Jim Hardee Equipment company, Inc in the amount of \$10,130.12, for a total purchase price of \$63,139.12.

WHY ACTION IS NECESSARY:

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00." As this expenditure will exceed \$50,000.00, Board approval is necessary.

WHAT ACTION ACCOMPLISHES:

This purchase allows Lee County Fleet Management to pursue the policy of standardization of purchasing International trucks. This allows Lee County Fleet Management to have a uniform inventory of the same type trucks, enabling us to stock the same type parts.

BACKGROUND:

Lee County Fleet Management received a request from Parks and Recreation to purchase (1) International dump truck, replacing 019564. This is a replacement purchase to their Fleet. This machinery is necessary to assist with the ever-increasing ball field maintenance and construction and any additional special projects that the department needs to undertake. Funds to purchase this equipment will be charged to account string KH5722015500.506430.

Cc: Donat Lawes

Hand 155

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT
EQUIPMENT AND VEHICLE REQUEST FORM
 (PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) Parks and Recreation
 (number) KH

2. REQUESTED BY: (print) Joe DeBaker PHONE #: 229-7367

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ? [] YES [] NO
 If yes: Asset #: 19564 Yr: 95 Make: Int. Model: 4700 Meter: 137324

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?
 Select all appropriate boxes:

<input type="checkbox"/> Sedan	<input type="checkbox"/> Mid-Size	<input type="checkbox"/> ¼ Ton	<input type="checkbox"/> 2 Door	<input type="checkbox"/> Cargo	<input type="checkbox"/> Gasoline
<input type="checkbox"/> Station Wagon	<input type="checkbox"/> Full-Size	<input type="checkbox"/> ½ Ton	<input type="checkbox"/> 3 Door L-Side	<input type="checkbox"/> 7 Passenger	<input type="checkbox"/> Diesel
<input type="checkbox"/> Sport Util Veh	<input type="checkbox"/> Regular Cab	<input type="checkbox"/> ¾ Ton	<input type="checkbox"/> 3 Door R-Side	<input type="checkbox"/> 12 Passenger	<input type="checkbox"/> 4 Cylinder
<input type="checkbox"/> Pickup Truck	<input type="checkbox"/> Extended Cab	<input type="checkbox"/> 1 Ton	<input type="checkbox"/> 4 Door	<input type="checkbox"/> 15 Passenger	<input type="checkbox"/> 6 Cylinder
<input type="checkbox"/> Cab & Chassis	<input type="checkbox"/> Crew Cab	<input type="checkbox"/> Class 6	<input type="checkbox"/> Utility Body ^A	<input type="checkbox"/> Sliding Door	<input type="checkbox"/> 8 Cylinder
<input type="checkbox"/> Van	<input type="checkbox"/> 2 Wheel Drive	<input type="checkbox"/> Class 7	<input type="checkbox"/> Flat Bed ^A	<input type="checkbox"/> Swing Door	<input type="checkbox"/> 10 Cylinder
<input type="checkbox"/> Other	<input type="checkbox"/> 4 Wheel Drive ^B	<input type="checkbox"/> Class 8	<input checked="" type="checkbox"/> Dump Truck ^A	<input type="checkbox"/> Single RW	<input type="checkbox"/> Dual RW

Additional description for vehicles or equipment: _____

^B Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.


<input type="checkbox"/> AM/FM/Cassette	<input type="checkbox"/> Bed-Liner	<input type="checkbox"/> Limited Slip	<input checked="" type="checkbox"/> Trailer Hitch Receiver
<input type="checkbox"/> Arrow Board ^A	<input type="checkbox"/> Strobe Light	<input type="checkbox"/> Power Win/Locks	<input type="checkbox"/> Tires - All Terrain
<input type="checkbox"/> Long Bed	<input type="checkbox"/> Floor - Carpet	<input type="checkbox"/> Seats - Cloth	<input type="checkbox"/> Tow Package
<input type="checkbox"/> Short Bed	<input type="checkbox"/> Floor - Rubber	<input type="checkbox"/> Seats - Vinyl	<input type="checkbox"/> Windows - Tinted

Pintle hitch so we can eventually pull a
equipment trailer behind truck

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? _____

Hauling material such as fill dirt, rock, and horticulture

^A Specify Dimensions or Model Tandem axle with 17.5 ton hauling capacity



03-049-12
11-5-25

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT
EQUIPMENT AND VEHICLE REQUEST FORM**

(PLEASE PRINT OR TYPE)

7. FUNDING SOURCE:

Vehicle Replacement Fund

Capital, Please Specify Account String KH 5722015300. 506430

Other, Please Specify Account String _____

If needed, please provide additional account strings: _____

8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$ 60,000

[Signature] 11/6/02
 REQUESTED BY M. Mulligan DATE

2ND LEVEL APPROVAL _____ DATE

1ST LEVEL APPROVAL _____ DATE
[Signature] 11/7/02
 DIVISION DIRECTOR DATE

- Option 1: QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
- Option 2: VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

[Signature] 11-18-02
 DEPARTMENT DIRECTOR DATE

[Signature] 11-19-02
 * COUNTY MANAGER / DESIGNEE DATE

* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT

RECOMMENDED N.R.A.T.T. *[Signature]* 12.19.02
 FLEET ACQUISITION SPECIALIST DATE

APPROVED DECLINED *[Signature]* 1/10/03
 FLEET MANAGER DATE

5.0 High Meter
 10.0 Maint.
 4.0 Age
~~14.0~~ 14.0
 KS 11/26/02

From: Cindy Mitar
To: Lawes, Don
Date: 2/26/03 10:48AM
Subject: Replacement Dump Truck

Don,

Please accept this e-mail as authorization for you to proceed with the purchase of a 17.5 ton capacity dual axle dump truck. I understand the original price was at \$60,000 and now it is at \$65,000. You have our permission to proceed with this purchase at the higher price.

Thank you.
Cindy

Cindy Mitar
Fiscal Manager, Parks & Recreation
mitarcc@leegov.com
(239) 461-7414
(239) 461-7420 FAX

CC: DeBacker, Joe

MATERIAL REQUEST FORM

Non-Surcharge

LC FORMAL QUOTE #
 FL SHERIFF ASSOC # 98-06-0914
 ST OF FL CONTRACT # 070-700-240

PB980360 / COLLIER CO. # 94-2268
 LC INFORMAL QUOTE #
 OTHER #

BOARD DATE:

XXXXXXXXXX

R.P.O. # _____

PO # _____

VENDOR: INTERNATIONAL TRUCK & ENGINE CORP.
 2400 COMMERCE AVE BIGD 1100, SUITE 100 DULUTH GA 30096

VENDOR # 211589

ORDER CONFIRMED BY: BILL PARHAM
 PHONE # 1 - 678 - 584 - 2777
 FAX # 1 - 678 - 584 - 2793

DELIVERY: 120

REPLACES ASSET # #019564 DEPT # PARKS & RECREATION
 ASSET # DEPT #
 ASSET # DEPT #

REGISTRATION, TITLE, AND TAGS BEING PAID FOR BY: VENDOR >

LEE COUNTY >>>>

ACCOUNT STRING: KH 5722015500.506430

FLEET MANAGEMENT SPEC #	QTY:	UNIT PRICE
03-049 A		
INTERNATIONAL TRUCKS CAB AND CHAS, MODEL 5600 6X4, 177 W/BASE 102CA, 63 AXLE TO FRAME BASE PRICE	1	\$ 49,757.00
OPTION: AUTOMATIC AIR BRAKE PACKAGE (8013)	1	\$ 539.00
NON CONTRACT OPTIONS: 1600 LB FRONT AXEL AND SPRINGS	1	\$ 1,419.00
12.25 DC RIMS FRONT 22.5" ILO 8.25 DC	1	\$ 427.00
DUAL FUEL 70 FUEL TANKS	1	\$ 266.00
(2) 385/65R22.5 18 PLY FRONT TIRES ILO 295\75R22.5	1	\$ 457.00
HORIZONTAL MUFFLER AND VERTICAL TAIL PIPE WITH EXHAUST TURNOUT	1	\$ 55.00
	1	\$ 89.00
	1	\$ -
		\$ -
		\$ -
Complete set of manuals or CD to include, repair, operators, electrical and parts. (one set per truck)		\$ -
Tags and registrations are required for this vehicles. These will be supplied by Fleet.		\$ -
The total cost.	3	
		\$ 53,009.00

APPROVED BY: Donat Lawes 02/26/03
 Fleet Acquisition Specialist
 BY: Marilyn Rawlings 02/26/03
 Fleet Manager



MATERIAL REQUEST FORM

NON-SURCHARGE FUNDS

LC FORMAL QUOTE # 0-990287
 LC FORMAL QUOTE # LC INFORMAL QUOTE #
 PB980360 / COLLIER CO.
 ST. OF FL CONTRACT #
 OTHER #
 XXXXXXXX

BOARD DATE: _____ R.P.O. # _____ PO # _____

VENDOR: JIM HARDEE EQUIPMENT CO INC. VENDOR # 101930
 ORDER CONFIRMED BY JANET PARKER
 PHONE # 1-800-329-3424
 1-813-478-1456
 DEPT # 019564
 DEPT # PARKS & RECREATION
 DEPT #
 DEPT #
 REPLACES ASSET #
 ASSET #
 ASSET #
 DEPT #
 DEPT #
 REGISTRATION, TITLE, AND TAGS BEING PAID FOR BY: VENDOR > XXX
 LEE COUNTY >>>>>

ACCOUNT STRING
 ACCOUNT STRING
 KH 5722015500.506430

UNIT PRICE	QTY:	FLEET MANAGEMENT SPEC #	03-049 B
			JIM HARDEE MODEL NUMBER # JH 212-30-8 FABRICATED 12" DUMP BODY AS PER
			LEE COUNTY SPECS. HEAD HEIGHT - 57", BED LENGTH 15 FT, BED WIDTH 7 FT,
			LOAD CAPACITY - 34,000 LBS, 4 INCH I BEAM CROSS MEMBERS GUSTED TO BODY
			ON 14" CENTERS, MINIMUM, 6 INCH STRUCTURAL CHANNEL LONG BEAMS, ALL
			WELDS TO BE CONTINUOUS EXCEPT TOP RAIL, 8 GAUGE HIGH RESISTANCE STEEL
			10 - 25 CARBON MINIMUM, HEAD - 10 GAUGE RESISTANCE STEEL 10- 25 CARBON
	1		MINIMUM, 9" PANEL TAIL GATE, HOIST EQUAL TO CUSTOM MOB. H63-108. BLACK PT.
			VEHICLE TO BE DELIVERED TO 2955 VAN BUREN ST, FT.
			COMPLETE SET OF MANUALS, IF APPLICABLE:
\$ 10,130.12			EXTENDED COST FOR ALL COMPONENTS:
\$ -			TRADE IN VALUE, IF APPLICABLE:
\$ 10,130.12	=		TOTAL AMOUNT OF PURCHASE ORDER:

APPROVED: BY: DONAT C LAWES
 BY: MARILYN RAWLINGS
 DATE: 02/26/03
 DATE: 2/26/2003

ATTACHMENT #2

Medium and Heavy Trucks 070-700-02-1

Effective: 1/7/02 through 5/31/03

Certification

Special Conditions

Exhibit A - Specifications

Exhibit B - Price Sheet

Exhibit C - Truck Bodies

Exhibit D - Purchase Order Information

Exhibit E - Notice of Non-Contract Purchase

Exhibit F - Certification of Compliance

Exhibit G - Acknowledgement of Order

Exhibit H - Ordering Instructions

Revisions

Complete Contract

Exhibit "B"

Trucks: Medium and Heavy 070-700-02-1

Specifications and Price Sheets

070-700-100 Chassis-Cab, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-110 Dump Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-120 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-130 Dry Freight Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-230 Chassis-Cab, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-235 Chassis-Cab, Single Axle, Crew-Cab, Class 6, 24,500 GVWR 4x2
070-700-240 Dump Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-245 Dump Truck, Single Axle, Crew-Cab, Class 6, 24,500 GVWR 4x2
070-700-250 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-255 Stake Body Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-260 Dry Freight Truck, Single Axle, Class 6, 24,500 GVWR 4x2
070-700-300 Chassis-Cab, Tandem Axle, Class 8, 52,000 GVWR 6x4
070-700-310 Chassis-Cab, Tandem Axle, Class 8, 64,000 GVWR 6x4
070-700-400 8 YD Dump Truck, Tandem Axle, Class 8, 52,000 GVWR 6x4
070-700-450 12 YD Dump Truck, Tandem Axle, Class 8, 64,000 GVW 6x4
070-700-498 Truck Tractor, Single Axle, Class 8, 50,000 GCWR 4x2
070-700-500 Truck Tractor, Tandem Axle, Class 8, 80,000 GCWR 6x4
070-700-510 Truck Tractor, Tandem Axle, Class 8, 120,000 GCWR 6x4

070-700-300 CHASSIS-CAB, TANDEM AXLE, CLASS 8, 52,000 LB. GVWR (6X4)
(32)

(REV 10 JULY 2002)

NOTE: This Specification/Price List is not complete unless it is used in conjunction with General Specifications All Medium And Heavy Trucks, GSAT-1.

INTENDED VEHICLE USE

THIS VEHICLE IS USED FOR INSTALLATION OF VARIOUS TYPES OF AFTERMARKET BODIES AND EQUIPMENT. USED ALSO FOR TRANSPORTING A CRAWLER TRACTOR AND EQUIPMENT FOR FOREST FIRE PREVENTION, AND TRANSPORTATION OF UP TO TWO INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.

*STD GVWR	52,000 LBS.
STD PAYLOAD CAPACITY	36,450 LBS. (APPROX)

*GVWR - Gross Vehicle Weight Rating is the total weight of a fully equipped, fully loaded truck.

10. ENGINE:

- A. Diesel engine, liquid cooled, with a minimum of 250 Gross HP and 800 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 7.6L (466 CID). The following engines, or approved equivalent, are acceptable:

CUMMINS ISC: 8.3L (504 CID), 260 Gross HP, 800 lbs.-ft. Gross Torque
INT DT-466: 7.6L (466 CID), 250 Gross HP, 800 lbs.-ft. Gross Torque

- B. Standard cooling system with antifreeze.
C. Premium rubber (International Premium (EPDM), Gates Blue Stripe or approved equivalent) or silicone radiator hoses, by-pass hoses, heater hoses, and other coolant hoses.
D. Dry type air cleaner with service (restriction) indicator.
E. Engine protection system, at a minimum, must be activated by low engine oil pressure and high engine temperature. System shall, at a minimum, include a warning light(s) and a derate (rampdown) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
F. Horizontal exhaust.

12. ELECTRICAL SYSTEM:

- A. Minimum 100 amp 12 v. alternator.
B. Batteries to have a minimum total of 1100 CCA @ 0 degrees F.

20. TRANSMISSION: Minimum 6-speed automatic transmission with PTO opening(s). Allison MD3560-P or approved equivalent.

30. AXLES & SUSPENSION:

- A. Steel front axle and suspension with shock absorbers, if available, minimum 12,000 lb. GAWR.
- B. Front wheel oil-lubricated bearings and seals.
- C. Single speed tandem drive rear axle, minimum 40,000 lb. GAWR. Rear axle ratio is to be 5.86 or the closest possible ratio available. Rear suspension must have minimum 52 inch steel walking beams. Hendrickson RT2-400/RT403 or approved equivalent.

NOTE TO CONTRACTOR: THIS TRUCK MUST BE CAPABLE OF PROVIDING A TOP SPEED OF APPROXIMATELY 65 MPH AT THE PUBLISHED GOVERNED RPM FOR THE ENGINE SPECIFIED.

- D. Front wheel hubs and rear axles shall be filled with synthetic lubricant.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash-mounted engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

- A. Factory installed AM-FM radio.
- B. Fresh air heater and defogger.
- C. Arm rests both sides, if available; sunvisors, both sides.
- D. Tinted glass all windows, including windshield.
- E. Air conditioning.

60. SAFETY ITEMS:

- A. Dual electric horns.
- B. Daytime running lights.
- C. Stainless steel or aluminum outside mirrors and brackets, left and right side. Mirrors to be large West Coast type, 6 inches x 16 inches minimum, to include stainless steel lower convex spot mirrors on both sides.
- D. Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB(A). Factory or dealer installed.
- E. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, to be installed on heavy-duty hangers. Factory or dealer installed.

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.

- F. All access steps shall be self-cleaning slip-resistant grating.

62. BRAKES:

- A. ABS air brake system, minimum 13.2 cfm air compressor, and air reservoir(s) with automatic moisture ejector valve(s) (not heated).
- B. Moisture ejector valve(s) not to be mounted on bottom of air tank if at all possible. Side or remote location(s) preferred.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Automatic slack adjusters, front and rear.

- E. Brake dust shields.
- F. Outboard mounted brake drums, front and rear. (NOTE: Allows brake repair without removing axle hubs.)
- G. Low air pressure warning indicator in cab.
- H. Air dryer with heater. Allied-Signal/Bendix AD-9 or AD-IP, Wabco System Saver 1200 or approved equivalent.

70. TIRES & WHEELS:

- A. Ten (10) 11R22.5G (14PR) or larger, tubeless, radial tires with on/off highway tread for rear only and highway tread for front. Rear tires to be Bridgestone M711, Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.
- B. All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
- C. Front, inside rear and outside rear wheels to be fully interchangeable.

80. CHASSIS, FRAME, CAB:

- A. Minimum 52,000 lb. GVWR, factory certified.
- B. Minimum 2,400,000 in-lb. RBM to rear end of frame, factory reinforced if necessary. SEE NOTE 1 Of Specification GSAT-1.
- C. Cab-axle dimension of 156 inches to 157 inches.
- D. Factory installed, step-type steel fuel tank(s), minimum 70 U.S. gallon total capacity.
- E. Front tow hooks or tow pins or center mounted recessed tow hook.
- F. Standard front bumper.

82. CAB EQUIPMENT:

- A. Conventional cab, with tilt-type hood and fender assembly.
- B. Air suspension driver seat with matching fixed base companion seat. Seats to be a high back or medium back with headrest. The same Manufacturer must provide both seats. Bostrom, EzyRider, National Cush-N-Aire, Sears, or approved equivalent.
- C. Exterior grab handles both sides.
- D. Manufacturer's standard paint and colors.
- E. Rear cab window with fixed tinted glass.

90. CONDITIONS: Contractor shall provide a Manufacturer's print-out (Ford "DORA", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customer/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the Vehicle meets all the requirements of this Specification. Also, any dealer installed aftermarket components, if specified,

must be noted on the Manufacturer's print-out. All enclosed Conditions and Requirements shall apply.

070-700-300
(32)

MAKE: INTERNATIONAL

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>INTERNATIONAL</u>	<u>480.00</u>	<u>7000 Series</u>	<u>49,878.00 (A)</u>
Northern District	<u>INTERNATIONAL</u>	<u>318.00</u>	<u>7000 Series</u>	<u>50,040.00 (B)</u>
Central District	<u>INTERNATIONAL</u>	<u>222.00</u>	<u>7000 Series</u>	<u>50,136.00 (C)</u>
Southern District	<u>INTERNATIONAL</u>	<u>450.00</u>	<u>7000 Series</u>	<u>49,908.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 60 TO 90 DAYS

MAKE: STERLING

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>LT 7500</u>	<u>48,846.00 (A)</u>
Northern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>LT 7500</u>	<u>48,846.00 (B)</u>
Central District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>LT 7500</u>	<u>48,846.00 (C)</u>
Southern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>LT 7500</u>	<u>48,846.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 60-120 DAYS

OPTIONS: 070-700-301-Option, Chassis-Cab, Tandem Axle, Class 8, 52,000 lb. GVWR (6x4)

OPTIONS: (INT) INTERNATIONAL TRUCK; (AT) ATLANTIC TRUCK

(1) 1002. Delay in warranty start date to allow for body installation. (Warranty to become

effective when Vehicle is placed in service rather than at time of delivery).

(INT) PRICE: N/C

(AT) PRICE: N/C

(INT) CUSTOMER MUST ADVISE INTERNATIONAL WHEN UNIT IS PLACED IN SERVICE

- (2) 1003. Extended engine warranty, covering 100% of parts and labor for all engine parts between crankshaft pulley and flywheel. Bid for a period of 60 months/150,000 miles/6500 hours. The remaining terms, other than the above, to be in accordance with the engine Manufacturer's published warranty which is closest to each warranty Bid. Submit two copies of the standard engine warranty and of each special warranty Bid. Also, submit two copies of all extended engine warranties that are normally available to commercial customers and commercial list prices for same.

(INT) PRICE: 455.00

(AT) PRICE: 627.00

(INT) WARRANTY UPDATE FORM WILL BE INCLUDED WITH DELIVERY PACKET

(NOTE TO ELIGIBLE USER: CONSULT THE DEALER FOR EXACT COVERAGE OF THIS WARRANTY)

- (3) 2001. Power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-air switch and indicator light. Chelsea 230, Muncie CS Series or approved equivalent. For manual transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: 230

(INT) PRICE: 1,051.00

(AT) PRICE: 1,049.00

(NOTE TO ELIGIBLE USER: USE WITH MANUAL TRANSMISSION ONLY)

- (4) 2002. "Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 276, Muncie CS Series or approved equivalent. For automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: 276

(INT) PRICE: 1,135.00

(AT) PRICE: 1,195.00

(NOTE TO ELIGIBLE USER: USE WITH AUTOMATIC TRANSMISSION ONLY)

- (5) 2003. Electronic PTO overspeed control. Chelsea, Muncie or approved equivalent. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: EOC

(INT) PRICE: 331.00

(AT) PRICE: 274.00

- (6) 2006. Direct drive manual transmission with PTO opening(s) and a minimum of ten forward speeds. Transmission must have a minimum low gear reduction of 19.00:1. Transmission shall be filled with synthetic lubricant. Minimum 14 inch diameter two-plate ceramic-faced clutch. Indicate Manufacturer and model.

MANUFACTURER: SPICER

MODEL NO.: PS-86 10V

(INT) PRICE (CREDIT): (5,461.00)

(AT) PRICE (CREDIT): (5,835.00)

- (7) 3002. "No-Spin" or automatic positive locking differential for the rearmost axle or both rear axles.

(INT) PRICE: 520.00

(AT) PRICE: 565.00

- (8) 3003. Driver control traction differential (DCDL) for the rearmost axle or both rear axles.

(INT) PRICE: 824.00

(AT) PRICE: 371.00

- (9) 5002. Delete air conditioning.

(INT) PRICE (CREDIT): (585.00)

(AT) PRICE (CREDIT): (487.00)

- (10) 5003. Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.

(INT) PRICE: 35.00

(AT) PRICE: 71.00

- (11) 6003. Air horn(s), single base, mounted under the cab or hood. Roof mounted horns are not acceptable.

(INT) PRICE: 279.00

(AT) PRICE: 67.00

- (12) 6004. Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the Vehicle.)
- (INT) PRICE: 41.00
(AT) PRICE: 35.00
- (13) 6204. Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section 62. H. Unit must be installed by the Vehicle Manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.
- (INT) PRICE: 611.00
(AT) PRICE: 563.00
- (14) 7001. Ten (10) 275/80R22.5G (14PR) or 295/75R22.5G or larger, tubeless, low profile, radial tires with highway tread.
- (INT) PRICE: 96.00
(AT) PRICE (CREDIT): (206.00)
- (15) 8001. Pintle hook, installed. To be swivel type and must have a capacity of 49,000 lbs. gross trailer weight and 9800 lbs. vertical load, minimum. Holland Model PH-760, Wallace Model B30 or approved equivalent. Indicate Manufacturer and model.
- MANUFACTURER: WALLACE MODEL NO.: B-30
- (INT) PRICE: 394.00
- MANUFACTURER: WALLACE/HOLLAND MODEL NO.: B-30/PH-760
- (AT) PRICE: 395.00
- (NOTE TO ELIGIBLE USER: ELIGIBLE USER MUST SPECIFY BODY LENGTH AND TYPE (DUMP, STAKE, ETC.) IN ORDER FOR THE DEALER TO INSTALL THE PINTLE HOOK IN THE PROPER LOCATION)
- (16) 8002. Optional cab-axle dimension (CA) 84 inches. Minimum 1,900,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE (CREDIT): (535.00)
(AT) PRICE (CREDIT): (1,615.00)

- (17) 8003. Optional cab-axle dimension (CA) 96 inches. Minimum 1,900,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE (CREDIT): (535.00)
(AT) PRICE (CREDIT): (1,615.00)
- (18) 8004. Optional cab-axle dimension (CA), 102 inches to 103 inches. Minimum 2,400,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE (CREDIT): (379.00)
(AT) PRICE (CREDIT): (732.00)
- (19) 8005. Optional Cab-axle dimension (CA), 120 inches to 121 inches. Minimum 2,400,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE (CREDIT): (379.00)
(AT) PRICE (CREDIT): (692.00)
- (20) 8006. Optional cab-axle dimension (CA) 138 inches to 139 inches. Minimum 2,400,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C
(AT) PRICE (CREDIT): (574.00)
- (21) 8007. Optional cab-axle dimension (CA) 168 inches to 169 inches. Minimum 2,400,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 260.00
(AT) PRICE: N/C
- (22) 8008. Optional cab-axle dimension (CA) 150 inches. Minimum 2,400,000 in-lb RBM frame. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- (INT) PRICE (CREDIT): N/C
(AT) PRICE: (320.00)
- (23) 8014. Air brake package for straight truck and trailer. Full trailer air brake controls with airlines, glad hands and wiring routed to the rear end of the frame.
- (INT) PRICE: 539.00
(AT) PRICE: 356.00

- (24) 8201. Special state color. DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, Navistar 4421). SEE NOTE 3 OF SPECIFICATION GSAT-1.

(INT) PRICE: N/C
(AT) PRICE:(CREDIT) (83.00)

- (25) 8203. Special colors. Other than Manufacturer's and the one listed in option 8201.

(INT) PRICE: 196.00
(AT) PRICE: N/C

(INT) MUST PROVIDE COLOR NUMBER, MAY REQUIRE PAINT CHIP

- (26) 8218. Special state colors, two-tone. White (DuPont Centari K9031A, Freightliner/Sterling 0007, Navistar 9219) above dripstrip on cab and DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, Navistar 4421) on remainder of cab. SEE NOTE OF 3 SPECIFICATION GSAT-1.

(INT) PRICE: 160.00
(AT) PRICE (CREDIT): (83.00)

- (27) 8219. Air suspension passenger seat. Seat to be a high back or medium back with headrest. The same Manufacturer as the driver seat must provide passenger seat. Bostrom, EzyRider, National Cush-N-Aire, Sears, or approved equivalent. Bid in lieu of the base passenger seat specified in Section 82.B.

(INT) PRICE: 145.00
(AT) PRICE: 233.00

- (28) 8220. Two-tone colors. Manufacturer's standard two-tone color.

(INT) PRICE: 160.00
(AT) PRICE: 122.00

(INT) MUST PROVIDE COLOR NUMBER

- (29) 8221. Special colors, two-tone. Special two-tone colors other than the one listed in option 8218.

(INT) PRICE: 299.00
(AT) PRICE: 122.00

(INT) MUST PROVIDE COLOR NUMBER, MAY REQUIRE PAINT CHIP

MAR 05 103

12:07PM NAVISTAR

INTERNATIONAL TRUCK AND ENGINE CORPORATION

2400 COMMERCE AVENUE - BLDG. 1100 - SUITE 100, DULUTH, GA 30090

T 678 586 8700

F 678 586 2701

TRUCK GROUP

March 5, 2003

Don Lawes
Lee County, FL

Don,

Per your request please find specifications and pricing off the State of FL contract # 070-700-02-01 for a cab and chassis to accommodate an 8 yard dump.

	070-700-300	Base Central Dist	\$ 50,136.00
<u>Options</u>			
8004	177" W.B.; 102" C.A.; 63" A.F.		(379.00)
08014	Air Brake Package		539.00
<u>Non-Contract</u>			
1.	16,000 lb Front Axle and Springs		1,419.00
2.	Dual 70 gallon Fuel Tanks		266.00
3.	12.25 DC Rims Front 22.5" ilo 8.25DC		427.00
4.	(2) 385/65R22.5 18 ply Front Tires		457.00
5.	RT40-145 "P" 4900 lb Rear Axle		55.00
6.	Horizontal Muffler and Vertical tail Pipe with exhaust turnout		89.00
		Total	\$53,009.00

Please review the enclosed specs.

If you have any questions, please do not hesitate to call me.

Sincerely,

W. J. Parham
National Account Manager
678-376-0069
770-963-3083 - Fax

Prepared For:
Lee County, FL Chassis for 8 yd dump
Don Lewis
4050 Esplanade Way
Tallahassee, FL 32309
(239)338-3233

Prepared By:
International Truck and Engine Corp.
Perham Bldg
2400 COMMERCE AVE
BLD. 1100 - SUITE 100
DULUTH, GA 30096-4865
(678)584-2777

Reference ID: N/A

Model Profile
2004 7400 8FA 6x4 (8F825)

- APPLICATION:** Construction Dump
- MISSION:** Requested GVWR: 52000. Calc. GVWR: 56000
Calc. Start / Grade Ability: 24.1% / 1.53% @ 55 MPH.
Calc. Geared Speed: 68.8 MPH.
- FUEL ECONOMY:** 7.71 MPG @ 55 MPH
- DIMENSION:** Wheelbase: 177, CA: 102, Usable CA: 102., Axle to Frame: 63
- ENGINE, DIESEL:** (International DT530 Standard Torque) Electro-Hydraulic Fuel System, 50 State, 275 HP @ 2000/2200 RPM. 800 lb-ft Torque @ 1200 RPM. 2200 RPM Governed Speed, 285 Peak HP (Max) Includes #2 Bell Housing
- TRANSMISSION, AUTOMATIC:** (Allison MD-3580P) Wide Ratio, 5-Speed; With PTO Gear and Less Retarder
- CLUTCH:** Omit Item (Clutch & Control)
- AXLE, FRONT, I-BEAM TYPE:** (Dana Spicer L-160W) Wide Track, 16,000-lb Capacity
- AXLE, REAR, TANDEM:** (Mentor RT-40-145P) Single Reduction 40,000-lb Capacity With Lube Oil Pump and 200 Wheel Ends
Gear Ratio: 4.86
- CAB:** Conventional, Steel
- TIRE, FRONT:** (2) 385R59R22.5 UNISTEEL G286 (GOODYEAR) 490 rev/mile, load range J, 18 ply
- TIRE, REAR:** (8) 285R75R22.5 UNISTEEL G159 (GOODYEAR) 517 rev/mile, load range G, 14 ply
- SUSPENSION, REAR, TANDEM:** (Hendrickson RT-403) Walking Beam Type 52" Axle Spacing: 40,000-lb Capacity With Rubber Center Bushings

<u>Code</u>	<u>Description</u>
6F52500	Base Chassis, Model 7400 8FA 8X4 with 177 Wheelbases, 102 CA, 102 Usable CA, and 63 Aids to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted.
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.888" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WGB	WHEELBASE RANGE 177" (450cm) Through and Including 228" (575cm)
2AEU	AXLE, FRONT, I-BEAM TYPE (Dana Spicer I-160W) Wide Track, 16,000-lb Capacity
3ADE	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 16,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4001	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color Coded Nylon : DUST SHIELDS, REAR BRAKE : DUST SHIELDS, FRONT BRAKE : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : SPRING BRAKE MODULATOR VALVE : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;
4163	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 Sqn Long Stroke Chambers <u>Includes</u> : DUST SHIELDS, FRONT BRAKE
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater, for Air Tank
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4E8S	AIR DRYER (Bendix AD-8) With Heater
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake <u>Includes</u> : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions
4SBC	AIR COMPRESSOR (Bendix Tu-Flu 550) 13.2 CFM
5AAA	STEERING COLUMN Stationary
8CAL	STEERING WHEEL 3-Spokes, 16" Diam., Black
5PTB	STEERING GEAR (2) (Sheppard M-100M-80) Dual Power
7ACZ	EXHAUST SYSTEM Single, Horizontal Muffler, Vertical Tail Pipe, Aluminized Steel, Includes Tail Pipe Guard; Frame Mounted Right Side BOC, Inside Rail
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Code	Description
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab : TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature) : HEADLIGHTS (2) Sealed Beam Halogen, 6" X 7" Rectangular, with Chrome Plated Bezels : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STOP, TURN, TAIL, & BRAKE LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : RUNNING LIGHT (2) Daytime : TURN SIGNALS, FRONT Flush Mounted Include Reflectors and Auxiliary Side Turn Signals. Solid State Flashers; : DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostics : WINDSHIELD WIPERS Single Motor, Electric, Cool Mounted : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature, : WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER
8HAB	BODY BUILDER WIRING Back of Cab at Frame. Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Auxiliary Power/Ground and Sealed Connector for Stop/Turn
8MED	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1100CCA Total
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8THB	BACK-UP ALARM Electric, 102 dBA
8TMG	TRAILER CONNECTION SOCKET 7-Way; Mounted at rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps
8VCL	HORN, AIR (Grovler) Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay. With International Engines
8WTC	ALTERNATOR (Lance-Neville 8LHA2054UAH) 12 Volt, 110 Amp, Brush Type
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WWM	STARTING MOTOR (Lance-Neville M82) 12-Volt; less Thermal Over-Crank Protection
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replace All Fuses Except For 5-Amp Fuses
8HAD	GRILLE Chrome
9WAY	FRONT END Tiling, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : PAINT SCHEMATIC ID LETTERS "GM"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10WYZ	QUALIFICATION IDENTITY for Non-Diamond SPEC Vehicle
11001	CLUTCH Omit Item (Clutch & Control)
12NMX	ENGINE, DIESEL (International DTS30 Standard Torque) Electro-Hydraulic Fuel System, 50 State, 275 HP @ 2000/2200 RPM, 600 lb-ft Torque @ 1200 RPM, 2300 RPM Governed Speed, 285 Peak HP (Max) Includes #2 Bell Housing
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER BLEEVES

February 28, 2003

INTERNATIONAL®

Vehicle Specifications
2004 7400 SFA 6x4 (BF624)

<u>Code</u>	<u>Description</u>
	: ENGINE SHUTDOWN Electric, Key Operated : GOVERNOR Road Speed, Electronic : ENGINE OIL DRAIN PLUG Magnetic : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL CHANGE SYSTEM 30 Quart Capacity : DAMPER, CRANKSHAFT Viscous : FAN Optimized Position : FUEL FILTER Engine Mounted
12THL	FAN DRIVE (Horton Drivemaster) Automatic On/Off Type Control, With Normally Closed Temperature Control; Use With International I6 Engine <u>Includes</u> : FAN Nylon
12UVX	RADIATOR Cross Flow, Series System, Aluminum Radiator Core; With Transmission Cooler, 940 SqIn Area and 1025 SqIn Charge Air Cooler <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Polypropylene Tank : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element
12VWV	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
13ABJ	TRANSMISSION, AUTOMATIC (Allison MD-3660P) Wide Ratio, 5-Speed; With PTO Gear and Loss Retarder <u>Includes</u> : TRANSMISSION OIL PAN Magnet in Oil Pan
13WBN	TRANSMISSION SHIFT CONTROL (Allison) T-Bar Type; for Allison MD & HD Transmission
13WLD	TRANSMISSION OIL (Castrol Transynd) Synthetic; 29 thru 42 Pints
13WTA	ALLISON WT SPARE INPUT/OUTPUT for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
14GRC	AXLE, REAR, TANDEM (Meritor RT-40-145P) Single Reduction 40,000-lb Capacity With Lube Oil Pump and 200 Wheel Ends Gear Ratio: 4.88 <u>Includes</u> : REAR AXLE DRAIN PLUG (2) Magnetic : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light
14UHC	SUSPENSION, REAR, TANDEM (Hendrickson RT-403) Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor(Roche) Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
14WLD	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oil; 50 thru 64.68 Pints
15DMR	FUEL TANK (2) Top Draw, D Style, Steel, 70 U.S. Gal., 285L, Total Capacity 140 U.S. Gal., 530L; 18" Tank Depth, Mounted Under Cab Left and Right Side <u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel <u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Moulded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window

February 28, 2003

INTERNATIONAL

Vehicle Specifications
2004 7400 SFA 6x4 (3F636)

<u>Code</u>	<u>Description</u>
	: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted
18HRA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp. and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER GAUGES (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level
18HGH	GAUGE, OIL TEMP, ALLISON TRAN
16JNT	SEAT, DRIVER (National) Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Air Lumbar Support <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PJH	SEAT, PASSENGER (Gre-Mag) Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDN	MIRRORS (2) (Lang Motors) Styled, Rectangular, 7.00" x 15.75", Brackets Breakaway Type, With 102" Wide Spacing, With Integral Convex Both Sides, With Bright Finish Head and Brackets
16GEE	GRAB HANDLE Chrome; Towel Bar Type Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster <u>Includes</u> : REFRIGERANT Hydrofluorocarbon HFC-134A : FRESH AIR FILTER : HEATER HOSES Premium
16WKY	FRESH AIR FILTER for HVAC
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smoke Gray : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Timed Theater Dimming : SUN VISOR (2) Padded Vinyl Integral to Console with Toll Ticket Strap and with Integral Expanders : STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
16WSK	CAB REAR SUSPENSION Air Bag Type
27DNP	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs <u>Includes</u> : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings
25DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs

Code	Description
	<u>Includes</u> : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
22WLA	WHEEL BEARING, FRONT, LUBE (Engard 60W) Synthetic Oil
770360164	(2) TIRE, FRONT 385/65R22.5 UNISTEEL Q266 (GOODYEAR) 480 rev/mile, load range J, 18 ply
7722490179	(8) TIRE, REAR 285/75R22.5 UNISTEEL G169 (GOODYEAR) 517 rev/mile, load range G, 14 ply
	Cab Schematic 100GM Location 1: S219, WINTER WHITE
	Chassis Schematic N/A
	<u>Services Section:</u>
10WZD	COMPETITIVE SURCHARGE CREDIT
12UXC	FEDERAL EMISSIONS for 2002; for International VT365, T444E, DT466 and DT530 Engines

Glad hands

INFORMAL QUOTE: IT030390

LEE COUNTY, FLORIDA TABULATION SHEET

OPENING DATE: N/A

FOR THE PURCHASE OF

BUYER: BOB FRANCESCHINI

ONE (1) NEW DUMP TRUCK BODY

VENDORS

JIM

HARDEE

ACTION

EQUIPMENT

R.W.C.

FABRICATION

GRAND TOTAL DELIVERED
PRICE

\$ 10,130.12

NO BID

NO BID

NO BIDS

ATTACHMENT # 3

Jim Hardee Equipment Company, Inc.
 4220 Drane Field Road
 Lakeland, 33

Quote Number:
 2252

Quote Date:
 Feb 13, 2003

Page:
 1

Quoted to:

Lee County B.O.C.C.
 P.O. Drawer 2238
 Fort Myers, FL 33902-2238

941-338-3233

Customer ID	Good Thru	Payment Terms	Sales Rep
9328	4/14/03	Net Due	Janet Green

Quantity	Item	Description	Unit Price	Extension
1.00		JIM HARDEE MODEL JHE212-30-8 12' DUMP BODY PER LEE COUNTY SPECIFICATIONS CHASSIS SHOULD HAVE AIR PACKAGE FROM FACTORY JIM HARDEE TO INSTALL GLADHANDS AND PINTLE PACKAGE PREPARED FOR: DON LAWES <i>CT Required: 96"</i>	10,130.12	10,130.12
			Subtotal	10,130.12
			Sales Tax	
			Total	10,130.12

R.W.C.

2240 J&C Blvd,
Naples Fl, 34109

CUSTOMER PRICE QUOTATION

Customer: DIV. OF FLEET MAN.

Invoice #: **23478**

FT MYERS Fl .33109

Date: 02/27/03

Code: WI

Contact: DON

Ph#: .

Clerk: **SHARON**


UNITS	DESCRIPTION	
	12 YARD DUMP (N/A)	
1. FITS 3/4 TON CAB & CHASSIC (CAB TO AXLE 56") 2. PRICE INCLUDES INSTALLATION 3. PAINTED WHITE 4. BUMPER 5. TAILGATE 6. FLUSH MOUNTED LIGHTS		Sub Total: Sale Tax: Total:

QUOTATION GIVEN BY: **SHARON**

1. Unless otherwise noted, terms are balance due on completion.
2. Quoted prices are valid through **01/05/03**
3. Quoted prices are valid only if total units quoted are actually orderd from R.W.C.
4. Projected Delivery: **1.5 Weeks** after receipt of purchase order/Signed Quote.
5. Must be signed to start job, if job canceled must pay freight and restock charge.
6. Signed by: _____



FABRICATION & TRUCK EQUIPMENT
1-800-330-1229
FAX: (727) 572-4918



SUBJECT: NO BID

DATE: 02/26/03

ACTION FABRICATION WISHES TO NO BID
12 YARD TIPPER

ACTION DOES NOT OFFER A TIPPER BIGGER THAN 8 YARDS AT THE PRESENT TIME

THANK YOU

JAY M. HUDGENS SALE MGR

" MANUFACTURER OF QUALITY TRUCK BODIES "

Equipment Inventory - FASTER 4.48.063a

Equipment Information: Company: 001 Leo County Fleet Management

Equipment Number: 019564 Year: 1995 Make: IHC Model: 4700 Priority: EQ Location: [] Print

Meter Reading: M 140420

Parent Equipment Component: []

Serial Number: 1HTSCABP9SH849501 License: 80648 MG: DT DUMP TRUCK

Color: [] Shop: HES Site: TP TERRY PARK

Status: [] Link: Permanent Removable

Motor Pool: [] Status: Attached

Reservation: []

Out # [] Date []

Last PM

Type	Cycle	Date Done
A	M	11/26/2002
A	O	11/26/2002
C	M	05/17/2002

Class: 6220 Department: Truck, Dump, 6-7 Cubic

Employee: MEE, LARRY MEE, LARRY - PARKS_REC

DTC: 10 Monday-Friday 7:00 AM - 3:30 PM

Depreciation: 19234.00 Last Work Order: 0000093408

Acq/Disp: [] Vehicle Replacement [] Search [] Query [] History [] Component [] Parts [] Meters [] Warn []

Date: 11/08/1994 Cost: 28758.00 Maint \$ LTD: 35075.31 Inflation Rate: 03500 Salvage Rate: 07500

Fund: 155 Department: A Highest Meter: 5.0 Maintenance: 10.0 Age: 4.2

Type	Fuel?	Date	Time	Actual	Acquire	Begin FY
M	X	11/08/1994	12:12:48	140420	0	136921

Salvage Value: 2156.78
Recovery Collected: 3522.00
Recovery Balance: 28956.07

Life Expectancy Months: 120
Current Life In Months: 100
Total Points: 15.0

Remaining Life Replacement Replacement Monthly Recovery

Original: 20 11/08/2004 40785.92 339.88

Start [] FASTER Client Tools [] 2:15 PM

Quick Launch [] Address []

MEMORANDUM
FROM
THE DIVISION OF PURCHASING

1054 e Parks

DATE: MARCH 12, 2003

TO: MARILYN RAWLINGS
FLEET MANAGER

Janet Sheehan
FROM: JANET SHEEHAN, CPPB
PURCHASING DIRECTOR

RE: BLUE SHEET # 20030304

PROJECT: One (1) Dump Truck

TYPE: State Contract & Informal Telephone Quote Purchase

AWARDED TO: International Truck & Engine Corp. & Jim Hardee Equipment Co.

Attn. Ms. Rawlings - When you have finished your review of this package, please forward it to John Yarbrough, Parks.

→ Attn. Mr. Yarbrough - When you have finished your review of this package, please forward it to Kristie Kroslock in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.

RECEIVED
MAR 13 2003 11:57

RECEIVED
MAR 14 2003
LEE COUNTY
FLEET MANAGEMENT

RECEIVED
MAR 17 2003