

**Lee County Board Of County Commissioners  
Agenda Item Summary**

**Blue Sheet No. 20030531**

**1. REQUESTED MOTION:**

**ACTION REQUESTED:** Approve the award of Project # EX030487, the purchase of two (2) International cab and chassis trucks from International Truck and Engine Corporation at the Florida State Contract price (including several contract options) of \$38,314.00 each – total for two (2) trucks: \$76,628.00; and the purchase and installation of a water tank for each truck at the open market price of \$20,077.00 each – total for two (2): \$40,154.00 from Ledwell & Son Enterprises; for Lee County DOT. Grand total for this purchase: \$116,782.00. Also approve the expenditure of a not-to-exceed amount of \$5,000.00 for such incidentals as arrow boards and other accessories that may be required.

**WHY ACTION IS NECESSARY:** Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts “the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00”. As this expenditure will exceed \$50,000.00, Board approval is required.

**WHAT ACTION ACCOMPLISHES:** These two new trucks will allow Lee County DOT to keep up with the ever-increasing demand for water trucks to maintain established roadway beautification projects and medians; and will be used in the maintenance and installation of new plants. These trucks will replace asset #019395 which has met Fleet Management’s replacement criteria.

**2. DEPARTMENTAL CATEGORY:**  
COMMISSION DISTRICT #

*C9A*

**3. MEETING DATE:**

*05-13-2003*

**4. AGENDA:**

- CONSENT
- ADMINISTRATIVE APPEALS
- PUBLIC WALK ON
- TIME REQUIRED:

**5. REQUIREMENT/PURPOSE:**  
(Specify)

- STATUTE
- ORDINANCE
- ADMIN. CODE
- OTHER

*AC-4-1*

**6. REQUESTOR OF INFORMATION:**

- A. COMMISSIONER
- B. DEPARTMENT Transportation
- C. DIVISION

BY: Scott Gilbertson, P.E., Director

**7. BACKGROUND:**

--BACKGROUND BEGINS ON PAGE TWO--

**8. MANAGEMENT RECOMMENDATIONS:**

**9. RECOMMENDED APPROVAL:**

A Department Director	B Purchasing or Contracts	C Human Resources	D Other	E County Attorney	F Budget Services				G County Manager
<i>Murawski 5/1/03</i>	<i>Janet Sheehan 4-30-03</i>			<i>Donna 5/1/03</i>	<i>Cyrm 5/1/03</i>				
					OA	OM	Risk	GC	
					<i>RK 5/1</i>	<i>5/1/03</i>	<i>5/1/03</i>	<i>5/1/03</i>	<i>W...</i>

**10. COMMISSION ACTION:**

- APPROVED
- DENIED
- DEFERRED
- OTHER

Rec. by CoAtty  
Date: *5/1/03*  
Time: *10:15 am*  
Forwarded To: *Scott Gilbertson 5/1/03*

RECEIVED BY COUNTY ADMIN. *RK*  
*5-1-03*  
*11:00*  
COUNTY ADMIN. *BH*  
FORWARDED TO: *5/1/03*

--BACKGROUND CONTINUED FROM PAGE ONE--

On April 29, 2003, the Division of Purchasing received a request from the Department of Transportation and the Division of Fleet Management to purchase two (2) new International cab and chassis trucks at the prices listed in the Florida State Contract #070-700-02-1; and two (2) water tanks (installed on the trucks with all pumping apparatus, hoses, jet sprays, hose nozzles, quick disconnects, etc.) from Ledwell & Son Enterprises.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase two (2) International cab and chassis trucks from International Truck and Engine Corporation at the Florida State Contract price (including several contract options) of \$38,314.00 each – total for two (2) trucks: \$76,628.00; and the purchase and installation of a water tank for each truck at the open market price of \$20,077.00 each – total for two (2): \$40,154.00 from Ledwell & Son Enterprises; for Lee County DOT. Grand total for this purchase: \$116,782.00. Board approval is also requested to expend a not-to-exceed amount of \$5,000.00 for such incidentals as arrow boards and other accessories that may be required.

Funds are available: PC5410517500.506430

Attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract #070-700-02-1/International Truck and Engine Corporation Quotation
- (3) Ledwell & Son Enterprises' Quotation
- (4) Repair History/Replacement Justification for Unit #019395




LEE COUNTY

DIVISION OF  
FLEET MANAGEMENT

ATTACHMENT #1

03 APR 29 PM 1:29

**To:** Janet Sheehan, Purchasing Director  
**From:** Marilyn Rawlings, Fleet Manager   
**Date:** 4/18/2003  
**Re:** Blue Sheet for the purchase two (2) International Model 4400 4X2 Regular Cab and Chassis.

Please prepare a Blue Sheet as follows for two (2) International Model 4400 4x2 Regular cab and chassis.

**ACTION REQUESTED:**

Approve the purchase of two (2) International Model 4400 4x2 Regular Cab Chassis from International Truck and Engine Corporation from Florida State Contract #070-700-02-01. The base price of the truck is \$31,681 with additional options of \$6,633 for a total contract price of \$38,314. The total cost for (2) trucks is \$76,628.00. Approve the purchasing and mounting of (2) two water tanks at the open market price of \$40,154 from Ledwell & Son Enterprises of Texarkana, Texas. The tank model is a Ledwell 2000 Tank and comes equipped with pumping apparatus, hoses, jet sprays, hose nozzles and quick disconnects.

Total purchase price is \$116,782

**WHY ACTION IS NECESSARY:**

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000." As this expenditure will exceed \$50,000, Board approval is necessary.

**WHAT ACTION ACCOMPLISHES:**

This purchase of another new truck will allow the Department of Transportation to keep up with the ever-increasing demand for water trucks to maintain roadway beautification and median re-planting. This piece of equipment has met Fleet's replacement criteria. (See attached). These new units will be used in the maintenance and installation of new plants.

**BACKGROUND:**

Fleet Management received a request from the Department of Transportation to replace the aging water truck, #019395. Ledwell is a producer of heavy-duty mounted water tanks for commercial applications and this tank manufacturer was the recommendation of the Department. International model 4400 4x2 regular cab and Chassis will be drop shipped to Ledwell & Son Enterprises in Texarkana, Texas where the (2) water tanks, pumps and spray equipment will be installed. The completed units will be shipped from Ledwell & Son Enterprises to Lee County Fleet Management in Ft Myers Florida. Account String to be charged is PC 5410517500.506430.

Cc: Donat Lawes

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT**  
**EQUIPMENT AND VEHICLE REQUEST FORM**  
 (PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) DOT / operations  
 (number) 5421

2. REQUESTED BY: (print) Sheyle Dell PHONE #: 694-3334

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ?  YES | | NO  
 If yes: Asset #: 19395 Yr: 91 Make: IHC Model: 4600 Meter: \_\_\_\_\_

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?  
 Select all appropriate boxes:
- |   |   |                                  |  |                                       |  |
|---|---|----------------------------------|--|---------------------------------------|--|
| <input type="checkbox"/> Sedan          | <input type="checkbox"/> Mid-Size                   | <input type="checkbox"/> ¼ Ton   | <input type="checkbox"/> 2 Door                    | <input type="checkbox"/> Cargo        | <input type="checkbox"/> Gasoline              |
| <input type="checkbox"/> Station Wagon  | <input type="checkbox"/> Full-Size                  | <input type="checkbox"/> ½ Ton   | <input type="checkbox"/> 3 Door L-Side             | <input type="checkbox"/> 7 Passenger  | <input checked="" type="checkbox"/> Diesel     |
| <input type="checkbox"/> Sport Util Veh | <input type="checkbox"/> Regular Cab                | <input type="checkbox"/> ¾ Ton   | <input type="checkbox"/> 3 Door R-Side             | <input type="checkbox"/> 12 Passenger | <input type="checkbox"/> 4 Cylinder            |
| <input type="checkbox"/> Pickup Truck   | <input type="checkbox"/> Extended Cab               | <input type="checkbox"/> 1 Ton   | <input type="checkbox"/> 4 Door                    | <input type="checkbox"/> 15 Passenger | <input type="checkbox"/> 6 Cylinder            |
| <input type="checkbox"/> Cab & Chassis  | <input type="checkbox"/> Crew Cab                   | <input type="checkbox"/> Class 6 | <input type="checkbox"/> Utility Body <sup>A</sup> | <input type="checkbox"/> Sliding Door | <input checked="" type="checkbox"/> 8 Cylinder |
| <input type="checkbox"/> Van            | <input type="checkbox"/> 2 Wheel Drive              | <input type="checkbox"/> Class 7 | <input type="checkbox"/> Flat Bed <sup>A</sup>     | <input type="checkbox"/> Swing Door   | <input type="checkbox"/> 10 Cylinder           |
| <input type="checkbox"/> Other          | <input type="checkbox"/> 4 Wheel Drive <sup>B</sup> | <input type="checkbox"/> Class 8 | <input type="checkbox"/> Dump Truck <sup>A</sup>   | <input type="checkbox"/> Single RW    | <input type="checkbox"/> Dual RW               |

Additional description for vehicles or equipment: Mount a 48 x 96 Arrow board.

<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

- |  |  |   |  |
|--|--|---|--|
| <input type="checkbox"/> AM/FM/Cassette                      | <input type="checkbox"/> Bed-Liner                 | <input type="checkbox"/> Limited Slip             | <input type="checkbox"/> Trailer Hitch Receiver      |
| <input checked="" type="checkbox"/> Arrow Board <sup>A</sup> | <input checked="" type="checkbox"/> Strobe Light   | <input type="checkbox"/> Power Win/Locks          | <input type="checkbox"/> Tires - All Terrain         |
| <input type="checkbox"/> Long Bed                            | <input type="checkbox"/> Floor - Carpet            | <input type="checkbox"/> Seats - Cloth            | <input type="checkbox"/> Tow Package                 |
| <input type="checkbox"/> Short Bed                           | <input checked="" type="checkbox"/> Floor - Rubber | <input checked="" type="checkbox"/> Seats - Vinyl | <input checked="" type="checkbox"/> Windows - Tinted |

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? \_\_\_\_\_

<sup>A</sup> Specify Dimensions or Model \_\_\_\_\_

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital. Please Specify Account String PC 5410517500, 506430

Other. Please Specify Account String \_\_\_\_\_

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$** 67,000

Bobby L. Farnel  
REQUESTED BY  
Debra C. [Signature]  
2<sup>ND</sup> LEVEL APPROVAL

11/13/02  
DATE  
11-17-2002  
DATE

1<sup>ST</sup> LEVEL APPROVAL  
[Signature]  
DIVISION DIRECTOR

DATE  
11/15/02  
DATE

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

[Signature]  
DEPARTMENT DIRECTOR  
11/15/02  
DATE

[Signature]  
\* COUNTY MANAGER / DESIGNEE  
11-15-02  
DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED  IN.R.A.T.T.

Don C. Lawls  
FLEET ACQUISITION SPECIALIST  
12-28-02  
DATE

APPROVED  DECLINED

[Signature]  
FLEET MANAGER  
12/11/02  
DATE

4.0 High Meter  
10.0 Maint  
5.0 Age  
19.0 Total  
KS 11/19/02

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**

(PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) DOT / Operations  
(number) 5421

2. REQUESTED BY: (print) Sheryle Dell PHONE #: 694-3334

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ? | YES  NO  (NEW)  
If yes: Asset #: \_\_\_\_\_ Yr: \_\_\_\_\_ Make: \_\_\_\_\_ Model: \_\_\_\_\_ Meter: \_\_\_\_\_

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?

Select all appropriate boxes:

- |   |   |                                  |  |                                       |  |
|---|---|----------------------------------|--|---------------------------------------|--|
| <input type="checkbox"/> Sedan          | <input type="checkbox"/> Mid-Size                   | <input type="checkbox"/> ¼ Ton   | <input type="checkbox"/> 2 Door                    | <input type="checkbox"/> Cargo        | <input type="checkbox"/> Gasoline              |
| <input type="checkbox"/> Station Wagon  | <input type="checkbox"/> Full-Size                  | <input type="checkbox"/> ½ Ton   | <input type="checkbox"/> 3 Door L-Side             | <input type="checkbox"/> 7 Passenger  | <input checked="" type="checkbox"/> Diesel     |
| <input type="checkbox"/> Sport Util Veh | <input type="checkbox"/> Regular Cab                | <input type="checkbox"/> ¾ Ton   | <input type="checkbox"/> 3 Door R-Side             | <input type="checkbox"/> 12 Passenger | <input type="checkbox"/> 4 Cylinder            |
| <input type="checkbox"/> Pickup Truck   | <input type="checkbox"/> Extended Cab               | <input type="checkbox"/> 1 Ton   | <input type="checkbox"/> 4 Door                    | <input type="checkbox"/> 15 Passenger | <input type="checkbox"/> 6 Cylinder            |
| <input type="checkbox"/> Cab & Chassis  | <input type="checkbox"/> Crew Cab                   | <input type="checkbox"/> Class 6 | <input type="checkbox"/> Utility Body <sup>A</sup> | <input type="checkbox"/> Sliding Door | <input checked="" type="checkbox"/> 8 Cylinder |
| <input type="checkbox"/> Van            | <input type="checkbox"/> 2 Wheel Drive              | <input type="checkbox"/> Class 7 | <input type="checkbox"/> Flat Bed <sup>A</sup>     | <input type="checkbox"/> Swing Door   | <input type="checkbox"/> 10 Cylinder           |
| <input type="checkbox"/> Other          | <input type="checkbox"/> 4 Wheel Drive <sup>B</sup> | <input type="checkbox"/> Class 8 | <input type="checkbox"/> Dump Truck <sup>A</sup>   | <input type="checkbox"/> Single RW    | <input type="checkbox"/> Dual RW               |

Additional description for vehicles or equipment: Mount a 36x72 Arrow board to the truck with attenuator (Model # 3509700)  
<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

- |   |  |   |  |
|---|--|---|--|
| <input type="checkbox"/> AM/FM/Cassette           | <input type="checkbox"/> Bed-Liner                 | <input type="checkbox"/> Limited Slip             | <input type="checkbox"/> Trailer Hitch Receiver      |
| <input type="checkbox"/> Arrow Board <sup>A</sup> | <input checked="" type="checkbox"/> Strobe Light   | <input type="checkbox"/> Power Win/Locks          | <input type="checkbox"/> Tires - All Terrain         |
| <input type="checkbox"/> Long Bed                 | <input type="checkbox"/> Floor - Carpet            | <input type="checkbox"/> Seats - Cloth            | <input type="checkbox"/> Tow Package                 |
| <input type="checkbox"/> Short Bed                | <input checked="" type="checkbox"/> Floor - Rubber | <input checked="" type="checkbox"/> Seats - Vinyl | <input checked="" type="checkbox"/> Windows - Tinted |

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE?

<sup>A</sup> Specify Dimensions or Model \_\_\_\_\_

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT**  
**EQUIPMENT AND VEHICLE REQUEST FORM**  
 (PLEASE PRINT OR TYPE)

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital. Please Specify Account String PC 5410517500.506430

Other. Please Specify Account String \_\_\_\_\_

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$** 67,000

<u>Bolley L Faust</u> REQUESTED BY	<u>11/13/02</u> DATE	_____ 1 <sup>ST</sup> LEVEL APPROVAL	_____ DATE
<u>D. V. Carter</u> 2 <sup>ND</sup> LEVEL APPROVAL	<u>11.14.2002</u> DATE	<u>Paul H. Hyl</u> DIVISION DIRECTOR	<u>11/15/02</u> DATE

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

<u>[Signature]</u> DEPARTMENT DIRECTOR	<u>11/15/02</u> DATE
<u>[Signature]</u> * COUNTY MANAGER / DESIGNEE	<u>11.15.02</u> DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.

**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED  N.R.A.T.T.

Don C. Lawls  
FLEET ACQUISITION SPECIALIST 12.08.02  
DATE

APPROVED  DECLINED

Marilyn K. Rawlings  
FLEET MANAGER 12/10/03  
DATE

KS 11/16/02

# Medium and Heavy Trucks

## 070-700-02-1

Effective: 1/7/02 through 5/31/03

---

### Certification

#### Special Conditions

Exhibit A - Specifications

Exhibit B - Price Sheet

Exhibit C - Truck Bodies

Exhibit D - Purchase Order Information

Exhibit E - Notice of Non-Contract Purchase

Exhibit F - Certification of Compliance

Exhibit G - Acknowledgement of Order

Exhibit H - Ordering Instructions

#### Revisions

Complete Contract

---



070-700-230 CHASSIS-CAB, SINGLE AXLE, CLASS 6, 24,500 LB. GVWR (4X2)  
(8D)

(REVISED 10 JULY 2002)

**NOTE: This Specification/Price List is not complete unless it is used in conjunction with General Specifications All Medium And Heavy Trucks, GSAT-1.**

#### INTENDED VEHICLE USE

USED FOR INSTALLATION OF VARIOUS TYPES OF AFTERMARKET BODIES RANGING FROM 10 FEET TO 24 FEET IN LENGTH AND TRANSPORTATION OF UP TO THREE INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.

THE BASE VEHICLE DOES NOT REQUIRE THE OPERATOR TO HAVE A VALID COMMERCIAL DRIVERS LICENSE (CDL). THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.

*STD GVWR	24,500 LBS.
STD PAYLOAD CAPACITY	14,350 LBS. (APPROX)
USE OPTIONS	PAYLOAD CAPACITY
OPTION 8018, 28,000 LB. GVWR	17,650 LBS. (APPROX)
OPTION 8019, 33,000 LB. GVWR	22,150 LBS. (APPROX)
OPTION 8020, 35,000 LB. GVWR	24,000 LBS. (APPROX)

\*GVWR - Gross Vehicle Weight Rating is the total maximum weight of a fully equipped, fully loaded truck.

#### 10. ENGINE:

- A. Diesel engine, liquid cooled, with a minimum of 190 Gross HP and 520 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 5.9L (359 CID). The following engines, or approved equivalent, are acceptable:

CAT 3126: 7.2L (439 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque  
CUMMINS ISB: 5.9L (359 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque  
INT VT365: 6.0L (363 CID), 195 Gross HP, 520 lbs.-ft. Gross Torque  
MERCEDES BENZ: 6.4L (390 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque

- B. Standard cooling system with antifreeze.  
C. Premium rubber (International Premium (EPDM), Gates Blue Stripe or approved equivalent) or

- silicone radiator hoses, by-pass hoses, heater hoses, and other coolant hoses.
- D. Dry type air cleaner with service (restriction) indicator.
- E. Engine protection system, at a minimum, must be activated by low engine oil pressure, and high engine temperature. System shall, at a minimum, include a warning light(s) and derate (rampdown) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
- F. Horizontal exhaust.

12. ELECTRICAL SYSTEM:

- A. Minimum 90 amp 12 v. alternator.
- B. Batteries to have a minimum total of 1100 CCA @ 0 degrees F.

20. TRANSMISSION: Minimum 5-speed automatic transmission with PTO opening(s). Allison 2000P or approved equivalent.

30. AXLES & SUSPENSION:

- A. Steel front axle and suspension with shock absorbers, minimum 7,000 lb. GAWR.
- B. Front wheel oil-lubricated bearings and seals.
- C. Single speed rear axle and suspension, minimum 17,500 lb. GAWR. Rear axle ratio is to be a 5.57 for a 2500 RPM engine, or 5.63 for a 2600 RPM engine, or the closest possible ratio available.

NOTE TO CONTRACTOR: THIS TRUCK MUST BE CAPABLE OF PROVIDING A TOP SPEED OF APPROXIMATELY 65 MPH AT THE PUBLISHED GOVERNED RPM FOR THE ENGINE SPECIFIED.

- D. Front wheel hubs and rear axle shall be filled with synthetic lubricant.
- E. Auxiliary rear springs.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash mounted engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

- A. Factory installed AM-FM radio.
- B. Fresh air heater and defogger.
- C. Arm rests both sides, if available; sunvisors, both sides.
- D. Tinted glass all windows, including windshield.
- E. Air conditioning.

60. SAFETY ITEMS:

- A. Dual electric horns.
- B. Stainless steel or aluminum outside mirrors and brackets left and right side. Mirrors to be large West Coast type, 6 inches x 16 inches minimum, to include stainless steel lower convex spot mirrors on both sides.
- C. Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB(A). Factory or dealer installed.
- D. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.

- E. All access steps shall be self-cleaning slip-resistant grating.
- F. Daytime running lights.

62. BRAKES:

- A. ABS air brake system, minimum 13.2 cfm air compressor, and air reservoir(s) with automatic moisture ejector valve(s) (unheated).
- B. Moisture ejector valve(s) not to be mounted on bottom of air tank if at all possible. Side or remote location(s) preferred.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Automatic slack adjusters front and rear.
- E. Brake dust shields.
- F. Outboard mounted brake drums, front and rear, if available. (NOTE: Allows brake repair without removing axle hubs.)
- G. Low air pressure warning indicator in cab.
- H. Air dryer with heater. Allied-Signal/Bendix AD-9 or AD-IP, Wabco System Saver 1200 or approved equivalent.

70. TIRES & WHEELS:

- A. Six (6) 255/80R22.5G (14PR) or 265/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread.
- B. All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
- C. Front, inside rear and outside rear wheels to be fully interchangeable.

80. CHASSIS, FRAME, CAB:

- A. Minimum 24,500 lb. GVWR, maximum 26,000 lb. GVWR, factory certified.
- B. Minimum 860,000 in-lb RBM frame, factory reinforced if necessary. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- C. Cab-axle dimension of 72 inches.
- D. Factory installed, step-type steel fuel tank, minimum 30 U.S. gallon capacity.
- E. Front tow hooks or tow pins.
- F. Standard front bumper.

82. CAB EQUIPMENT:

- A. Conventional cab, with tilt-type hood and fender assembly.
- B. Full-width bench seat or individual driver seat and two-man passenger seat. The same Manufacturer must provide individual driver seat and two-man passenger seat.
- C. Exterior grab handles both sides.
- D. Manufacturer's standard paint and colors.
- E. Rear cab window with fixed tinted glass.

90. CONDITIONS: Contractor shall provide a Manufacturer's print-out (Ford "DORA", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customer/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the Vehicle meets all the requirements of this Specification. Also, any dealer installed aftermarket components, if specified, must be noted on the Manufacturer's print-out. All enclosed Conditions and Requirements shall apply.

070-700-230  
(8D)

MAKE: INTERNATIONAL

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>INTERNATIONAL</u>	<u>480.00</u>	<u>4000 Series</u>	<u>31,939.00 (A)</u>
Northern District	<u>INTERNATIONAL</u>	<u>318.00</u>	<u>4000 Series</u>	<u>31,777.00 (B)</u>
Central District	<u>INTERNATIONAL</u>	<u>222.00</u>	<u>4000 Series</u>	<u>31,681.00 (C)</u>
Southern District	<u>INTERNATIONAL</u>	<u>450.00</u>	<u>4000 Series</u>	<u>31,909.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 60 TO 90 DAYS

MAKE: FORD

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,789.00 (A)</u>
Northern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,789.00 (B)</u>
Central District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,689.00 (C)</u>
Southern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>F-650</u>	<u>32,689.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 75-150 DAYS

MAKE: STERLING

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (A)</u>
Northern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (B)</u>
Central District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (C)</u>
Southern District	<u>ATLANTIC TRUCK</u>	<u>10.00</u>	<u>M7500</u>	<u>32,857.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 75-120 DAYS

OPTIONS: 070-700-231-Option, Chassis-Cab, Class 6, 24,500 Lb. GVWR (4x2)

OPTIONS: (INT) INTERNATIONAL TRUCK; (ATF) ATLANTIC TRUCK (FORD);  
(ATS) ATLANTIC TRUCK (STERLING)

(1) 1001. Delay in warranty start date to allow for body installation. (Warranty to become effective when Vehicle is placed in service rather than at time of delivery).

(INT) PRICE: N/C  
(ATF) PRICE: N/C  
(ATS) PRICE: N/C

**(INT) CUSTOMER MUST ADVISE INTERNATIONAL WHEN UNIT IS PLACED IN SERVICE**

(2) 1002. Extended engine warranty, covering 100% of parts and labor for all engine parts between crankshaft pulley and flywheel. Bid for a period of 60 months/150,000 miles/6500 hours. The remaining terms, other than the above, to be in accordance with the engine Manufacturer's published warranty which is closest to each warranty Bid. Submit two copies of the standard engine warranty and of each special warranty Bid. Also, submit two copies of all extended engine warranties that are normally available to commercial customers and commercial list prices for same.

(INT) PRICE: 670.00  
(ATF) (CUMMINS) PRICE: 561.00  
(ATS) (CUMMINS) PRICE: 561.00  
(ATS) (CATERPILLAR) PRICE: 505.00  
(ATS) (MERCEDES-BENZ) PRICE: 350.00

**(INT) WARRANTY UPDATE FORM WILL BE INCLUDED WITH DELIVERY PACKET**

(NOTE TO ELIGIBLE USER: CONSULT THE DEALER FOR EXACT COVERAGE OF THIS WARRANTY)

- (3) 1003. Cummins diesel engine in lieu of the engine provided in the base truck and option 8018, 8019, and 8020. Bid "STD" if this engine was provided in any of the above. All other requirements of Section 10 apply.

(INT) (BASE) PRICE: N/A  
(ATF) (BASE) PRICE: STD  
(ATS) (BASE) PRICE: 340.00

(INT) (OPT 8018) PRICE: N/A  
(ATF) (OPT 8018) PRICE: STD  
(ATS) (OPT 8018) PRICE: 340.00

(INT) (OPT 8019) PRICE: N/A  
(ATF) (OPT 8019) PRICE: STD  
(ATS) (OPT 8019) PRICE: 780.00

(INT) (OPT 8020) PRICE: N/A  
(ATF) (OPT 8020) PRICE: N/A  
(ATS) (OPT 8020) PRICE: 1,250.00

- (4) 1004. Caterpillar diesel engine in lieu of the engine provided in the base truck and option 8018, 8019, and 8020. Bid "STD" if this engine was provided in any of the above. All other requirements of Section 10 apply.

(INT) (BASE) PRICE: N/A  
(ATF) (BASE) PRICE: N/A  
(ATS) (BASE) PRICE: 1,950.00

(INT) (OPT 8018) PRICE: N/A  
(ATF) (OPT 8018) PRICE: N/A  
(ATS) (OPT 8018) PRICE: 1,950.00

(INT) (OPT 8019) PRICE: N/A  
(ATF) (OPT 8019) PRICE: N/A  
(ATS) (OPT 8019) PRICE: 1,950.00

(INT) (OPT 8020) PRICE: N/A  
(ATF) (OPT 8020) PRICE: N/A  
(ATS) (OPT 8020) PRICE: 2,250.00

- (5) 2001. Power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-air switch and indicator light. Chelsea 440, Muncie TG

Series or approved equivalent. For manual transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA MODEL NO.: 440

(INT) PRICE: 647.00  
(ATF) PRICE: 1,040.00  
(ATS) PRICE: 712.00

(NOTE TO ELIGIBLE USER: USE WITH MANUAL TRANSMISSIONS ONLY)

- (6) 2002. "Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 271, Muncie CS Series or approved equivalent. For base Vehicle and option 8018 automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA MODEL NO.: 271

(INT) PRICE: 1,067.00  
(ATF) PRICE: 1,140.00  
(ATS) PRICE: 994.00

(NOTE TO ELIGIBLE USER: USE WITH 2000P AUTOMATIC TRANSMISSION ONLY)

- (7) 2003. Electronic PTO overspeed control. Chelsea, Muncie or approved equivalent. For automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA MODEL NO.: EOC

(INT) PRICE: 332.00  
(ATF) PRICE: 340.00  
(ATS) PRICE: 270.00

(NOTE TO ELIGIBLE USER: USE WITH AUTOMATIC TRANSMISSION ONLY)

- (8) 2005. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.11 for a 2500 RPM engine, or 4.33 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For base Vehicle only. Indicate Manufacturer and model.

MANUFACTURER: FULLER MODEL NO.: FS5406A

(INT) PRICE (CREDIT): (2,073.00)  
(ATF) PRICE (CREDIT): (2,000.00)  
(ATS) PRICE (CREDIT): (2,332.00)

- (9) 2006. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear



axle ratio shall be a 4.33 for a 2500 RPM engine, or a 4.44 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8018 only. Indicate Manufacturer and model.

MANUFACTURER: FULLER

MODEL NO.: FS5406A

(INT) PRICE (CREDIT): (2,073.00)

(ATF) PRICE (CREDIT): (2,500.00)

(ATS) PRICE (CREDIT): (2,332.00)

- (10) 2007. Manual transmission, 6-speed minimum, with PTO opening(s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.33 for a 2500 RPM engine, or 4.44 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8019 only. Indicate Manufacturer and model.

(INT) (ATS) MANUFACTURER: FULLER

MODEL NO.: FS5406A

(ATF) MANUFACTURER: FULLER

MODEL NO.: FS6406A

(INT) PRICE (CREDIT): (5,500.00)

(ATF) PRICE (CREDIT): (4,500.00)

(ATS) PRICE (CREDIT): (4,500.00)

- (11) 2008. Manual transmission, 6-speed minimum, with PTO opening (s) and minimum 13 inch ceramic clutch. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.33 for a 2400 RPM engine, or 4.56 for a 2500 RPM engine, or 4.63 for a 2600 RPM engine, or the closest possible ratio available. Transmission shall be filled with synthetic lubricant. For option 8020 only. Indicate Manufacturer and model.

MANUFACTURER: FULLER

MODEL NO.: FS6406A

(INT) PRICE (CREDIT): (5,298.00)

(ATF) PRICE (CREDIT): N/A

(ATS) PRICE (CREDIT): (4,100.00)

- (12) 2009. Automatic transmission, 6-speed minimum, with PTO opening(s). Allison MD3560P or approved equivalent. Bid in lieu of the MD 3060P specified in option 8019 and 8020. Indicate Manufacturer and model.

MANUFACTURER: ALLISON

MODEL NO.: MD3560P

(INT) PRICE: N/C

(ATF) PRICE: 2,400.00

(ATS) PRICE: 1,351.00

(NOTE TO ELIGIBLE USER: FOR SUBSTANTIAL OFF ROAD USE, LOOSE DRY SAND, AND

SPONGY SOIL OR LOOSE GRAVEL.)

- (13) 2010. "Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 276, Muncie CS Series or approved equivalent. For option 8019 and 8020 automatic transmission only. Indicate Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: 276

(INT) PRICE: 1,135.00

(ATF) PRICE: 1,195.00

(ATF) PRICE: 1,195.00

(NOTE TO ELIGIBLE USER: USE WITH MD SERIES AUTOMATIC TRANSMISSION ONLY)

- (14) 3005. "No-Spin" or driver control traction differential (DCDL) on rear axle. For base Vehicle only.

(INT) PRICE: 670.00

(ATF) PRICE: 600.00

(ATS) PRICE: 537.00

- (15) 3006 "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8018 only.

(INT) PRICE: 670.00

(ATF) PRICE: 1,264.00

(ATS) PRICE: 537.00

- (16) 3007. "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8019 only.

(INT) PRICE: 670.00

(ATF) PRICE: 1,264.00

(ATS) PRICE: 537.00

- (17) 3008. "No-Spin" or driver control traction differential (DCDL) on rear axle. For option 8020 only.

(INT) PRICE: 670.00

(ATF) PRICE: N/A

(ATS) PRICE: 537.00

- (18) 5002. Delete air conditioning.

(INT) PRICE (CREDIT): (585.00)

(ATF) PRICE (CREDIT): (650.00)

(ATS) PRICE (CREDIT): (485.00)

(19) 5003. Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.

(INT) PRICE: 35.00  
(ATF) PRICE: 100.00  
(ATS) PRICE: 71.00

(20) 6001. Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the Vehicle.)

(INT) PRICE: 41.00  
(ATF) PRICE: 75.00  
(ATS) PRICE: 74.00

(21) 6002. Dual air horns, single base.

(INT) PRICE: 68.00  
(ATF) PRICE: 125.00  
(ATS) PRICE: 47.00

(22) 6202. Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section 62. H. Unit must be installed by the Vehicle Manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.

(INT) PRICE: 611.00  
(ATF) PRICE: N/A  
(ATS) PRICE: 655.00

(23) 7001. Tubeless radial tires with on/off highway tread for rear only. Four (4) 10R22.5F (12PR) or larger tires for on/off highway use and two (2) 10R22.5F (12PR) or larger tires for highway use. For base Vehicle only. Rear tires to be Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

(INT) PRICE: 207.00  
(AFT) PRICE: N/C  
(ATS) PRICE: 178.00

(24) 7004. Tubeless radial tires with on/off highway tread for rear only. Four (4) 11R22.5G (14PR) or larger tires for on/off highway use and two (2) 11R22.5G (14PR) or larger tires for highway use. For option 8018 or 8019 only. Rear tires to be Bridgestone M711, Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

(INT) PRICE: 60.00  
(ATF) PRICE (CREDIT): (100.00)

(ATS) PRICE: 88.00

- (25) 7009. Tubeless radial tires with on/off highway tread for rear only. Four (4) 11R22.5H (16PR) or larger tires for on/off highway use and two (2) 11R22.5H (16PR) or larger tires for highway use. For option 8020 only. Rear tires to be Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

(INT) PRICE: 165.00

(ATF) PRICE: N/A

(ATS) PRICE: 17.00

- (26) 8001. Pintle hook, installed. To be swivel type and must have a capacity of 49,000 lbs. gross trailer weight and 9800 lbs. vertical load, minimum. Pintle hook shall be installed no more than 14 inches forward from the end of the body as measured from the center of the eye. Holland Model PH-760, Wallace Model B30 or approved equivalent. Indicate Manufacturer and model.

MANUFACTURER: WALLACE

MODEL NO.: B-30

(INT) PRICE: 394.00

MANUFACTURER: WALLACE/HOLLAND

MODEL NO.: B-30/PH760

(ATF) PRICE: 395.00

MANUFACTURER: WALLACE/HOLLAND

MODEL NO.: B-30/PH760

(ATS) PRICE: 395.00

(NOTE TO ELIGIBLE USER: ELIGIBLE USER MUST SPECIFY BODY LENGTH AND TYPE (DUMP, STAKE, ETC.) IN ORDER FOR THE DEALER TO INSTALL THE PINTLE HOOK IN THE PROPER LOCATION)

- (27) 8002. Additional fuel capacity. Factory installed, step-type, steel fuel tank(s), minimum 75 U.S. gallon capacity.

(INT) PRICE: 235.00

(ATF) PRICE: 350.00

(ATS) PRICE: 66.00

(NOTE TO ELIGIBLE USER: MUST DEDUCT APPROXIMATELY 400 LBS. FROM THE PAYLOAD CAPACITY)

- (28) 8003. Optional cab-axle dimension (CA) 84 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: N/C

(ATF) PRICE (CREDIT): (200.00)

(ATS) PRICE: N/C

(29) 8004. Optional cab-axle dimension (CA) 102 inches to 103 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE: 245.00  
(ATS) PRICE: N/C

(30) 8005. Optional cab-axle dimension (CA) 108 inches to 109 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE (CREDIT): (250.00)  
(ATS) PRICE: N/C

(31) 8006. Optional cab-axle dimension (CA) 120 inches to 121 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 242.00  
(ATF) PRICE (CREDIT): (185.00)  
(ATS) PRICE: 258.00

(32) 8007. Optional cab-axle dimension (CA) 138 inches to 139 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 348.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 258.00

(33) 8008. Optional cab-axle dimension (CA) 150 inches to 156 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 348.00  
(ATF) PRICE: 540.00  
(ATS) PRICE: 406.00

- (34) 8009. Optional cab-axle dimension (CA) 168 inches to 169 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 348.00  
(ATF) PRICE: 565.00  
(ATS) PRICE: 406.00
- (35) 8011. Optional cab-axle dimension (CA) 102 inches to 103 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE: 245.00  
(ATS) PRICE: N/C
- (36) 8012. Optional cab-axle dimension (CA) 108 inches to 109 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE (CREDIT): (250.00)  
(ATS) PRICE: N/C
- (37) 8013. Optional cab-axle dimension (CA) 120 inches to 121 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 272.00  
(ATF) PRICE (CREDIT): (185.00)  
(ATS) PRICE: 308.00
- (38) 8014. Optional cab-axle dimension (CA) 138 inches to 139 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 272.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 308.00
- (39) 8015. Optional cab-axle dimension (CA) 150 inches to 156 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 430.00  
(ATF) PRICE: 540.00  
(ATS) PRICE: 456.00

(40) 8016. Optional cab-axle dimension (CA) 168 inches to 169 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION SCMH-1.

(INT) PRICE: 430.00

(ATF) PRICE: 565.00

(ATS) PRICE: 456.00

(41) 8017. Air brake package for straight truck and trailer. Full trailer air brake controls with air lines, glad hands and wiring routed to the rear end of the frame.

(INT) PRICE: 479.00

(ATF) PRICE: 450.00

(ATS) PRICE: 318.00

(42) 8018. Minimum 28,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 195 Gross HP @ 520 lbs.-ft. Gross Torque; steel front axle and suspension, minimum 9,000 lb. GAWR and a single speed rear axle and suspension, minimum 19,000 lb. GAWR; rear axle ratio is to be a 5.86 for a 2500 RPM engine, or 6.14 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); and six (6) 275/80R22.5G (14PR) or 295/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for the additional components.

(INT) PRICE: 584.00

(ATF) PRICE: 2800.00

(ATS) PRICE: 835.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8003 THROUGH 8009 AND 8021 THROUGH 8023. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

(43) 8019. Minimum 33,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 210 Gross HP @ 560 lbs.-ft. Gross Torque; minimum 6-speed automatic transmission with PTO opening(s), Allison MD 3060P or approved equivalent; steel front axle and suspension, minimum 12,000 lb. GAWR and a single speed rear axle and suspension, minimum 21,000 lb. GAWR; rear axle ratio is to be a 6.14 for a 2500 RPM engine, or 6.57 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); minimum 1,740,000 in.-lb RBM frame; CA dimension of 84 inches to 90 inches; and six (6) 275/80R22.5G (14PR) or 295/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for the additional components.

(INT) PRICE: 5,631.00  
(ATF) PRICE: 9,200.00  
(ATS) PRICE: 3,669.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8010 THROUGH 8016 AND 8024 THROUGH 8026 FOR THIS OPTION. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

- (44) 8020. Minimum 35,000 lb. GVWR, factory certified. Bid to include these additional components: Minimum 5.9L (359 CID), 230 Gross HP @ 620 lbs.-ft. Gross Torque; minimum 6-speed automatic transmission with PTO opening(s), Allison MD3060P or approved equivalent; steel front axle and suspension, minimum 12,000 lb. GAWR and a single speed rear axle and suspension, minimum 23,000 lb. GAWR; rear axle ratio is to be a 6.43 for a 2400 RPM engine, or 6.83 for a 2500 RPM engine, or 7.17 for a 2600 RPM engine, or the closest possible ratio available (THE NOTE IN SECTION 30 APPLIES); six (6) 11R22.5H (16PR) or larger, tubeless, radial tires with highway tread; minimum 1,740,000 in.-lb. RBM frame; and CA dimension of 84 inches to 90 inches. All other requirements for the base Vehicle shall apply. Indicate Manufacturer's order codes for additional components.

(INT) PRICE: 6,898.00  
(ATF) PRICE: N/A  
(ATS) PRICE: 4,794.00

(NOTE TO ELIGIBLE USER: THIS TRUCK HAS A TOP SPEED OF APPROXIMATELY 65 MPH. OPTIONAL CAB-AXLE DIMENSIONS ARE SHOWN IN OPTIONS 8010 THROUGH 8016 AND 8024 THROUGH 8026 FOR THIS OPTION. THIS OPTION WILL REQUIRE THE OPERATOR TO HAVE A VALID CDL. THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.)

- (45) 8021. Optional cab-axle dimension (CA) 114 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.

(INT) PRICE: 360.00  
(ATF) PRICE: 215.00  
(ATS) PRICE: 257.00



- (46) 8022. Optional cab-axle dimension (CA) 124 inches to 125 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 450.00  
(ATF) PRICE: 550.00  
(ATS) PRICE: 257.00
- (47) 8023. Optional cab-axle dimension (CA) 186 inches to 187 inches. For base Vehicle or option 8018 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 520.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 406.00
- (48) 8024. Optional cab-axle dimension (CA) 114 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 270.00  
(ATF) PRICE: 215.00  
(ATS) PRICE: 308.00
- (49) 8025. Optional cab-axle dimension (CA) 124 inches to 125 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 270.00  
(ATF) PRICE: 550.00  
(ATS) PRICE: 308.00
- (50) 8026. Optional cab-axle dimension (CA) 186 inches to 187 inches. For option 8019 or 8020 only. SEE NOTES 1 AND 2 OF SPECIFICATION GSAT-1.
- (INT) PRICE: 421.00  
(ATF) PRICE: 200.00  
(ATS) PRICE: 456.00
- (51) 8201. Special state color. DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, GM 86, Navistar 4421). SEE NOTE 3 OF SPECIFICATION GSAT-1.
- (INT) PRICE: N/C  
(ATF) PRICE: N/C  
(ATS) PRICE (CREDIT): (83.00)
- (52) 8203. Special colors. Special colors other than Manufacturer's and the one listed in option 8201.
- (INT) PRICE: 195.00  
(ATF) PRICE: 250.00

(ATS) PRICE: N/C

**(INT) MUST PROVIDE COLOR NUMBER**

- (53) 8205. Special state colors, two-tone. White (DuPont Centari K9031A, Freightliner/Sterling 0007, GM 12, Navistar 9219) above dripstrip on cab and DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, GM 86, Navistar 4421) on remainder of cab. SEE NOTE 3 OF SPECIFICATION GSAT-1.

(INT) PRICE: 155.00

(ATF) PRICE: 300.00

(ATS) PRICE (CREDIT): (83.00)

- (54) 8206. Non-tilting hood and fender assembly or tilting hood and fender assembly with service access features. Contractor must provide serviceability enhancement features, if recommended.

(INT) PRICE: N/A

(ATF) PRICE: N/A

(ATS) PRICE: 193.00

- (55) 8207. Two-tone colors. Manufacturer's standard two-tone colors.

(INT) PRICE: 160.00

(ATF) PRICE: 300.00

(ATS) PRICE: 120.00

**(INT) MUST PROVIDE COLOR NUMBER**

- (56) 8208. Special colors, two-tone. Special two-tone colors other than the one listed in option 8205.

(INT) PRICE: 287.00

(ATF) PRICE: 400.00

(ATS) PRICE: 120.00

**(INT) MUST PROVIDE COLOR NUMBER**

MAR 20 '03

05:09PM NAVISTAR

INTERNATIONAL TRUCK AND ENGINE CORPORATION

P. 1/6

2400 COMMERCE AVENUE - BLDG. 1100 - SUITE 100, DULUTH, GA 30096

T 678 584 2700

F 678 584 2701

TRUCK GROUP

March 20, 2003

Don Lawes  
Lee County, FL

Reference: Water Tanker Chassis

Don,

Per your request enclosed please find specifications and pricing off the State of FL contract # 070-700-02-01 for a Spec 230 cab and chassis.

<b>2004 International</b>	<b>4400 4x2</b>	<b>Base Central Dist</b>	<b>\$ 31,681.00</b>
<u>Options</u>			
8019	33,000 lb GVWR Package		5,631.00
8013	120" CA		272.00
7004	11R22.5 Tire Package		60.00
1002	Extended Engine Warranty		670.00
		<b>Total</b>	<b>\$38,314.00</b>

Please do not hesitate to call me if you have any questions.

Sincerely,

W. J. Parham  
National Account Manager  
678-376-0069  
770-963-3083 - Fax

**INTERNATIONAL**

Prepared For:  
Lee County Florida  
Don Lewis  
405 Esplanade Way  
Tallahassee, FL 32309  
(239)461-5607

Reference ID: N/A

March 20, 2003

Presented by:  
International Truck and Engine Corp.  
Perham Bldg  
2400 COMMERCIAL AVE  
BLD. 1100 - SUITE 100  
DULUTH, GA 30084-9855  
(678)984-2777

**Model Profile**  
2004 4400 8BA 4x2 (R4036)

- APPLICATION:** Landscape Dump
- MISSION:** Requested GVWR: 33000. Calc. GVWR: 33000  
Calc. Start / Grade Ability: 25.9% / 1.44% @ 55 MPH.  
Calc. Geared Speed: 79.7 MPH.
- FUEL ECONOMY:** 9.28 MPG @ 55 MPH
- DIMENSION:** Wheelbase: 187, CA: 119.9, Axle to Frame: 75
- ENGINE, DIESEL:** (International DT466 High Torque) Electro-Hydraulic Fuel System, 50 State, 215 H P @ 2300/2400 RPM, 620 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 225 Peak HP (Max)
- TRANSMISSION, AUTOMATIC:** (Allison MD-3080P) Close Ratio, 6-Speed; With PTO Gear and Loss Retarder
- CLUTCH:** Omik Item (Clutch & Control)
- AXLE, FRONT, I-BEAM TYPE:** (International I-1206G) 12,000-lb Capacity
- AXLE, REAR, SINGLE:** (Dana Spicer 21080S) Single Reduction, 21,000-lb Capacity, Hypoid Gearing With 2.00 Wheel Ends  
Gear Ratio: 5.57
- CAB:** Conventional, Steel
- TIRE, FRONT:** (2) 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range G, 14 ply
- TIRE, REAR:** (4) 11R22.5 G164 RTO (GOODYEAR) 469 rev/mile, load range G, 14 ply
- SUSPENSION, RR, SPRING, SINGLE:** Vert-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring

INTERNATIONAL

Vehicle Specifications  
 2004 4400 SBA 4X2 (MA034)

March 20, 2003

Code	Description
MA03500	Base Chassis, Model 4400 SBA 4X2 with 167 Wheelbase, 119.9 CA, and 75 Axle to Frame
1570	TOW HOOK, FRONT (2) Frame Mounted.
1CAE	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 486.0" (11582mm) Maximum OAL
1LNN	BUMPER, FRONT Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness
1WEH	WHEELBASE RANGE 134" (340cm) Through and Including 187" (600cm)
ZADD	AXLE, FRONT, I-BEAM TYPE (International I-120SG) 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 12,000-lb Capacity; With Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : SPRING BRAKE MODULATOR VALVE : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater, for Air Tank
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER (Bendix AD-2) With Heater
4IBG	BRAKES, FRONT, AIR CAM 8-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
4SBC	AIR COMPRESSOR (Bendix Tu-Ro 650) 13.2 CFM
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 16" Diam., Black
5PRJ	STEERING GEAR (TRW (Ross) TAS-03) Power
7AAY	EXHAUST SYSTEM Single, Horizontal Muffler and Short Tail Pipe, Aluminized Steel, Frame Mounted Right Side
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : FUSES, ELECTRICAL SAE Blade-Type : TURN SIGNAL SWITCH Self-Canceling, Headlight Dimmer (with Flash-To-Pass Feature) : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STOP, TURN, TAIL & BRAKE LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : TURN SIGNALS, FRONT Flush Mounted Integrate Retarders and Auxiliary Side Turn Signals. Solid State Flashers. : DATA LINK CONNECTOR in Cab For Vehicle Programming and Diagnostics : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature. : WIRING, CHASSIS Color Coded and Continuously Numbered

INTERNATIONAL

Vehicle Description  
2004 4000 BSA 4x2 (9A034)

March 20, 2003

Code	Description
8518	CIGAR LIGHTER
8540	HORN, ELECTRIC (2)
8HAB	BODY BUILDER WIRING Back of Cab at Frame. Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MED	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 110CCA Total
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers  <u>Includes</u> : SPEAKERS IN CAB (4) Coastal with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay; With International Engines
8WTC	ALTERNATOR (Lescage-Neville 6LHA2054UAH) 12 Volt, 110 Amp, Brush Type
8WVJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WVN	STARTING MOTOR (Lescage-Neville M100R) 12-Volt; less Thermal Over-Crank Protection
8HAD	GRILLE Chrome
8WAY	FRONT END Tiling, Fiberglass, With Three Piece Construction
10080	PAINT SCHEMATIC, PT-1 Single Color, Design 100  <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tons
10WYZ	QUALIFICATION IDENTITY for Non-Diamond SPEC Vehicle
11001	CLUTCH Omt Item (Clutch & Control)
12NMG	ENGINE, DIESEL (International DT466 High Torque) Electro-Hydraulic Fuel System, 50 State, 215 HP @ 2300/2400 RPM, 620 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, 225 Peak HP (Max)  <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : ENGINE SHUTDOWN Electric, Key Operated : GOVERNOR Road Speed, Electronic : ENGINE OIL DRAIN PLUG Magnetic : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL CHANGE SYSTEM 30 Quart Capacity : DAMPER, CRANKSHAFT Viscous : FAN Optimized Position : FUEL FILTER Engine Mounted
12TSY	FAN DRIVE (Borg-Warner SA65) Viscous Screw On Type  <u>Includes</u> : FAN Nylon
12UWA	RADIATOR (Medina) Aluminum, 2 Row, Cross Flow, Over Under System, 515 SqIn, Louvered, With 270 SqIn Charge Air Cooler, 10 Fins per in., 3.5" Core  <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C)

INTERNATIONAL

Vehicle Specifications  
2004 4400 BBA 4x2 (MA034)

March 20, 2003

Code	Description
	: DEAERATION SYSTEM with Polypropylene Tank : RADIATOR HOSES Premium, Rubber
12V8C	AIR CLEANER Single Element
12VWV	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
13ABA	TRANSMISSION, AUTOMATIC (Allison MD-3080P) Close Ratio, 6-Speed; With PTO Gear and Lase Retarder  <u>Includes</u> : TRANSMISSION OIL PAN Magnet In Oil Pan
13WBN	TRANSMISSION SHIFT CONTROL (Allison) T-Bar Type; for Allison MD & HD Transmission
13WTA	ALLISON WT SPARE INPUT/OUTPUT for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
14AET	AXLE, REAR, SINGLE (Dana Sploor 2108DS) Single Reduction, 21,000-lb Capacity, Hypoid Gearing With 200 Wheel Ends Gear Ratio: 5.67  <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
14WLA	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oil; 1 thru 29.88 Pints
15SCE	FUEL TANK Top Draw, D Style, Steel, 50 U.S. Gal., 188 L Capacity, With Quick Connect Outlet, 16" Tank Depth, Mounted Left Side Under Cab  <u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel  <u>Includes</u> : CLEARANCE/MARKER LIGHTS (6) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Piller Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Piller Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted
16HBA	GAUGE CLUSTER English With English Electronic Speedometer  <u>Includes</u> : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER GAUGES (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter
16JPU	SEAT, FRONT BENCH (Gre-Mag) Full Width; Vinyl, With Fixed Mid Back  <u>Includes</u> : SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One Lap Belt for Center Passenger
16NDN	MIRRORS (2) (Long Mirror) Driver; Rectangular, 7.08" x 18.75", Bracket Breakaway Type, With 102" Wide Spacing, With Integral Convex Both Sides, With Bright Finish Head and Brackets
16SED	GRAB HANDLE (2) Black Aluminum; for Cab Entry Mounted Left and Right
16WJS	INSTRUMENT PANEL Center Section, Flat Panel

INTERNATIONAL\*

Vehicle Specifications  
2004 4400 BMA 4x2 (MAD36)

March 20, 2003

Code	Description
15WKB	AIR CONDITIONER (International Stand-Air) With Integral Heater & Defroster  Includes: : REFRIGERANT Hydrofluorocarbon HFC-134A : HEATER HOSES Premium
15WRX	CAB INTERIOR TRIM Deluxe  Includes: : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smoke Gray : HEADLINER Pinned Cloth : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Tinted Theater Dimming : SUN VISOR (2) Padded Vinyl Integral to Console with Tall Ticket Strap and with Integral Extenders : STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Pinned, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.  Includes: : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings
29DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Pinned, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.  Includes: : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings
26WLA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil
7302880179	(2) TIRE, FRONT 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range G, 14 ply
7372130116	(4) TIRE, REAR 11R22.5 G164 RTD (GOODYEAR) 499 rev/mile, load range G, 14 ply
	Cab Schematic 100GA Location 1: 8219, WINTER WHITE Chassis Schematic N/A
	Service Section:
10WZD	COMPETITIVE SURCHARGE CREDIT
12UXC	FEDERAL EMISSIONS for 2002; for International VT365, T444E, DT466 and DT530 Engines



# ATTACHMENT #3



P.O. BOX 1106 • TEXARKANA, TEXAS 75504  
3300 WADD STREET • TEXARKANA, TEXAS 75501

PHONE (903) 838-6531  
FAX (903) 832-4066  
<http://www.ledwell.com>  
toll free: 1-888-LEDWELL

Mr Don Lawes  
Lee County Fleet Management  
2955 Van Buren St  
Ft Meyers, FL 33916  
Phn 239-461-5607 Fax 239-338-3234

As per your request, we are pleased to quote the following equipment for your consideration.

### TANK ONE (1)

- LEDWELL 2000 GALLON WATER TANK ASSEMBLY COMPLETE W/MANWAY
- ONE CROSS WISE BAFFLE
- REAR LADDER MOUNTED ON RIGHT SIDE OF REAR
- ALL WELDED SUBFRAME RUBBER MOUNTING
- HYDRANT FILL CAPABILITY .2" HYDRANT FILL HOSE
- ONE 3" OUTLET ON BOTTOM OF TANK W/ VALVE
- TOP DISCHARGE HYDRANT FILL WATER DROP
- 1" JET SPRAY HOSE WITH QUICK DISCONNECT
- GORMAN RUPP 03H1-G PUMP- PTO DRIVEN
- TWO (2) FRONT SPRAY HEADS/TWO (2) REAR SPRAY HEADS
- LEFT SIDE SPRAY NOZZLE W/1" HOSE OUTLET
- LOW POINT DRAIN COCKS. IN-CAB MANUAL CONTROL VALVES
- STEEL FENDERS. SUCTION PLUMBED RESERVOIR
- RESERVOIR INTERIOR SANDBLASTED AND COATED
- EXTERIOR PRIMED AND PAINTED ONE COLOR
- BACK-UP ALARM , MUD FLAPS ,96" x 24" 10 Ga STEEL PLATFORM BETWEEN
- TANK & CAB OF TRUCK
- FIRE EXTINGUISHER & TRIANGLE REFLECTOR KIT
- TWO REAR MOUNTED HOSE REELS ONE EACH SIDE W/50' of 1" hose
- MOUNTED ON CUSTOMERS TRUCK-----\$12,500.00
- ONE (1) TRINITY BRAND ATTENUATER INSTALLED----\$13,500.00
- FREIGHT TO FORT MEYERS FL-----\$ 827.00

### TANK TWO (2)

- SAME SPECIFICATIONS AS TANK ONE
- MOUNTED ON CUSTOMERS TRUCK-----\$12,500.00
- FREIGHT TO FORT MEYERS FL-----\$ 827.00
- TOTAL BOTH UNITS-----\$40,154.00
- FREIGHT IS BASED ON SALE OF TWO TANKS
- PRICE DOES NOT INCLUDE APPLICABLE TAXES.

Thank you very much.  
WILLIAM GRIFFIN

**Equipment Inventory - FASTER 4.18.063F**

Equipment Information: Company: 001 Lee County Fleet Management

Equipment Number: 019395 Year: 1991 Make: IHC Model: 4690 Priority: EQ TSet: Location: Print

Meter Reading: M 63400

Parent Equipment: Component: Serial Number: INTSAZPH3MH381128 License: 120927 MG: DT DUMP TRUCK

Color: WHITE Shop: HES Site: DOT DOT OPERATIONS / ZIP DRI

Link:  None  Permanent  Removable

Status: A

Motor Pool:

Reservation:

Out#: 0

Date:

Status:  Not Active

Last PM:

Type	Cycle	Date Done
A	M	02/13/2003
A	O	02/13/2003
A	H	05/30/2002

Class: EC10 Department: TOP LS SUP Operations - D.O.T. - La

Employee: MDRNINGSTAR, KIM MORNINGSTAR, KIMBERLY - DOT - OPERATI

DTC: 07 Monday-Thursday 7:00 AM - 5:30 PM

Depreciation: 30380.00 Last Work Order: 0000096664

---

Vehicle Replacement Search Query History Component Parts Meters Warranty PMs

Date: 06/19/1991 Cost: 42926.00 Maint \$ LTD: 55573.90 Inflation Rate: 03500 Salvage Rate: 07500

Fund: 175 Department: A Highest Meter: 4.2 Maintenance: 10.0 Age: 5.0

Expected Life In Meters

Type	Fuel?	Date	Time	Actual	Acquire	BeginFY
M	X	06/19/1991	12 12 45	63400	0	57776

Salvage Value: 3219.45  
 Recovery Collected: 12546.00  
 Recovery Balance: 52366.59

Life Expectancy Months: 120  
 Current Life In Months: 142  
 Total Points: 15.0  
 Condition Factor: 0.00

Remaining Life Replacement Replacement Monthly Recovery

Original	Adjusted	Replacement	Replacement	Monthly Recovery
-22	0	06/19/2001	60883.67	507.37
		04/28/2003	64912.59	457.13

Start Quick Launch Address 4:13 PM

FASTER Client Tools

**MEMORANDUM  
FROM  
THE DIVISION OF PURCHASING**

DATE: APRIL 30, 2003

TO: MARILYN RAWLINGS  
FLEET MANAGER

FROM: *Janet Sheehan*  
JANET SHEEHAN, CPPB  
PURCHASING DIRECTOR

RE: BLUE SHEET # 20030531

PROJECT: Two (2) Water Tank Trucks

TYPE: State Contract & Open Market Purchase

AWARDED TO: International Truck & Engine Corp. & Ledwell & Son Enterprises

Attn. Ms. Rawlings – When you have finished your review of this package, please forward it to Scott Gilbertson, DOT.

Attn. Mr. Gilbertson - When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.

MEMORANDUM  
COPIES - 1 MAY 10: 09