

**Lee County Board Of County Commissioners  
Agenda Item Summary**

Blue Sheet No. 20030547

**1. REQUESTED MOTION:**

**ACTION REQUESTED:** Approve the award of the following Projects: #EX030490, the purchase of one (1) International cab and chassis truck from International Truck and Engine Corporation at the Florida State Contract price (including several contract and non-contract options totaling \$10,718.00 and a deduct/credit of \$9,556.00) of \$66,221.00; and # IT030491, the purchase and installation of a dump body at the informally quoted price of \$11,331.25 from the best price vendor Jim Hardec Equipment Company, Inc.; for Lee County Utilities. Grand total for this purchase: \$77,552.25.

**WHY ACTION IS NECESSARY:** Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

**WHAT ACTION ACCOMPLISHES:** This truck will allow Lee County Utilities to move debris from construction sites and to tow a trailer for the transport of heavy equipment.

**2. DEPARTMENTAL CATEGORY:**

COMMISSION DISTRICT # *CW 10 CIOI*

**3. MEETING DATE:**

*05-20-2003*

**4. AGENDA:**

- CONSENT
- ADMINISTRATIVE APPEALS
- PUBLIC WALK ON
- TIME REQUIRED:

**5. REQUIREMENT/PURPOSE:**  
(Specify)

- STATUTE
- ORDINANCE
- ADMIN. CODE AC-4-1
- OTHER

**6. REQUESTOR OF INFORMATION:**

- A. COMMISSIONER
- B. DEPARTMENT
- C. DIVISION *Utilities*

BY: *Rick Diaz, P.E., Director*

*[Signature]* FOR RICK DIAZ 5/5/03

**7. BACKGROUND:**

--BACKGROUND BEGINS ON PAGE TWO--

**8. MANAGEMENT RECOMMENDATIONS:**

**9. RECOMMENDED APPROVAL:**

A Department Director	B Purchasing or Contracts	C Human Resources	D Other	E County Attorney	F Budget Services				G County Manager
<i>[Signature]</i> 5-5-2003	<i>Joint Review</i> 5-5-03	N/A	N/A	<i>[Signature]</i> 5/7/03	OA <i>[Signature]</i> 5/10/03	OM <i>[Signature]</i> 5/8/03	Risk <i>[Signature]</i> 5/8/03	GC <i>[Signature]</i> 5/8/03	<i>[Signature]</i> 5-6-03

**10. COMMISSION ACTION:**

- APPROVED
- DENIED
- DEFERRED
- OTHER

*5/7/03*  
*11:00am*  
*2:00pm*

RECEIVED BY  
COUNTY ADMIN. *PM*  
*5-7-03*  
*3:00*  
COUNTY ADMIN.  
FORWARDED TO:  
*5/8/03*

--BACKGROUND CONTINUED FROM PAGE ONE--

On May 2, 2003, the Division of Purchasing received a request from the Utilities Division and the Division of Fleet Management to purchase one (1) new International cab and chassis truck at the prices listed in the Florida State Contract #070-700-02-1; and one (1) dump body from Jim Hardee Equipment Company, Inc.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

Therefore, Board approval is requested to purchase one (1) new International cab and chassis truck from International Truck and Engine Corporation at the Florida State Contract price (including several contract and non-contract options totaling \$10,718.00 and a deduct/credit of \$9,556.00) of \$66,221.00; and the purchase and installation of a dump body from Jim Hardee Equipment Company, Inc. at a competitively quoted price of \$11,331.25. Grand total for one (1) complete truck, which is for use by the Utilities Division, is \$77,552.25.

Funds are available: OD5363048700.506430

Attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract #070-700-02-1/International Truck and Engine Corporation Quotation
- (3) Tabulation Sheet and Quotes for IT030491

**MEMORANDUM  
FROM  
THE DIVISION OF PURCHASING**

DATE: MAY 5, 2003

TO: MARILYN RAWLINGS  
FLEET MANAGER

FROM: *Janet*  
JANET SHEEHAN, CPPB  
PURCHASING DIRECTOR

RE: BLUE SHEET # 20030547

PROJECT: One (1) Dump Truck

TYPE: State Contract & Informally Telephone Quoted Purchase

AWARDED TO: International Truck & Engine Corp. & Jim Hardee Equipment Co.

Attn. Ms. Rawlings – When you have finished your review of this package, please forward it to Rick Diaz, Utilities.

Attn. Mr. Diaz - When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 689-7385.



# ATTACHMENT # 1

DIVISION OF  
FLEET MANAGEMENT

**To:** Janet Sheehan, Purchasing Director  
**From:** Marilyn Rawlings, Fleet Manager *MR*  
**Date:** 4/28/2003  
**Re:** Blue Sheet for the purchase of one (1) International Model 7400 SBA 6x4 64,000 GVWR.

---

Please prepare a Blue Sheet as follows for one (1) International Model 7400 SBA 6X4 64,000 GVWR.

**ACTION REQUESTED:**

Approve the purchase of one (1) International Model 7400 SBA 6X4 64,000 GVWR Regular Cab Chassis from International Truck and Engine Corporation from Florida State Contract #070-700-02-01, in the amount of \$65,059. Approve additional non-contract options in the amount of \$10,718 for a total of \$66,221. Approve the purchase from Jim Hardee Equipment Company Inc, of Lakeland Florida for one 15" Fabricated Dump Bed per Lee County Specs Model # JHE215-47-16. at a cost of \$11,331.25.

Total purchase price is \$77,552.25

**WHY ACTION IS NECESSARY:**

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000." As this expenditure will exceed \$50,000, Board approval is necessary.

**WHAT ACTION ACCOMPLISHES:**

This purchase will allow the Utilities Department to move debris from construction sites and to tow a trailer for transport of heavy equipment.

**BACKGROUND:**

Fleet Management received a request from the Utilities Department to purchase an International model 7400 SBA 6x4 6400 GVWR. The International model 7400 SBA Regular Cab & Chassis will be drop shipped to Jim Hardee Equipment Company Inc of Lakeland Florida for installation of dump bed. The complete unit will then be shipped to Lee County Fleet management in Ft Myers Florida. The base price of the truck is \$65,059 with a deduction from the base price of \$9,556 for the elimination of the dump bed for a net price of \$55,503.

Account String to be charged is OD 5363048700.506430.

Cc: Donat Lawes

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM

(PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) Utilities (Public Works)  
(number) \_\_\_\_\_

2. REQUESTED BY: (print) Alrich Moore PHONE #: 693-2992 x 210

3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ? [ ] YES [X] NO  
If yes: Asset #: \_\_\_\_\_ Yr: \_\_\_\_\_ Make: \_\_\_\_\_ Model: \_\_\_\_\_ Meter: \_\_\_\_\_

4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?

Select all appropriate boxes:

- [ ] Sedan      [ ] Mid-Size      [ ] ¼ Ton      [ ] 2 Door      [ ] Cargo      [ ] Gasoline
- [ ] Station Wagon    [ ] Full-Size      [ ] ½ Ton      [ ] 3 Door L-Side    [ ] 7 Passenger    [X] Diesel
- [ ] Sport Util Veh    [ ] Regular Cab    [ ] ¾ Ton      [ ] 3 Door R-Side    [ ] 12 Passenger    [ ] 4 Cylinder
- [ ] Pickup Truck    [ ] Extended Cab    [ ] 1 Ton      [ ] 4 Door      [ ] 15 Passenger    [ ] 6 Cylinder
- [ ] Cab & Chassis    [ ] Crew Cab      [ ] Class 6    [ ] Utility Body <sup>A</sup>    [ ] Sliding Door    [ ] 8 Cylinder
- [ ] Van              [ ] 2 Wheel Drive    [ ] Class 7    [ ] Flat Bed <sup>A</sup>      [ ] Swing Door      [ ] 10 Cylinder
- [ ] Other            [ ] 4 Wheel Drive <sup>B</sup>    [ ] Class 8    [X] Dump Truck <sup>A</sup>    [ ] Single RW      [X] Dual RW

Additional description for vehicles or equipment: Little Eye Tow 17 yard Dump

<sup>B</sup> Please provide detailed justification on separate sheet.

5. WHAT, IF ANY, SPECIAL OPTIONS OR ACCESSORIES ARE REQUIRED? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telescopic boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:

ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.

- [ ] AM/FM/Cassette      [ ] Bed-Liner      [ ] Limited Slip      [ ] Trailer Hitch Receiver
- [ ] Arrow Board <sup>A</sup>      [X] Strobe Light      [ ] Power Win/Locks      [ ] Tires - All Terrain
- [ ] Long Bed            [ ] Floor - Carpet      [ ] Seats - Cloth      [X] Tow Package
- [ ] Short Bed            [X] Floor - Rubber      [X] Seats - Vinyl      [X] Windows - Tinted

4 Corner Strobe Light Package

6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? To Haul Dirt, Asphalt, Concrete, Rock & Crushed Rock To AND From Job Sites

<sup>A</sup> Specify Dimensions or Model \_\_\_\_\_

**LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT  
EQUIPMENT AND VEHICLE REQUEST FORM**  
(PLEASE PRINT OR TYPE)

**7. FUNDING SOURCE:**

Vehicle Replacement Fund

Capital, Please Specify Account String \_\_\_\_\_

Other, Please Specify Account String 053630 48700.506430

If needed, please provide additional account strings: \_\_\_\_\_

**8. WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$** 79,000.00

<u>[Signature]</u> REQUESTED BY	<u>03/19/03</u> DATE	_____ 1 <sup>ST</sup> LEVEL APPROVAL	_____ DATE
------------------------------------	-------------------------	---	---------------

_____ 2 <sup>ND</sup> LEVEL APPROVAL	_____ DATE	_____ DIVISION DIRECTOR	_____ DATE
---	---------------	----------------------------	---------------

Option 1:  QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.

Option 2:  VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).

_____ DEPARTMENT DIRECTOR	<u>3/21/03</u> DATE
<u>[Signature]</u> * COUNTY MANAGER / DESIGNEE	<u>3.27.03</u> DATE

\* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.


**SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT**

RECOMMENDED  N.R.A.T.T.

Jon. C. Lawes 04/02/03  
FLEET ACQUISITION SPECIALIST DATE

APPROVED  DECLINED

Maureen Stawling 4/2/03  
FLEET MANAGER DATE



# Medium and Heavy Trucks

## 070-700-02-1

Effective: 1/7/02 through 5/31/03

---

### Certification

#### Special Conditions

Exhibit A - Specifications

Exhibit B - Price Sheet

Exhibit C - Truck Bodies

Exhibit D - Purchase Order Information

Exhibit E - Notice of Non-Contract Purchase

Exhibit F - Certification of Compliance

Exhibit G - Acknowledgement of Order

Exhibit H - Ordering Instructions

#### Revisions

Complete Contract

---

070-700-450 12 YARD DUMP TRUCK, TANDEM AXLE, CLASS 8, 64,000 LB. GVWR (6X4)  
(33-HD)

(REV 10 JULY 2002)

**NOTE: This Specification/Price List is not complete unless it is used in conjunction with General Specifications All Medium And Heavy Trucks, GSAT-1.**

#### INTENDED VEHICLE USE

USED FOR HAULING LOOSE MATERIALS SUCH AS DIRT, GRAVEL, ETC. AND  
TRANSPORTATION OF UP TO TWO INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.

*STD GVWR	64,000 LBS.
STD PAYLOAD CAPACITY	42,400 LBS. (APPROX)

\*GVWR - Gross Vehicle Weight Rating is the total weight of a fully equipped, fully loaded truck.

#### 10. ENGINE:

- A. Diesel engine, liquid cooled, with a minimum of 330 Gross HP and 1150 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 8.7L (530 CID). The following engines, or approved equivalent, are acceptable:

CUMMINS ISL: 8.9L (540 CID), 330 Gross HP, 1150 lbs.-ft. Gross Torque  
INT 530: 8.7L (530 CID), 330 Gross HP, 1150 lbs.-ft. Gross Torque

- B. Standard cooling system with antifreeze.  
C. Premium rubber (International Premium (EPDM), Gates Blue Stripe or approved equivalent) or silicone radiator hoses, by-pass hoses, heater hoses, and other coolant hoses.  
D. Dry type air cleaner with service (restriction) indicator.  
E. Engine protection system, at a minimum, must be activated by low engine oil pressure and high engine temperature. System shall, at a minimum, include a warning light(s) and a derate (rampdown) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.  
F. Horizontal exhaust or curved vertical stack to accommodate dump body cab guard.

#### 12. ELECTRICAL SYSTEM:

- A. Minimum 100 amp 12 v. alternator.  
B. Batteries to have a minimum total of 1100 CCA @ 0 degrees F.

#### 20. TRANSMISSION:

- A. Manual overdrive transmission with a minimum of ten forward speeds. Transmission must have PTO opening(s) and a minimum low gear reduction of 14.56:1.  
B. Transmission shall be filled with synthetic lubricant.  
C. Minimum 14 inch diameter two-plate ceramic-faced clutch.



30. AXLES & SUSPENSION:

- A. Steel front axle and suspension with shock absorbers, minimum 18,000 lb. GAWR.
- B. Front wheel oil-lubricated bearings and seals.
- C. Single speed tandem drive rear axle, minimum 46,000 lb. GAWR. Rear axle ratio is to be a 4.56, or the closest possible ratio available. Rear suspension must have minimum 54 inch steel walking beams. Hendrickson RT2-460/RT463 or approved equivalent.

NOTE TO CONTRACTOR: THIS TRUCK MUST BE CAPABLE OF PROVIDING A TOP SPEED OF APPROXIMATELY 65 MPH AT THE PUBLISHED GOVERNED RPM FOR THE ENGINE SPECIFIED.

- D. Front wheel hubs and rear axles shall be filled with synthetic lubricant.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash-mounted engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

- A. Factory installed AM-FM radio.
- B. Fresh air heater and defogger.
- C. Arm rests both sides, if available; sunvisors, both sides.
- D. Tinted glass all windows, including windshield.
- E. Air conditioning.

60. SAFETY ITEMS:

- A. Dual air horns with single base.
- B. Daytime running lights.
- C. Stainless steel or aluminum outside mirrors and brackets, left and right side. Mirrors to be large West Coast type, 6 inches x 16 inches, minimum, to include stainless steel lower convex spot mirrors on both sides.
- D. Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB(A). Factory or dealer installed.
- E. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.

- F. All access steps shall be self-cleaning slip-resistant grating.

62. BRAKES:

- A. ABS air brake system, minimum 13.2 cfm air compressor, and air reservoir(s) with automatic moisture ejector valve(s) (not heated).
- B. Moisture ejector valve(s) not to be mounted on bottom of air tank if at all possible. Side or remote location(s) preferred.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Automatic slack adjusters, front and rear.
- E. Brake dust shields.
- F. Outboard mounted brake drums, front and rear. (NOTE: Allows brake repair without removing axle hubs.)
- G. Low air pressure warning indicator in cab.
- H. Air dryer with heater. Allied-Signal/Bendix AD-9 or AD-IP, Wabco System Saver 1200 or approved equivalent.

70. TIRES & WHEELS:

- A. Tubeless radial tires with highway tread. Bid eight (8) 11R22.5H (16 PR) or larger rear tires and two (2) 385/65R22.5J (18PR) or larger front tires.
- B. All wheels to be one-piece steel disc, 10 hole, I.S.O. hub pilot mount, 22.5 inch diameter.
- C. Inside rear and outside rear wheels to be fully interchangeable.

80. CHASSIS, FRAME, CAB:

- A. Minimum 64,000 lb. GVWR, factory certified.
- B. Minimum 2,600,000 in-lb. RBM to rear end of frame, factory reinforced if necessary. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- C. Cab-to-axle (CA) dimension as recommended by the body Manufacturer shall be provided. CA must provide a cab/body (CB) clearance of 3" to 5".
- D. Factory installed, step-type steel fuel tank(s), minimum 100 U.S. gallon total capacity.
- E. Front tow hooks or tow pins or center mounted recessed tow hook.
- F. Standard front bumper.

82. CAB EQUIPMENT:

- A. Conventional cab, with tilt-type hood and fender assembly. Grille area shall include a stone guard, if available. Navistar Order Code 09580 or approved equivalent.
- B. Air suspension driver seat with matching fixed base companion seat. Seats to be a high back or medium back with headrest. The same Manufacturer must provide both seats. Bostrom, EzyRider, National Cush-N-Aire, Sears, or approved equivalent.
- C. Exterior grab handles both sides.
- D. Manufacturer's standard paint and colors.
- E. Rear cab window with fixed tinted glass.

84. BODY: Twelve cubic yard heavy-duty dump body, installed, w/hoist as per enclosed Specification DUMP-12.

NOTE: Vehicle shall meet all requirements of Title 49, Code of Federal Regulations, and 393.86 rear end protection.

90. CONDITIONS: Contractor shall provide a Manufacturer's print-out (Ford "DORA", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customer/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the Vehicle meets all the requirements of this Specification. Also, any dealer installed aftermarket components, if specified, must be noted on the Manufacturer's print-out. All enclosed Conditions and Requirements shall apply.

070-700-450  
(33-HD)

MAKE: INTERNATIONAL

	CONTRACTOR	DISCOUNT*	MODEL	PRICE
Western District	<u>INTERNATIONAL</u>	<u>480.00</u>	<u>7000 Series</u>	<u>64,801.00 (A)</u>
Northern District	<u>INTERNATIONAL</u>	<u>318.00</u>	<u>7000 Series</u>	<u>64,963.00 (B)</u>
Central District	<u>INTERNATIONAL</u>	<u>222.00</u>	<u>7000 Series</u>	<u>65,059.00 (C)</u>
Southern District	<u>INTERNATIONAL</u>	<u>450.00</u>	<u>7000 Series</u>	<u>64,831.00 (D)</u>

NOTE: ONLY THE ABOVE NAMED CONTRACTOR (S) IS/ARE AUTHORIZED TO SELL THIS COMMODITY UNDER THIS CONTRACT!

\*Discount for truck picked up by ordering agency at Contractor's place of business.

Approximate delivery time required after receipt of order: 60 TO 90 DAYS

OPTIONS: 070-700-451-Option, 12 Yard Dump Truck, Class 8, 62,000 Lb. GVWR (6x4)

OPTIONS:

- (1) 1001. Delay in warranty start date to allow for body installation. (Warranty to become effective when Vehicle is placed in service rather than at time of delivery).

PRICE: N/C

**CUSTOMER MUST ADVISE INTERNATIONAL WHEN UNIT IS PLACED IN SERVICE**

- (2) 1002. Extended engine warranty, covering 100% of parts and labor for all engine parts between crankshaft pulley and flywheel. Bid for a period of 60 months/150,000 miles/6500 hours. The remaining terms, other than the above, to be in accordance with the engine Manufacturer's published warranty which is closest to each warranty Bid. Submit two copies of the standard engine warranty and of each special warranty Bid. Also, submit two copies of all extended engine warranties that are normally available to commercial customers and commercial list prices for same.

PRICE: 455.00

(NOTE TO ELIGIBLE USER: CONSULT THE PROVIDER FOR EXACT COVERAGE OF THIS WARRANTY)

- (3) 2003. Electronic PTO overspeed control. Chelsea, Muncie or approved equivalent. Indicate

Manufacturer and model.

MANUFACTURER: CHELSEA

MODEL NO.: EOC

PRICE: 332.00

- (4) 3001. "No-Spin", automatic positive locking differential for the rearmost axle or both rear axles.

PRICE: 428.00

- (5) 3002. Driver control traction differential (DCDL) for the rearmost axle or both rear axles.

PRICE: 593.00

- (6) 5002. Delete air conditioning.

PRICE (CREDIT): (585.00)

- (7) 5003. Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.

PRICE: 35.00

- (8) 6003. Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the Vehicle.)

PRICE: 41.00

- (9) 6203. Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section 62. H. Unit must be installed by the Vehicle Manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.

PRICE: 611.00

- (10) 7001. Tubeless radial tires with on/off highway tread for rear only. Bid eight (8) 11R22.5H (16PR) or larger tires for on/off highway use. Bid in lieu of base rear tires. Rear tires to be Goodyear G124/G164 RTD, Michelin XM+S4/XDE M/S or approved equivalent.

PRICE: 480.00

- (11) 8001. Pintle hook, installed. To be swivel type and must have a capacity of 49,000 lbs. Gross trailer weight and 9800 lbs. Vertical load, minimum. Holland Model PH-760, Wallace Model B30 or approved equivalent. Indicate Manufacturer and model.

MANUFACTURER: WALLACE

MODEL NO.: B-30

PRICE: 394.00

- (12) 8008. Air brake package for straight truck with trailer. Full trailer air brake controls with air lines, glad hands and wiring routed to the rear end of the frame.

PRICE: 391.00

- (13) 8009 Additional fuel capacity. Factory installed, step-type, steel or aluminum fuel tank(s), minimum 100 U.S. gallons total capacity.

PRICE: 88.00

- (14) 8201. Special state colors. DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, Navistar 4421). SEE NOTE 3 OF SPECIFICATION GSAT-1.

PRICE: N/C

- (15) 8203. Special state color, two-tone. White (DuPont Centari K9031A, Freightliner/Sterling 0007, Navistar 9219) above dripstrip on cab and DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, Navistar 4421) on remainder of cab. SEE NOTE 3 OF SPECIFICATION GSAT-1.

PRICE: 160.00

- (16) 8204. Special colors. Other than Manufacturer's and the one listed in option 8201.

PRICE: 196.00

**MUST PROVIDE COLOR NUMBER, MAY REQUIRE PAINT CHIP**

- (17) 8206. Two-tone colors. Manufacturer's standard two-tone colors.

PRICE: 160.00

**MUST PROVIDE COLOR NUMBER**

- (18) 8207. Special colors, two-tone. Special two-tone colors other than the one listed in option 8203.

PRICE: 290.00

**MUST PROVIDE COLOR NUMBER**

- (19) 8208. Air suspension passenger seat. Seat to be a high back or medium back with headrest.

The same Manufacturer as the driver seat must provide passenger seat. Bostrom, EzyRider, National Cush-N-Aire, Sears, or approved equivalent. Bid in lieu of the base passenger seat specified in Section 82.B.

PRICE: 146.00

- (20) 8401. Vibrator installed on dump body. Phillips Temro, Inc., Model VIBRA 3000, (Phone 1-800-328-6108) or approved equivalent. To be installed on mounting base rather than dump body floor plate. Indicate Manufacturer and model.

MANUFACTURER: PHILLIPS TEMRO MODEL NO.: VIBRA 3000

PRICE: 727.00

- (21) 8402. Electric roll-up type dump truck cover, installed and ready for use. Tarp to be heavy-duty vinyl mesh, dark color only. Tarp system must include a direct drive gear motor assembly, underbody or side mount spring assembly, and control switch mounted inside the cab readily accessible to the driver. Metal parts to be painted as necessary to match body. Donovan Enterprises, Inc. (Phone 1-800-327-8287) Model 5000 EL-D; or Pioneer (Phone 1-800-237-0225) Model EDD-1500D; Roll-Rite Corp. (Phone 1-800-297-9905) Model RR503; or approved equivalent. Bid in lieu of cover specified in body Specifications. Indicate Manufacturer and model.

MANUFACTURER: ROLL-RITE MODEL NO.: RR-503

PRICE: 460.00

- (22) 8404. Twin telescopic hoist for 12 cubic yard dump body. Galion UT66392, Heil Model HP2T52-72 or approved equivalent. Hoist is to be an N.T.E.A. Class 110, minimum. Bid in lieu of hoist specified in DUMP-12. Indicate Manufacturer and model.

MANUFACTURER: HEIL MODEL NO.: HP 2T-52-72

PRICE: 1,152.00



INTERNATIONAL TRUCK AND ENGINE CORPORATION

2400 COMMERCE AVENUE - BLDG. 1100 - SUITE 100, DULUTH, GA 30096

T 678 584 2700

F 678 584 2781

TRUCK GROUP

April 17, 2003  
 Don Lawes  
 Lee County, FL

Dear Don,

Per your request, please find pricing from the State of FL contract 070-700-02-1  
 For one 7400 SBA 6x4 64,000 GVWR less dump body.

Spec 450 Commodity Code 070-700-450                      Central District Base                      \$ 65,059.00

<b>Options</b>		
3002	Driver Control Traction Differential	593.00
8008	Air Brake Package (Less Glad Hands)	391.00
<b>Non-Contract Options</b>		
1)	Delete 12 yard Dump Body included in base	-(9,556.00)
2)	Allison Automatic package-MD3066P close ratio 5speed with an International HT-530 hp diesel engine rated at 1050 ft. lb of torque and peak hp of 315	8,634.00
3)	Dual 70 gallon fuel tanks	231.00
4)	Rear tires 12R22.5 Goodyear G-124's	838.00
5)	Auxiliary dash mounted switch for strobe lights	31.00
<b>Total</b>		<b>\$ 66,221.00</b>

Please do not hesitate to call if you have any questions.

Sincerely

W. J. Parham  
 National Account Manager  
 678-376-0069  
 770-963-3083 - Fax



INTERNATIONAL®

January 31, 2003

Prepared For:  
Lee County, FL  
Sam Fowler  
405 Paradise Way  
Tallahassee, FL 32309  
(904)338-3239

Presented By:  
International Truck and Engine Corp.  
Parham Bill  
2400 COMMERCE AVE  
BLD. 1100 - SUITE 100  
DULUTH, GA 300964855  
(678)584-2777

Reference ID: N/A

Model Profile  
2003 7400 8BA 6x4 (8F025)

**APPLICATION:** Flat Dump  
**MISSION:** Requested GVWR: 64000. Calc. GVWR: 64000  
 Calc. Start / Grade Ability: 13.9% / 1.68% @ 55 MPH.  
 Calc. Geared Speed: 74.7 MPH.  
**FUEL ECONOMY:** 7.54 MPG @ 55 MPH  
**DIMENSION:** Wheelbase: 193, CA: 125.9, Axle to Frame: 53  
**ENGINE, DIESEL:** (International DT530E HEUI Electronic) 50 State, 300 HP @ 2000/2200 RPM, 1050 lb -R Torque @ 1200 RPM, 2200 RPM Governed Speed, 315 Peak HP (Max) Includes No.2 Bell Housing  
**TRANSMISSION, AUTOMATIC:** (Allison MD-3066P) Close Ratio, 5-Speed; With PTO Gear and Lase Retarder  
**CLUTCH:** Orbit Item (Clutch & Control)  
**AXLE, FRONT, I-BEAM TYPE:** (Meritor MFS-16-133A) Wide Track, 71.0" King Pin Center, 18,000-lb Capacity  
**AXLE, REAR, TANDEM:** (Meritor RT-48-160) Single Reduction, 48,000-lb Capacity, With Driver Controlled Main Locking Differential in Rear-Rear Axle and 200 Wheel Ends  
 Gear Ratio: 4.89  
**CAB:** Conventional, Steel  
**TIRE, FRONT:** (2) 365/65R22.5 UNISTEEL G286 (GOODYEAR) 490 rev/mile, load range J, 18 ply  
**TIRE, REAR:** (8) 12R22.5 UNISTEEL G124 (GOODYEAR) 482 rev/mile, load range H, 18 ply  
**SUSPENSION, REAR, TANDEM:** (Hendrickson RT-483) Walking Beam Type 54" Axle Spacing; 48,000-lb Capacity With Bronze Center Bushings  
**FRAME REINFORCEMENT:** Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 458.0" (11582mm) Maximum OAL

<u>Code</u>	<u>Description</u>
SF82500	Base Chassis, Model 7400 SBA 6X4 with 193 Wheelbase, 125.9 CA, and 63 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted.
1CAE	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 456.0" (11582mm) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.8mm x 98.9mm x 8.0mm); 456.0" (11582mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back  <u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)
2ARZ	AXLE, FRONT, I-BEAM TYPE (Meritor MF8-18-133A) Wide Track, 71.0" King Pin Center, 18,000-lb Capacity
3708	SHOCK ABSORBERS, FRONT
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackles Type: 18,000-lb Capacity; Less Shock Absorbers  <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications  <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (4) Rear Parking : BRAKE LINES Color Coded Nylon : DUST SHIELDS, REAR BRAKE : DUST SHIELDS, FRONT BRAKE : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : SPRING BRAKE MODULATOR VALVE : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;
4193	BRAKES, FRONT, AIR CAM 18.5" x 6", Includes 24 Sqin Long Stroke Chambers  <u>Includes</u> : DUST SHIELDS, FRONT BRAKE
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck
4722	DRAIN VALVE, AUTOMATIC (Bendix DV-2) With Heater, for Air Tank
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER (Bendix AD-9) With Heater
4NCE	BRAKES, REAR, AIR CAM 18.5" x 7.0", Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake  <u>Includes</u> : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions
4SBC	AIR COMPRESSOR (Bendix Tu-Flo 550) 13.2 CFM
5708	STEERING COLUMN Tilting
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PTR	STEERING GEAR (2) (Sheppard M-100M-80) Dual Power

January 31, 2003

INTERNATIONAL

Vehicle Specifications  
2003 7400 8BA 6x4 (8F625)

<u>Code</u>	<u>Description</u>
7ACZ	EXHAUST SYSTEM Single, Horizontal Muffler, Vertical Tail Pipe, Aluminized Steel; Includes Tail Pipe Guard; Frame Mounted Right Side BOC, Inside Rail
7MAL	TAIL PIPE Turnback Type, Non-Bright Finish, for Single Non-Bright Finish Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab
	: TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature)
	: HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels
	: HORN, ELECTRIC Single
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STOP, TURN, TAIL & BRAKE LIGHTS Dual, Rear, Combination with Reflector
	: STARTER SWITCH Electric Key Operated
	: RUNNING LIGHT (2) Daytime
	: TURN SIGNALS, FRONT Flush Mounted Include Reflectors and Auxiliary Side Turn Signals, Solid State Flashers;
	: DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostics
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature.
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8585	TOGGLE SWITCH, AUXILIARY and Wiring; For Driving Lights or Fog Lights Mounted by Customer
8HAB	BODY BUILDER WIRING Back of Cab at Frame, Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8MED	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1100CCA Total
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers
	<u>Includes</u>
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8TMG	TRAILER CONNECTION SOCKET 7-Way; Mounted at rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, With Maximum of 20 amp Load With Switches in Instrument Panel
8WCL	HORN, AIR (Grovor) Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines
8WTC	ALTERNATOR (Leeco-Neville BLHA2054UAH) 12 Volt, 110 Amp, Brush Type
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WWM	STARTING MOTOR (Leeco-Neville MS2) 12-Volt; less Thermal Over-Crank Protection
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9579	FENDER EXTENSIONS Injection Molded TPO
9HAD	GRILLE Chrome
9WAC	BUG SCREEN Front End; Mounted Behind Grille
9WAY	FRONT END Tinting, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u>
	: PAINT SCHEMATIC ID LETTERS "GN"

**INTERNATIONAL**

**Vehicle Specifications  
2003 7400 5BA 6x4 (5F826)**

January 31, 2003

<u>Code</u>	<u>Description</u>
10761	PAINT TYPE Base Coat/Clear Coat. 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12NNL	ENGINE, DIESEL (International DT530E HEUI Electronic) 60 State, 300 HP @ 2000/2200 RPM, 1050 lb-R Torque @ 1200 RPM, 2200 RPM Governed Speed, 315 Peak HP (Max) includes No.2 Bell Housing
12THL	FAN DRIVE (Horton Drivemaster) Automatic On/Off Type Control, With Normally Closed Temperature Control; Use With International I6 Engine <u>Includes</u> : FAN Nylon
12UVX	RADIATOR Cross Flow, Series System; Aluminum Radiator Core; With Transmission Cooler; 840 SqIn Area and 1025 SqIn Charge Air Cooler <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Polypropylene Tank : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element
12VWV	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control
12VXU	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel
13ABW	TRANSMISSION, AUTOMATIC (Allison MD-3065P) Close Ratio, 5-Speed, With PTO Gear and Less Retarder
13W6N	TRANSMISSION SHIFT CONTROL (Allison) T-Bar Type; for Allison MD & HD Transmission
13WLB	TRANSMISSION OIL (EmGard 50W) Synthetic; 22 thru 33.99 Pints
13V	ALLISON WT SPARE INPUT/OUTPUT for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
14GRP	AXLE, REAR, TANDEM (Meritor RT-46-160) Single Reduction, 48,000-lb Capacity, With Driver Controlled Main Locking Differential in Rear-Rear Axle and 200 Wheel Ends Gear Ratio: 4.89 <u>Includes</u> : REAR AXLE DRAIN PLUG (2) Magnetic : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light
14UHK	SUSPENSION, REAR, TANDEM (Hendrickson RT-463) Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity With Bronze Center Bushings
14WAL	SUSPENSION/REAR-AXLE (IDENTITY for Meritor(Rockwell) Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
14WLE	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oil; 85 thru 89.99 Pints
15DMR	FUEL TANK (2) Top Draw, D Style, Steel, 70 U.S. Gal., 285L, Total Capacity 140 U.S. Gal., 530L; 19" Tank Depth, Mounted Under Cab Left and Right Side <u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel <u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Piler Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Piler Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted

<u>Code</u>	<u>Description</u>
16HBA	GAUGE CLUSTER English With English Electronic Speedometer  <u>Includes</u> : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER GAUGES (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level
16HGH	GAUGE, OIL TEMP. ALLISON TRAN
16HHE	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) With Black Bezel Mounted in Instrument Panel
16JNT	SEAT, DRIVER (National) Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Air Lumbar Support  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PJH	SEAT, PASSENGER (Gra-Mag) Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back  <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDN	MIRRORS (2) (Lang Makra) Styled; Rectangular, 7.09" x 15.75", Brackets Breakaway Type, With 102" Wide Spacing, With Integral Convex Both Sides, With Bright Finish Head and Brackets
16SEE	GRAB HANDLE Chrome; Towel Bar Type Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16Y	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster  <u>Includes</u> : REFRIGERANT Hydrofluorocarbon HFC-134A : FRESH AIR FILTER : HEATER HOSES Premium
16WKY	FRESH AIR FILTER for HVAC
16WRX	CAB INTERIOR TRIM Deluxe  <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smoke Gray : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Timed Theater Dimming : SUN VISOR (2) Padded Vinyl Integral to Console with Tail Ticket Strap and with Integral Extenders : STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
16WSK	CAB REAR SUSPENSION Air Bag Type
27DNP	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs.  <u>Includes</u> : WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
29WLA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil
7352700102	(8) TIRE, REAR 12R22.5 UNISTEEL G124 (GOODYEAR) 482 rev/mile, load range H, 18 ply
7702650164	(2) TIRE, FRONT 385/65R22.5 UNISTEEL G286 (GOODYEAR) 460 rev/mile, load range J, 18 ply
	Cab Schematic 100GN Location 1: 9219, WINTER WHITE Chassis Schematic N/A
	<b>Services Section:</b>
10WZD	COMPETITIVE SURCHARGE CREDIT
12UXC	FEDERAL EMISSIONS for 2002; for International VT365, T444E, DT466 and DT530 Engines



Jim Hardee Equipment Company, Inc.  
 4220 Drane Field Road  
 Lakeland, FL 33811

Quote Number:  
 2253

Quote Date:  
 Apr 1, 2003

Page:  
 1

Quoted to:

Lee County B.O.C.C.  
 P.O. Drawer 2238  
 Fort Myers, FL 33902-2238

941-338-3233

Customer ID		Good Thru	Payment Terms	Sales Rep	
9328		8/1/03	Net Due	Janet Green	
Quantity	Item	Description		Unit Price	Extension
1.00		JIM HARDEE MODEL JHE215-47-16 FABRICATED 15' DUMP BODY PER LEE COUNTY SPECIFICATIONS CHASSIS TO HAVE AIR TOWING PACKAGE FROM FACTORY JIM HARDEE TO INSTALL GLADHANDS AND PINTLE PACKAGE  PREPARED FOR: DON LAWES		11,331.25	11,331.25
				Subtotal	11,331.25
				Sales Tax	
				Total	11,331.25



**Don Lawes - Formal Quote No. Q-010381**

---

**From:** Ray <ray@rwcofnaples.com>  
**To:** <LAWESDC@leegov.com>  
**Date:** 3/25/2003 2:58 PM  
**Subject:** Formal Quote No. Q-010381


---

Don,, Sorry But RWC is not able to build or bid this job as of now  
(Formal Quote No. Q-010381). Thanks for putting RWC on this bid list,,  
Smaller Bed's are RWC specialty.

Thanks  
Ray Rickard



FABRICATION & TRUCK EQUIPMENT  
1-800-330-1229  
FAX: ( 727 ) 572-4918



SUBJECT: NO QUOTE LEE COUNTY

ACTION FABRICATION WISHES TO NO QUOTE  
14 YARD TIPPER

ACTION DOES NOT OFFER DUMPS OF THIS SIZE AT THE PRESENT TIME

THANK YOU

JAY M. HUDGENS SALE MGR

" MANUFACTURER OF QUALITY TRUCK BODIES "