

**Lee County Board Of County Commissioners
Agenda Item Summary**

Blue Sheet No. 20040285

1. REQUESTED MOTION:

ACTION REQUESTED: Approve the award of Project # EX040318, the purchase of 1 John Deere 544J front end loader for the Solid Waste Division, from Nortrax Equipment Co., at the prices given in Florida State Contract #760-001-03-1. Contract cost is \$80,024.17 – plus non-contract options in the amount of \$11,843 – for a total cost of \$91,867.17. Approval is also requested to expend a not-to-exceed amount of \$12,000 to purchase available maintenance/warranty packages should Solid Waste determine this is in the County's best interest to do so.

WHY ACTION IS NECESSARY: Purchases over \$50,000 must be approved by the Board.

WHAT ACTION ACCOMPLISHES: The front end loader will be used for the loading and handling of waste products at Solid Waste's landfill and transfer station facilities.

**2. DEPARTMENTAL CATEGORY:
COMMISSION DISTRICT #**

C8C

3. MEETING DATE:

03-23-2004

4. AGENDA:

- CONSENT ADMINISTRATIVE APPEALS
- PUBLIC WALK ON
- TIME REQUIRED:

**5. REQUIREMENT/PURPOSE:
(Specify)**

- STATUTE
- ORDINANCE
- ADMIN. CODE AC-41
- OTHER

6. REQUESTOR OF INFORMATION:

- A. COMMISSIONER
- B. DEPARTMENT Public Works
- C. DIVISION Solid Waste

BY: Lindsey Sampson, P.E., Director

Lindsey J. Sampson 3/19/04

BACKGROUND: On March 8, 2004, the Division of Purchasing received a request from Solid Waste to purchase 1 John Deere 544J front end loader from Nortrax Equipment Co. at the prices given in Florida State Contract #760-001-03-1.

Funding is available: 20092440130.506430

Please see attachments:

- (1) Department Request for Purchase
- (2) Vendor Quotation
- (3) Florida State Contract #760-001-03-1

8. MANAGEMENT RECOMMENDATIONS:

9. RECOMMENDED APPROVAL:

A Department Director	B Purchasing or Contracts	C Human Resources	D Other	E County Attorney	F Budget Services				G County Manager
<i>J. J. Jumper 3-9-04</i>	<i>J. J. Jumper 3-9-04</i>		<i>3/9</i>	<i>S. J. Jumper 3/11/04</i>	OA <i>3-11-04</i>	OM <i>3/11/04</i>	Risk <i>3/11/04</i>	GC <i>3/11/04</i>	<i>J. J. Jumper 3-9-04</i>

10. COMMISSION ACTION:

- APPROVED
- DENIED
- DEFERRED
- OTHER

*3/11/04 2:40 PM
Admin. Sub. 11:50*

RECEIVED BY
COUNTY ADMIN
3/11/04
10:55 am SLT
COUNTY ADMIN
FORWARDED TO: *PL*
3-11-04
4 PM

ATTACHMENT #1

From: Lindsey Sampson
To: Sheehan, Janet
Date: 3/8/04 4:00PM
Subject: John Deere 544J Front End Loader for the Lee Hendry Landfill

Dear Janet,

The Solid Waste Division requests that you put together the necessary documents and blue sheet for purchasing the subject loader for our use at the Lee Hendry landfill. This loader will be used for clearing, grubbing areas of the property necessary for road construction, landfill construction and stormwater management system construction. Additionally, the loader will be used for normal operations including loading waste tires, moving and mixing mulch and dirt for cover requirements, moving materials for road maintenance and supporting operations of the lift stations and leachate treatment plant.

We have selected the subject loader from the vendor listed under a State contract for this equipment. Certain optional equipment has been requested such that the equipment will fulfill our needs. Additionally, we have requested the purchase of an extended power and hydraulic guarantee and an initial PM service contract.

This loader will be kept in Hendry County and as such will not receive maintenance services from the County's Fleet Management Division.

Delivery of the Front End Loader should be made to the waste to energy facility

Please let me know if you have any questions.

Lindsey

Lindsey J. Sampson
Lee County Solid Waste Division
sampsolj@leegov.com
Ph. 239-338-3302
Fax 239-461-5871

CC: Fournier, Jason; Franceschini, Robert; Lavender, James

NORTRAX ATTACHMENT #2

John Deere 544J Front End Loader, 134 Net HP
Commodity Code # 760-480-100
Florida State Term Contract Number 760-001-03-1, Expires May 31, 2004
Quotation for: Lee County Solid Waste

A. Base Unit Price per State Contract Specifications: \$ 73,629.13

Includes: All Standard Equipment

- | | |
|-----------------------------------------|---------------------------------------|
| * Two Spool Valve, Joystick Control | * Front Axle Differential Lock |
| * Goodyear 17.5 R 25 L2 Radial Tires | * Standard Battery with Master Switch |
| * Steps with Platform at Cab Door | * Enclosed Cab with Heater |
| * 2.5 Yard General Purpose Bucket | * Front & Rear Work Lights |
| * Front and Rear Fenders | * Standard 6 Month Factory Warranty |
| * One set of operator's & parts manuals | * Freight FOB Anywhere in Florida |

B. Popular Options Priced On Contract: (Net Prices)

- | | |
|----------------------------------------|---------------|
| * 4005 Delete Standard 2.5 Yard Bucket | (\$ 3,202.00) |
| * 6003 Air Conditioner | \$ 2,300.00 |

C. Additional Available Options Priced @ 47% off Current List Price:

- | | |
|-------------------------------------------------------------|---------------------|
| 1. Air Suspension Seat | \$ 213.06 |
| 2. 80 Amp Alternator (Replaces 55 Amp Alternator) | \$ 191.33 |
| 3. Return to Carry (automatic bucket repositioning feature) | \$ 240.09 |
| 4. Deluxe Monitor, Gauge Package, LCD Display | \$ 177.55 |
| 5. AM/FM Radio with Cassette | \$ 349.80 |
| 6. 10 Amp (12 Volt) Converter for 2-way radios, cell phones | \$ 252.81 |
| 7. Hydraulic Oil Cooler | \$ 655.08 |
| 8. Transmission Side and Auxiliary Bottom Guards | \$ 614.27 |
| 9. Auxiliary Rear Counterweight, 1,122 lbs | \$ 1,037.21 |
| 10. 12 Degree Axle Stop (Required for 20.5 Tires) | \$ 49.29 |
| 11. Delete 17.5 R 25 L2 Radial Goodyear Tires | -(\$ 1,583.64) |
| 12. Add 20.5x25 12PR L2 Tubeless Firestone Tires | \$ 1,719.85 |
| 13. 3.0 Yard General Purpose Bucket with Bolt-On Edge (JD) | \$ 3,326.81 |
| 14. Sun Visor for Cab | \$ 53.53 |
| Subtotal for Contract Options: (A B & C) | \$ 80,024.17 |

D. Additional Available Dealer Installed Non-Contract Options:

- | | |
|-------------------------------------------------------------------------------|-------------|
| 1. One NEW JRB Pin-on Loader Rake | \$ 5,990.00 |
| 2. ASI & 1000 Hour SMART Preventative Maintenance Contract | \$ 2,995.00 |
| • Includes the first 5 on-site PM services @ (100, 250, 500, 750, 1000 hours) | |
| 3. 60 Month / 5000 hour Power Train & Hydraulics Warranty | \$ 2,858.00 |

*** Other warranty plans available, please call for more information

Total Price including all options: \$ 91,867.17

Allow 60-90 days for delivery

Direct Purchase Orders To:
Eny Sanchez, Government Sales
Nortrax Equipment Co. SE LLC
4343 N.W. 76th Avenue, Miami, FL 33166
Phone (305) 592-5740 Fax: (305) 513-4353 Cell: (305) 586-2921

Construction/Industrial Equipment and Forklifts

760-001-03-1

Effective: 10/30/2002 through 5/31/2004

Certification

Exhibit B - Price Sheets

Ordering Instructions

Sample Purchase Order

Complete Contract

Construction/Industrial Equipment and Forklifts

760-001-03-1

Price Sheets

Exhibit B

- 070-780-010 Trailer, Tilt Bed, Pintle Hitch, 10 Ton Capacity
- 070-780-020 Trailer, Pintle Hitch, 10 Ton Capacity
- 070-780-030 Low Bed Trailer, Level Deck, Fifth Wheel, 35 Ton Capacity
- 070-780-040 Trailer, Level Deck, Paver Special, 35 Ton Capacity
- 070-780-050 Trailer, Drop Deck, Detachable Gooseneck, 35 Ton Capacity
- 560-650-250 Forklift Truck, IC Engine, Four Wheel, Cushion Tire, 3,000 lb. Capacity
- 560-650-300 Forklift Truck, IC Engine, Four Wheel, Pneumatic Tire, 3,000 lb. Capacity
- 560-650-350 Forklift Truck, Electric, Three Wheel, Cushion Tire, 3,500 lb. Capacity
- 560-650-500 Forklift Truck, IC Engine, Four Wheel, Cushion Tire, 5,000 lb. Capacity
- 560-650-550 Forklift Truck, IC Engine, Four Wheel, Pneumatic Tire, 5,000 lb. Capacity
- 560-650-600 Forklift Truck, Rough Terrain, 6,000 lb. Capacity
- 760-360-025 Maintainer, All Wheel Drive, 10 Foot Blade, 110 HP
- 760-360-050 Compact Motor Grader, Articulated, 75 HP
- 760-360-100 Motor Grader, 12 Foot Blade, Articulated, 135 HP
- 760-360-150 Motor Grader, 14 Foot Blade, Articulated, 140 HP
- 760-460-100 Skid Steer Loader, Diesel Powered, 2,300 lb. Lift Capacity
- 760-480-100 Wheel Loader, 2.30 Cu. Yd., 120 HP
- 760-480-200 Wheel Loader, 3.30 Cu. Yd., 170 HP
- 760-840-400 Hydraulic Excavator, Hoe Type, Crawler Mounted
- 760-840-590 Hydraulic Excavator, Truck Mounted, 52,000 lb. GVWR (6x6)
- 760-840-650 Hydraulic Excavator, Truck Mounted, 39,000 lb. GVWR (4x4)

760-900-300 Crawler Tractor, Low Ground Pressure, 70 HP

760-900-330 Crawler Tractor, 130 HP

760-960-100 Tractor-Loader, Industrial, 52 HP

760-960-110 Tractor-Loader-Backhoe, Industrial, 70 HP

**760-480-100 WHEEL LOADER, 2.30 CU. YD., 120 HP
(69)**

NOTE: This detailed Specification/Price Sheet is not complete unless it is used in conjunction with specification GSCI-1, GENERAL SPECIFICATIONS All Construction/Industrial Equipment.

INTENDED USE

USED FOR LOADING MATERIAL SUCH AS DIRT, SAND, GRAVEL AND AGGREGATES. AVAILABLE WITH AN OPTIONAL QUICK CHANGE BUCKET COUPLER SYSTEM AND THREE OPTIONS.

10. ENGINE:
- A. Diesel engine, six cylinder, four cycle, liquid cooled, minimum 120 SAE Net HP, per the latest issue of SAE J1349.
 - B. Displacement, minimum 5.4L (334 CID).
 - C. Permanent anti-freeze and corrosion protection.
 - D. Engine hourmeter.
 - E. Vertical exhaust with rain cap or curved exhaust pipe.
 - F. Dry type air cleaner with service (restriction) indicator.
 - G. Reversible or blower (ejector) fan.
20. TRANSMISSION: Power shift transmission with torque converter, with a minimum of four forward and three reverse speeds.
30. DRIVETRAIN:
- A. Torque proportioning differentials in both axles, limited slip, or automatic locking differential (No-Spin) in one axle only.
 - B. Four-wheel drive.
40. LOADER:
- A. General-purpose bucket, with a minimum heaped capacity of 2.30 cubic yards, per latest issue of SAE J742.
- CAPACITY (CU YD): HYUNDAI - 2.62, DEERE - 2.5, NH - 2.6,
KAWASAKI - 2.8
- B. Bolt on bucket teeth.
 - C. One or two lever loader control; with a bucket position indicator.
 - D. Automatic return-to-dig.
 - E. Rear drawbar.
 - F. Fenders front and rear. (Note: Rear fenders not required if deck configuration is such that it serves same purpose as fenders).
 - G. Vandal protection, with instrument panel protection and locks for engine side shields, battery box, toolbox and fluid caps.

- H. Gauges and indicators: Visual hydraulic oil level indicator, and gauges for fuel, engine coolant temperature, and engine oil pressure, charging system and transmission oil temperature. Or, preferably, an electronic monitor for all fluid levels and temperatures.
- I. Deluxe suspension seat with foam padding and a backrest.
- J. Articulated steering, minimum 40 degrees each direction.

TURN ANGLE: HYUNDAI/DEERE/NH/KAWASAKI - 40⁰

- K. Oscillating rear axle, minimum 22 degrees total.

OSCILLATION: HYUNDAI - 26⁰, DEERE - 28⁰, NH/KAWASAKI - 24⁰

- L. Wheelbase of 9 feet 4 inches, minimum.

WHEELBASE: HYUNDAI/DEERE/NH/KAWASAKI - 9'6"

41. **LOADER PERFORMANCE REQUIREMENTS** (Per latest issues of SAE J732, J818, and J1234):

- A. Minimum operating weight of 22,500 pounds. To be determined from Manufacturer's literature with Manufacturer's standard equipment, ROPS cab, minimum 2.30 cubic yard general purpose bucket, fenders, 17.5-25 12PR L2 tires and no optional counterweights or tire ballast.

NOTE: These conditions are only for determining the performance of the machine. The actual requirements for tires, counterweights/liquid tire ballast, etc. are given elsewhere in this specification.

WEIGHT (LBS): HYUNDAI - 24,740, DEERE - 24,475, NH - 23,900,
KAWASAKI - 23,440

- B. The machine as delivered shall have an operating weight great enough to allow it to be capable of safely handling any 2.30 cubic yard bucket specified herein, when it is fully loaded (heaped) with material having a density of 3400 lbs. per cubic yard.

DELIVERED WEIGHT (LBS): HYUNDAI - 24,740, DEERE - 24,475,
NH - 24,890, KAWASAKI - 23,440

- C. Minimum tipping load, SAE rating (full turn position) of 14,250 pounds.

TIPPING LOAD (LBS.): HYUNDAI - 16,420, DEERE - 14,534, NH - 16,402,
KAWASAKI - 16,310

- D. Minimum breakout force of 20,000 pounds.

BREAKOUT FORCE (LBS): HYUNDAI - 23,200, DEERE - 22,467,
NH - 20,437, KAWASAKI 22,530

- E. Minimum dump clearance of 8 feet 6 inches, fully raised at a 45 degree dump angle with 17.5-25 12PR L2 tires.

DUMP CLEARANCE: HYUNDAI - 9'2", DEERE - 8'9.9", NH/KAWASAKI - 9'

- F. Maximum overall height (to highest point, with bucket on the ground) of 11 feet 6 inches with 17.5-25 12PR L2 tires.

MAXIMUM HEIGHT: HYUNDAI/DEERE - 10'7", NH - 10'8",
KAWASAKI - 10'6"

- G. Maximum loader clearance circle of 39 feet (bucket in carry position).

LOADER CLEARANCE CIRCLE: HYUNDAI - 39', DEERE - 38'7", NH - 37'4", KAWASAKI - 37'8"

- H. Minimum travel speed forward, 20 MPH.

MPH: HYUNDAI - 25.6, DEERE - 25, NH - 24.2, KAWASAKI - 22.8

50. ELECTRICAL SYSTEM:

- A. Direct electric starting system, 12-volt minimum to include a transmission neutral safety start device.
- B. Minimum 12-volt electrical system, per the latest issue of SAE J821 with a manual master battery disconnect switch.
- C. Minimum 12-volt lighting system, including but not limited to driving lights, front and rear working lights (2 each), stop lights, warning lights/turn signals, and tail lights, per the latest issue of SAE J1029.

60. SAFETY ITEMS:

- A. Fully enclosed cab, sound insulated with integral ROPS (roll over protective structure) and FOPS (falling object protective structure), per latest issues of SAE J1040C and SAE J231, fully certified. To include heater, defroster, tinted safety glass and lockable doors.
- B. Service, emergency and parking brake systems must be according to the latest issue of SAE J1152. To include transmission disconnect on L.H. brake pedal only.
- C. Safe access to machine cab and servicing points to be in accordance with the latest issue of SAE J185. Safety signs, per latest issue of SAE J115.
- D. Steering frame lock, per latest issue of SAE J276.
- E. Lift arm support device, per latest issue of SAE J38.
- F. Self-adjusting volume backup alarm (may be provided and installed by the Contractor, if not available from the Manufacturer), per the latest issue of SAE J994.
- G. Warning horn, per the latest issue of SAE J1105.
- H. Provisions to prevent unauthorized starting or movement of machines, per latest issue of SAE J1083.
- I. Three (3) rear-view mirrors mounted on cab, one inside cab and two outside one on each side.

- J. One 10-lb. hand held fire extinguisher mounted inside cab.
- K. Windshield wipers front and rear. Front and rear window washers.
- L. Seat belt with metal-to-metal fasteners, per the latest issue of SAE J386.
- M. SMV (Slow Moving Equipment) emblem mounted on rear of the machine, per the latest issue of SAE J943.

70. TIRES: Four (4) radial tubeless loader tread tires, Michelin 17.5R25 XTLA One Star L2, Goodyear 17.5R25 GP-2B One Star L2, or approved equivalent.

MANUFACTURER:	SIZE AND DESIGNATION:
<u>HYUNDAI/NH/KAWASAKI -</u>	<u>MICHELIN - 17.5R25 XTLA ONE STAR L2,</u>
<u>MICHELIN, DEERE - GOOD YEAR</u>	<u>GOOD YEAR - 17.5R25 GP-2B ONE STAR L2</u>

80. PAINT: Manufacturer's standard paint and color, factory painted.

90. CONDITIONS:

- A. At a minimum, the Manufacturer's standard warranty for state and municipalities shall be provided. A copy of the warranty shall be provided with the bid.
- B. The Contractor shall provide any and all non-specified features or components necessary in order to provide a complete unit.
- C. See GENERAL SPECIFICATIONS All Construction/Industrial Equipment (GSCI-1).

760-480-100
(69)

MAKE HYUNDAI

CONTRACTOR	MODEL	*DISCOUNT F.O.B. CONTRACTOR	PRICE
<u>M. D. MOODY & SONS</u>	<u>HL740-3</u>	<u>\$200.00</u>	<u>\$69,610.00 (17)</u>

1. Percentage discount off Manufacturer's current published retail prices for non-specified Options for a State of Florida Base Unit and any Optional models bid. (The percentage discount is applied to the Manufacturer's current published retail prices.)

43.5% Discount

**Date of current published retail price book: 05/01/01

*Discount for pickup by ordering agency at Contractor's place of business.

**NOTE: ALL DATES MUST BE FOR THE CURRENT PUBLISHED RETAIL PRICE BOOK.

Approximate delivery time required after receipt of order: 90 DAYS

OPTION CODING: 760-480-101-Option Number, Wheel Loader, 2.30 Cu. Yd., 120 HP, Spec. 69

OPTIONS:

- (1) 1001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$790.00

- (2) 4001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate hydraulic oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$790.00

- (3) 4002. Automatic lubrication system. System shall consist of an electronically operated pump delivering fluid grease of NLGI grades 000 and 00 to adjustable piston distributors that can meter the amount of grease to each lubrication point. Vogel Automatic Lubrication System of approved equivalent. Vogel Lubrication, Inc. (757) 380-8585, email: vogel@vogel-lube.com.

PRICE: \$4,821.00

- (4) 4005. Delete standard bucket for credit.

PRICE (Credit): (\$1,383.00)

- (5) 4007. Quick-change loader coupler system installed. Male portion only. See below for Options. To include hydraulic pin actuation from operation station. American Coupler Systems, Inc. Series 1000, Size 30 (Phone 800-321-2348). Note: Do not substitute any other coupler system for this Option.

NOTE: SPECIFIC COMPONENTS ARE REQUIRED DUE TO INTERCHANGEABILITY OR STANDARDIZATION.

(NOTE TO USER: MUST ORDER THIS OPTION FOR AMERICAN COUPLER SYSTEM; REQUIRES OPTION 4005).

PRICE: \$2,839.00

- (6) 4009. Extendable boom for Option 4007. State model no. and size Bid.

MODEL NO.: 1000/30

SIZE: 30

PRICE: \$2,421.00

- (7) 4011. Wide forks for Option 4007. Bid standard length and extra length tines, if available. State model no.'s and sizes Bid.

(Std Length) MODEL NO.: 1000/30 SIZE: 60"

PRICE: \$4,206.00

(Extra Length) MODEL NO.: 1000/30 SIZE: 72"

PRICE: \$4,312.00

- (8) 4012. General-purpose bucket, 2.30 cubic yard minimum, for Option 4007. NOTE: Must meet the same performance requirements as specified in 41.B. State model no. and size Bid.

MODEL NO.: 1000/2.5 SIZE: 2.5 CU YD

PRICE: \$4,612.00

- (9) 6003. Air conditioner for ROPS cab.

PRICE: STD

- (10) 8001. Special state color, DOT Yellow, Federal Yellow No. 13538, DuPont #L9069A, ACME No. 2712, Deere No. PT102, or approved equivalent, (may be Contractor painted if factory painting is not available). NOTE: The entire unit, including Options, shall be painted the same color.

PRICE: \$3,000.00

760-480-100
(69)

MAKE JOHN DEERE

CONTRACTOR	MODEL	*DISCOUNT F.O.B. CONTRACTOR	PRICE
<u>NORTRAX EQUIPMENT</u>	<u>544H</u> <i>→ 544J is 1st best Model - 2DF</i>	<u>\$260.00</u>	<u>\$73,629.13 (17)</u>

- 1. Percentage discount off Manufacturer's current published retail prices for non-specified Options for a State of Florida Base Unit and any Optional models bid. (The percentage discount is applied to the Manufacturer's current published retail prices.)

47% Discount

**Date of current published retail price book: 04/01/00

*Discount for pickup by ordering agency at Contractor's place of business.

**NOTE: ALL DATES MUST BE FOR THE CURRENT PUBLISHED RETAIL PRICE BOOK.

Approximate delivery time required after receipt of order: 45-60 DAYS

OPTION CODING: 760-480-101-Option Number, Wheel Loader, 2.30 Cu. Yd., 120 HP,
Spec. 69

OPTIONS:

- (1) 1001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$784.00

- (2) 4001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate hydraulic oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$915.85

- (3) 4002. Automatic lubrication system. System shall consist of an electronically operated pump delivering fluid grease of NLGI grades 000 and 00 to adjustable piston distributors that can meter the amount of grease to each lubrication point. Vogel Automatic Lubrication System of approved equivalent. Vogel Lubrication, Inc. (757) 380-8585, email: vogel@vogel-lube.com.

PRICE: \$6,333.00

- (4) 4005. Delete standard bucket for credit.

PRICE (Credit): (\$3,202.00)

- (5) 4007. Quick-change loader coupler system installed. Male portion only. See below for Options. To include hydraulic pin actuation from operation station. American Coupler Systems, Inc. Series 1000, Size 30 (Phone 800-321-2348). Note: Do not substitute any other coupler system for this option.

NOTE: SPECIFIC COMPONENTS ARE REQUIRED DUE TO INTERCHANGEABILITY OR STANDARDIZATION.

(NOTE TO USER: MUST ORDER THIS OPTION FOR AMERICAN COUPLER SYSTEM; REQUIRES OPTION 4005).

PRICE: \$3,372.00

- (6) 4009. Extendable boom for Option 4007. State model no. and size Bid.

MODEL NO.: 1000/30

SIZE: 30

PRICE: \$2,630.00

- (7) 4011. Wide forks for Option 4007. Bid standard length and extra length tines, if available. State model no.'s and sizes Bid.

(Std Length) MODEL NO.: 1000/30 SIZE: 60"

PRICE: \$4,580.00

(Extra Length) MODEL NO.: 1000/30 SIZE: 72"

PRICE: \$4,698.00

- (8) 4012. General-purpose bucket, 2.30 cubic yard minimum, for Option 4007. NOTE: Must meet the same performance requirements as specified in 41.B. State model no. and size Bid.

MODEL NO.: 1000/2.5 SIZE: 2.5 CU YD

PRICE: \$5,100.00

- (9) 6003. Air conditioner for ROPS cab.

PRICE: \$2,300.00

- (10) 8001. Special state color, DOT Yellow, Federal Yellow No. 13538, DuPont #L9069A, ACME No. 2712, Deere No. PT102, or approved equivalent, (may be Contractor painted if factory painting is not available). NOTE: The entire unit, including Options, shall be painted the same color.

PRICE: \$2,800.00

760-480-100
(69)

MAKE NEW HOLLAND

CONTRACTOR	MODEL	*DISCOUNT F.O.B. CONTRACTOR	PRICE
<u>JOE MONEY MACHINERY</u>	<u>LW130</u>	<u>\$650.00</u>	<u>\$75,879.00 (17)</u>

- 1. Percentage discount off Manufacturer's current published retail prices for non-specified Options for a State of Florida Base Unit and any Optional models bid. (The percentage discount is applied to the Manufacturer's current published retail prices.)

28% Discount

**Date of current published retail price book: 04/01/02

*Discount for pickup by ordering agency at Contractor's place of business.

****NOTE: ALL DATES MUST BE FOR THE CURRENT PUBLISHED RETAIL PRICE BOOK.**

Approximate delivery time required after receipt of order: 30-90 DAYS

OPTION CODING: 760-480-101-Option Number, Wheel Loader, 2.30 Cu. Yd., 120 HP,
Spec. 69

OPTIONS:

- (1) 1001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$495.00

- (2) 4001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate hydraulic oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$870.00

- (3) 4002. Automatic lubrication system. System shall consist of an electronically operated pump delivering fluid grease of NLGI grades 000 and 00 to adjustable piston distributors that can meter the amount of grease to each lubrication point. Vogel Automatic Lubrication System of approved equivalent. Vogel Lubrication, Inc. (757) 380-8585, email: vogel@vogel-lube.com.

PRICE: \$3,680.00

- (4) 4005. Delete standard bucket for credit.

PRICE (Credit): (\$2,150.00)

- (5) 4007. Quick-change loader coupler system installed. Male portion only. See below for Options. To include hydraulic pin actuation from operation station. American Coupler Systems, Inc. Series 1000, Size 30 (Phone 800-321-2348). Note: Do not substitute any other coupler system for this option.

NOTE: SPECIFIC COMPONENTS ARE REQUIRED DUE TO INTERCHANGEABILITY OR STANDARDIZATION.

(NOTE TO USER: MUST ORDER THIS OPTION FOR AMERICAN COUPLER SYSTEM; REQUIRES OPTION 4005).

PRICE: \$2,987.00

- (6) 4009. Extendable boom for Option 4007. State model no. and size Bid.

MODEL NO.: 1000/30 SIZE: 30

PRICE: \$2,624.00

- (7) 4011. Wide forks for Option 4007. Bid standard length and extra length tines, if available. State model no.'s and sizes Bid.

(Std Length) MODEL NO.: 1000/30 SIZE: 60"

PRICE: \$4,385.00

(Extra Length) MODEL NO.: 1000/30 SIZE: 72"

PRICE: \$4,515.00

- (8) 4012. General-purpose bucket, 2.30 cubic yard minimum, for Option 4007. NOTE: Must meet the same performance requirements as specified in 41.B. State model no. and size Bid.

MODEL NO.: 1000/2.5 SIZE: 2.5 CU YD

PRICE: \$4,966.00

- (9) 6003. Air conditioner for ROPS cab.

PRICE: STD

- (10) 8001. Special state color, DOT Yellow, Federal Yellow No. 13538, DuPont #L9069A, ACME No. 2712, Deere No. PT102, or approved equivalent, (may be Contractor painted if factory painting is not available). NOTE: The entire unit, including Options, shall be painted the same color.

PRICE: \$1,500.00

760-480-100
(69)

MAKE KAWASAKI

CONTRACTOR	MODEL	*DISCOUNT F.O.B. CONTRACTOR	PRICE
<u>G S EQUIPMENT</u>	<u>KSS-65ZV</u>	<u>\$150.00</u>	<u>\$78,997.00 (17)</u>

1. Percentage discount off Manufacturer's current published retail prices for non-specified Options for a State of Florida Base Unit and any Optional models bid. (The percentage discount is applied to the Manufacturer's current published retail prices.)

17% Discount

**Date of current published retail price book: 05/01/02

*Discount for pickup by ordering agency at Contractor's place of business.

**NOTE: ALL DATES MUST BE FOR THE CURRENT PUBLISHED RETAIL PRICE BOOK.

Approximate delivery time required after receipt of order: 60 DAYS

OPTION CODING: 760-480-101-Option Number, Wheel Loader, 2.30 Cu. Yd., 120 HP,
Spec. 69

OPTIONS:

- (1) 1001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate engine oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$645.00

- (2) 4001. High efficiency bypass oil purification system. This system is designed to reduce or eliminate hydraulic oil changes and extend its useful life. The Puradyn Oil Filtration System or approved equivalent. Puradyn Filter Technologies, Inc. 1-800-488-0577.

PRICE: \$645.00

- (3) 4002. Automatic lubrication system. System shall consist of an electronically operated pump delivering fluid grease of NLGI grades 000 and 00 to adjustable piston distributors that can meter the amount of grease to each lubrication point. Vogel Automatic Lubrication System of approved equivalent. Vogel Lubrication, Inc. (757) 380-8585, email: vogel@vogel-lube.com.

PRICE: \$3,349.00

- (4) 4005. Delete standard bucket for credit.

PRICE (Credit): (\$4,204.00)

- (5) 4007. Quick-change loader coupler system installed. Male portion only. See below for Options. To include hydraulic pin actuation from operation station. American Coupler Systems, Inc. Series 1000, Size 30 (Phone 800-321-2348). Note: Do not substitute any other coupler system for this Option.

NOTE: SPECIFIC COMPONENTS ARE REQUIRED DUE TO INTERCHANGEABILITY OR STANDARDIZATION.

(NOTE TO USER: MUST ORDER THIS OPTION FOR AMERICAN COUPLER SYSTEM; REQUIRES OPTION 4005).

PRICE: \$3,515.00

- (6) 4009. Extendable boom for Option 4007. State model no. and size Bid.

MODEL NO.: 1000/30 SIZE: 30

PRICE: \$2,795.00

- (7) 4011. Wide forks for Option 4007. Bid standard length and extra length tines, if available. State model no.'s and sizes Bid.

(Std Length) MODEL NO.: 1000/30 SIZE: 60"

PRICE: \$4,880.00

(Extra Length) MODEL NO.: 1000/30 SIZE: 72"

PRICE: \$5,100.00

- (8) 4012. General-purpose bucket, 2.30 cubic yard minimum, for Option 4007. NOTE: Must meet the same performance requirements as specified in 41.B. State model no. and size Bid.

MODEL NO.: 1000/2.5 SIZE: 2.5 CU YD

PRICE: \$5,959.00

- (9) 6003. Air conditioner for ROPS cab.

PRICE: \$3,860.00

- (10) 8001. Special state color, DOT Yellow, Federal Yellow No. 13538, DuPont #L9069A, ACME No. 2712, Deere No. PT102, or approved equivalent, (may be Contractor painted if factory painting is not available). NOTE: The entire unit, including Options, shall be painted the same color.

PRICE: \$1,975.00

**MEMORANDUM
FROM
THE DIVISION OF PURCHASING**

DATE: MARCH 9, 2004

TO: LINDSEY SAMPSON ✓
SOLID WASTE DIRECTOR

Janet Sheehan
FROM: JANET SHEEHAN, CPPB
PURCHASING DIRECTOR

RE: BLUE SHEET # 20040285

PROJECT: Front End Loader

TYPE: State Contract Purchase

AWARDED TO: Nortrax Equipment Co.

When you have finished your review of this package, please forward it to Kristie Kroslack in the County Attorney's Office.

If there are any questions or concerns with this package, please contact Bob Franceschini at 344-5450.