ACTION RE	QUESTED: A	- Approve awar adel TL3 load	d of Proje	ect # PB040	605, the prom	urchase of one new Internate International Trucks at	ational Model 4300 cab
	pen market pric			na waste n	om Sunsa	te international Trucks at	ine Piorida Sheriris
WHY ACTIO	ON IS NECES	SARY: Expe	enditures	exceeding §	550,000 red	quire Board approval.	
WHAT ACT	ION ACCOM This truck wi	PLISHES: Fill haul mater	rovides S ials to an	Solid Waste d from vario	with a secous differen	ond clam bucket truck to ont job sites, the incinerator	elean up the right-of-ways, and different landfills.
	MENTAL CAT					3. MEETING DATE:	
COMMIS	SION DISTRI	CT#	(	1.8A		08-	31-2004
4. AGENDA	:			MENT/PUR	POSE:	6. REQUESTOR OF I	
		(Speci	fy)				
	SENT		STAT	UTE _		A. COMMISSIONER	
	INISTRATIV		_	NANCE _		B. DEPARTMENT	Solid Waste
APPI	EALS	X	ADMI CODE	-	AC-4-1	C. DIVISION	
PUBI	LIC		OTHE	R -		BY: Lindsey	Sampson, P.E., Director
	K ON					// /	11/ 8/11/01
	E REQUIRED					Jingsey	ste and Fleet Management
Please see att  (1) Departi  (2) Florida		urchase on Bid Pricing/Q	Quote from			0.506430 - \$40,413.44	
		· · · · · · · · · · · · · · · · · · ·	9. <u>REC</u>	OMMENI	DED APPI	ROVAL:	
A	В	C	D	E		F	
Department Director	Purchasing or Contracts	Human Resources	Other	County Attorney		Budget Services	G County Manager
ina by off .	Must Steeler				OA	NI WILEM	or Stude
10. COMMIS	SSION ACTIO	N:			1		+
		_ APPROV _ DENIED _ DEFERR OTHER		Da Ti	ite: 9/8/0 me: ///D murwarded To	RECE COUN COUN FORW	IVED BY TY ADMIN: OM  I'S CONTROL  I'S CONTR
				<u> </u>			7 '430

Lee County Board Of County Commissioners Agenda Item Summary

1. REQUESTED MOTION:

Blue Sheet No. 20040984



# DIVISION OF FLEET MANAGEMENT

To:

Janet Sheehan, Purchasing Director

From:

Marilyn L. Rawlings, Fleet Manager

Date:

7/23/2004

Re:

IHC Model-4300, with Peterson Loader

Please prepare a Blue Sheet for the purchase of one IHC, Model-4300 cab & chassis with a Peterson model-TL3 loader, for the Department of Solid Waste.

#### **ACTION REQUESTED:**

Approve the Sheriff's Association Contract (contract #03-11-0825) purchase of one (1) International Model-4300 Cab & Chassis with a Petersen Loader for the Department of Solid Waste from Sun State International Trucks, in the amount of \$87,413.44.

#### WHY ACTION IS NECESSARY:

Board approval is required, as this expenditure will exceed \$50,000.

### WHAT ACTION ACCOMPLISHES:

This purchase will provide the Department of Solid Waste with a second clam bucket truck to clean up the right a ways in Lee County. This truck will haul materials to and from various different job sites, incinerator, and different landfills.

Funds for this purchase are available from account string #

OB5340140106.506430 - \$47,000.00 OB5340840100.506430 - \$40413.44

H:\Acquistion Specialist\Blue Sheets\Clam Bucket Truck for Solid Waste-2004.doc

Or 705 5H 5: 56

## MATERIAL REQUEST FORM

Non-Surcharge

FL SHERIFF ASSOC #

BC	)Aľ	RD,	D/	١T	E:		917
4.	44),			×-4.	148	die.	748
RI	<b>a</b> !	Sh	Þ٩	#	. 2		1.5

R.P.O.#

Sun State International Trucks

VENDOR # 306045

6020 Adamo Drive

Tampa, FL 33619

ORDER CONFIRMED BY: Grady Hilton

PHONE # 813-621-1331 cell-813-760-9472

DELIVERY: 5-months

FAX# 813-628-0527

REPLACES: ASSET # NEW

DEPT # SW ROW - Solid Waste Right Away Crew

REGISTRATION, TITLE AND TAGS BEING PAID FOR BY: Lee County

ACCOUNT STRING:

OB5340140106.506430

47,000.00

ACCOUNT STRING:

OB5340840100.50630

40,413.44

04-198	QTY:	1.50	UNIT PRICE
Vaste for one (1) new Clam Bucket Truck.			- Contrague
	1	\$	46,995.94
Contracted Items:			· ·
CA (cab to axle).	1	\$	850.00
	1	\$	114.00
uals ONLY. Computer disc.	2	\$	200.00
	1	\$	347.00
	1	\$	5.00
Non-Contracted Items:			
to 14,000lbs. (GVWR-37,000lbs.)	1	\$	600.00
14-ply to 12R22.5 16ply.	1	\$	400.00
ł" to 16.5" X 5",	1	\$	144.00
	1	\$	10.50
	1	\$	50.00
	1	\$	37,497.00
	-		_
			-
k will be licensed for the road. ****			
TOTAL AMOUNT OF PURCHASE ORDER		\$	87,413.44
	Naste for one (1) new Clam Bucket Truck.  1. 2005 GVWR package. 230-HP engine, (MD-3560WR) 6-speed  Contracted Items: CA (cab to axle).  Lals ONLY. Computer disc.	Naste for one (1) new Clam Bucket Truck.	Naste for one (1) new Clam Bucket Truck.   2005

**APPROVED** 

BY: Danny Brashear **Operations Manager** 

DATE: 07/23/04

# LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM

1. Department/Division: (name) Public Works SW ROW
(divison) Solid Waste Division
2. Requested By: (print) Bill Newman Phone #: 338-3302
3. Driver/Operator of this new piece of equipment: Ron Bezek
4. Days and hours this piece of equipment will be used: 1 - 6 AM - 5 PM
5. Location the equipment will be parked: Resource Recovery Facility, Buckingham Rd.
6. Will this be a take home vehicle? [ ] Yes [No
7. Is this a replacement equipment or vehicle? [ ] Yes No
If yes: Asset #: Yr: Make: Model: Meter:
8. What type of equipment or vehicle are you requesting?
Select all appropriate boxes:
[ ] Sedan [ ] Pickup truck [ ] 1/4 Ton [ ] Van [ ] Excavator [ ] Gasoline [ ] Station Wagon [ ] Regular Cab [ ] 1/2 Ton [ ] Cargo [ ] 7 Passenger Diesel [ ] Sport Util Veh [ ] Extended Cab [ ] 1/4 Ton [ ] Sliding Door [ ] 12 Passenger [ ] 4 Cylinder [ ] Mid-Size [ ] Crew Cab [ ] 1 Ton [ ] Swing Door [ ] 15 Passenger [ ] 6 Cylinder [ ] Full-Size [ ] Cab & Chassis [ ] Class 6 [ ] Utility Body A [ ] Tractor/Mower [ ] 8 Cylinder [ ] 2 Door [ ] 2 Wheel Drive [ ] Class 7 [ ] Flat Bed A [ ] Dual RW [ ] 10 Cylinder [ ] 4 Door [ ] 4 Wheel Drive B [ ] Class 8 [ ] Dump Truck A [ ] Single RW [ ] Other
Additional description for vehicles or equipment:
**NOTE** If you need any additional equipment added to this order, please list all the different items. We will order everything we can as one package. This will minimize the turn around time when the new equipment comes in.
9. What, if any, special options or accessories are required? Please check all appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telestick boom, emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable:
All County vehicles are ordered with the following standard options: Air Conditioning, AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.  **See Next Page for the options**
For Fleet Use Only.
Replacement Points: Maintenance- na Meter- na Age- na Total-
Initials 1456 1404 Fleet Spec # 04-198 Page 1 of 3
Page 1 of 3 Revised 5/2004

## LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM

(PLEASE PRINT OR TYPE) [ ] CD Player [ ] Power Win/Locks Spray in bed liner 1 14-Corner Strobes [ ] Tires – All Terrain [ ] Long Bed [ ] Floor – Carpet Seats - Cloth [ ] Tow Package ] Short Bed [ ] Floor – Rubber Seats – Vinyl [ ] Trailer Hitch Receiver [ ] Cruise Control [ ] Tool boxes A [ ] Tinted Windows [ ] Limited Slip [ ] Tilt Steering Wheel [ ] Lockable Tailgate [ ] Camper Top A [ ] Back Up Alarm [ ] Cone Holder [ ] Security Alarm ] Auxiliary 12-Volt Plug<sup>A</sup> Pipe Racks<sup>A</sup> Work Lights [ ] Water Cooler Holder I 1 Steps A [ ] Mounted Winch A Bulk Fuel Tank W/Pump (Diesel or Unleaded) A Other. Please list: Farm Tractor: [ ] Three spool Hyd Valve [ ] Mounted Tool Box A [ ] Mounted Strobe Light<sup>A</sup> [ ] Tinted Windows [ ] Front Weights [ ] Rear Weights [ ] Flashing Work Lights Water Cooler Holder [ ] Auxiliary 12-volt Plug<sup>A</sup> [ ] 4-Corner Strobe Lights [ ] Cassette Radio AM/FM Radio [ ] AM/FM/CD Radio Other, Please list: Trucks: Mounted Tool Box [ ]Mounted Strobe Light [ ]Tinted Windows Work Lights ]4-Corner Strobe Lights [ ]Water Cooler Holder [ ]Fenders Over Rear Tires [ ]Flashing Work Lights ]Hyd Wet Line System AM/FM Radio [ ]AM/FM/CD Radio lCassette Radio [ ]Air Horns A [ ]Auxiliary 12-Volt Plug A Back Up Alarm Other. Please 750/ 10. What will be the primary use of the new equipment or vehicle? A Specify Dimensions, Makes, Models, or Locations

of 3

Page 2 of 3 Revised 5/2004

## LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

11. Funding source:
[ ] Vehicle Replacement Fund
[ ] Capital, Please Specify Account String
[MOther, Please Specify Account String 0B534040/06.50 \$ \$47,000.00
[MOther, Please Specify Account String OB534040/06.506450]  If needed, please provide additional account strings: OB5340840/00.0000000000000000000000000000000
****Please Note**** Allow enough money to cover the cost of Parts, repair and service manuals or CDs.
12. We are authorizing a purchase not to exceed: \$ 88,000,00
***Please provide Account String for Maintenance, Fuel, Repairs, etc. if different than the vehicle or equipment being
replaced: ROW - 0B534040106 SW-ROW
Fixed asset custodian name:Custodian number: 232398
Area number: Site/Building code: 5B 1648 - 9994
REQUESTED BY DATE SUPERVISOR DATE
Option 1: [ QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
Option 2: [ ] VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds).
DEPARTMENT DIRECTOR DATE COUNTY MANAGER/DESIGNEE DATE
SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT
OPERATION'S MANAGER DATE FLEET MANAGER DATE
For Fleet Use Only.
Price verification against State Contract and Sheriff's Contract.
ndors Price \$ 87647.00 State Contract \$ V/A Sheriff's Contract \$ 87413 44

# EQUIPMENT/VEHICLE REQUEST FORM CHECKLIST

1.	Check for correct name of Department/Division and for correct Department/Division number.
2.	Check and list the Replacement Points in FASTER. NO
3.	Double check for specifications, Options and Accessories. See a Hachments
	Check Funding Source, double check the account strings for accuracy.  Verify with department if necessary.
5.	It is crucial to make sure the <b>not to exceed \$</b> is complete. If the purchase is going to exceed the dollar amount, ask the requestor to send us an e-mail, acknowledging and approving a new not to exceed purchase amount.
6.	Option 1 Quote and Requisition or Option 2 Vehicle Replacement Fund Purchases must be checked.
7.	<ul> <li>✓ Signatures Are Required.</li> <li>a. Jim Lavender must sign for all Public Works requests.</li> <li>b. John Yarbrough must sign for all Parks requests.</li> <li>c. County Manager level authorization must be on all new (non-replacement) equipment requests.</li> </ul>
В.	Staple this checklist to the back of the Equipment and Vehicle Request form.
9.	Give Request package to Danny.
	Checklist Completed By





## FLORIDA ASSOCIATION © COUNTIES



## FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## 2004 INTERNATIONAL 4200 SBA Specification #27 (30,000 lb. GVWR Cab & Chassis, 4 x 2)

The International 4200 SBA cab and chassis purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE: BASE PRICE:

Western \$36,538.75

Northern \$36.538.75 Central \$36,238.75 Southern \$36,538.75

While the Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

**NOTE:** An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

#### LEGEND FOR DELETE/ADD OPTIONS

Every line will require a **DOLLAR VALUE** or one of the following abbreviations: **Std.** = manufacturer's standard equip.

Incl. = included with base spees.

NC = no additional charge

VEHICLI DEALER ZONE:	<b>:</b>	International 4200 SBA Sun State Western	International 4200 SBA Sun State Northern	International 4200 SBA Sun State Central	420 Sur	ernational 0 SBA 1 State 1thern
BASE PI	RICE:	\$36,538.75	\$36,538.75	\$36,238.75	\$36	,538.75
Order Code	Delete Option	ns			ΑI	Zones
12NRU 13GNG	Provide 7 spe Provide 6 spe Provide 7 spe	ed manual with b ed manual with b ed manual with 19	ase engine 90HP Specify engind 90HP Specify engind		\$ \$	215.00 1,025.00 — —
04091 16WKB	Air brakes if a	compatible with tr ng			\$ \$	502.00 385.00
29563	Daytime runn Wheel seals	ing lights			\$	Std. 22.00
Order					·	
Code	Add Options				All	Zones
12NPD	Engine: VT365				\$	708.00
15DMN 16WJU	Dual 50 gallon Power window				\$ \$	460.00 356.00
	Speed control	5,,2501 100225			Ų	356.00 Std.
05708	Tilt steering w				\$	120.00
08RDU	Auxiliary rear : AM/FM radio/				•	Incl.
3 Key	Third key	single CD			\$	369.00
04EBS	Air dyers				\$ \$	5.00
04722	Moisture ejecto	ors			\$	347.00 114.00
	Front stabilize				Ģ	114.00
	108" CA				\$	300.00
	120" CA				ŝ	400.00
	138" CA				\$	400.00
	156" CA				\$	525.00
	186" CA				\$	850.00
12NHM	33,000 GVWR	Pck. – 230HP, 6 sp	eed automatic trans valent – see optional	mission	\$ 4	5,863.20
12NHM	33,000 GVWR	Pck. – 230HP, 6 sp	valent – see optional eed automatic trans valent – see optional	mission	\$ 4	6,995.94
SR515	33,000 GVWR		-vo opuona.	Wilcondade prices	\$ 5	9,929.45
	33,000 GVWR				\$	300.00
	33,000 GVWR	120" CA			\$	400.00
	33,000 GVWR	156" CA			\$	525.00
45	_33,000 GVWR				\$	850.00
29007	Full size spare	tire & rim			\$	512.00
	Safety kit, fire				\$	125.00
		mounted, if availa	ıble		\$	175.00
10110		eter, oil activated				Std.
16HGH	Trans oil temp				\$	44.00
16WSL	renaer or cowl	mounted convex n	littors		\$	130.00

VEHICLE	:	International 4200 SBA	International 4200 SBA	International 4200 SBA		ternational 00 SBA
DEALER:		Sun State	Sun State	Sun State		ın State
ZONE:		Western	Northern	Central	So	uthern
BASE PR	(CE:	\$36,538.75	\$36,538.75	\$36,238.75	\$3	6,538.75
Order	444 0-41	( a n				,
Code	Add Options	(cont'd)			A	ll Zones
16SDJ		s mounted below s	standard mirrors		\$	
16WAD 08WCL	Rear shock abs	sorbers			\$	88.00
08WCL 08THB					\$	
OOTTID	Backup alarm Silicone hoses				\$	115.00
	275/80R22.5H	(14 PR) tires		•	\$	Std. 220.00
	Cutaway cab	(1111) dres			Ģ	220.00
16196	Crew cab (84" (	CA)			\$	7,834.00
16CAB	Super cab (84"	=			š	3,047.00
	Cab steps				•	Std.
	Knapheide 613	2 utility body or a	pproved equivalent	(requires 84" CA)	\$	
	Heil 2-3 yd. du	mp body or appro	ved equivalent (requ	iires 84" CA)	\$	5,200.00
		er body tool boxes	s or approved equiva	alent	\$	1,600.00
	Mud flaps				\$	60.00
	Heated fuel wat				\$	330.00
	2,000 lb. lift ga				\$	3,100.00
AC50K-22	3,000 lb. lift ga		rith shelf package, 2	4* h	\$	3,600.00
1100011 22	crank outrigge		itti silen package, 2	4 bumper with	Þ	13,800.00
ACOUT		raulic outriggers			\$	1,750.00
AC6406			e, reservoir, PTO and	d pump, boom	•	16,600.00
	support & cha	ssis springs		-	,	,
AC8406	Auto Crane 840 support & cha	6 hydraulic crane ssis springs	e, reservoir, PTO and	l pump, boom	\$	18,300.00
	10 ft. 5 yd dum	p (requires 84" CA	<b>(</b> )		Ś	6,400.00
		rs dump (requires				6,510.000
		y (requires 84" CA				1,992.00
		y (requires 108" C			\$	2,334.00
		rs dump (requires			\$	5,589.00
		y (requires 120" C			\$	2,682.00
		rs dump (requires y (requires 138" C				5,903.00
	19 ft rollback u	y (icquiics 130 C recker with wheel	A) l lift (requires 120" (	٦٨)	\$	2,922.00
	20 ft. stake bod	y (requires 156" C	A)	JA)	ç	2 000 00
		p door (requires 1			\$	3,096.00
	24 ft. stake bod	y(requires 186" CA	A)		\$. \$	3,933.00 2,485.00
		door (requires 1			\$	4,845.00
		thino or approved			\$	650.00
GS	Grill strobes (W	helen, Federal or a	approved equivalent	)	\$	500.QO
RVS	Rear view mirro	r strobes strobe b	eacon (Whelen, Fed	eral or approved	Ś	500.00
D.4.0	equivalent)					-
RAS	equivalent)		(Whelen, Federal o		\$	275.00
CSP60		its – Whelen Kit w 2-15' cables, 2-30	rith 4 clear tubes, 6 cables	outlet CSP 60w	\$	473.00

VEHICLE: DEALER: ZONE: BASE PRI		International 4200 SBA Sun State Western \$36,538.75	International 4200 SBA Sun State Northern \$36,538.75	International 4200 SBA Sun State Central \$36,238.75	420 Sur Sou	ernational 90 SBA 1 State 1thern 5,538.75
Order						÷
Code	Add Options	(cont'd)			Al	Zones
CSP90		Kits – Whelen Kit 7, 2-15' cables, 2-30	with 4 clear tubes, ( )' cables	6 outlet CSP 90w	\$	492.00
SPS6J	Corner Strobe		with 4 clear tubes, (	5 outlet SPS6J	\$	472.00
RICH	Corner Strobe		with 4 clear tubes, (	outlet RICHOCHET	\$	545.00
NEB		Kits – Soundoff Kir supply, 2-15', 2-3	t with 4 clear tubes, 0' cables	, 6 outlet, 60w	\$	478.00
GEM		Kits – Soundoff Kir r supply, 2-15', 2-3	t with 4 clear tubes. 30' cables	, 6 outlet, 110w	\$	585.00
DSM	Complete set of	of shop manuals Ol	NLY		\$	200.00
		turer's Extended B	ase Care Warranty	(\$0 deductible)	\$	1,941.00



## LEE COUNTY FLEET MANAGEMENT

2955 Van Buren Street Fort Myers, Florida 33916 Phone (239) 461-5607 Fax (239) 338-3234

# **Fax**

То:	Grady Hilton	From:	Danny Brashear	
Company:	Sun State IHC	Pages:	2	
Fax:	813-628-0527	Date:	6/25/2004	
Urgent	⊠ For Review	☐ Please Comment	Please Reply	our Request
Grady,	<del></del>			
Here is a let me kn	break down o	n the prices for that ne g is correct.	ew Clam Bucket Truck	(. Please
if you ha	ve any question	ns, please give me a ca	all at 461-5607.	
Thank yo	ou.	\28'.	Attoched South	

## MATERIAL REQUEST FORM

Non-Surcharge

•	÷	٠,	u	26,	- 5	350	42			1	370	2.2		23	5	¥.	44		3 13	160	7	-2	1	005	P	44		*	4
•	٠.	0	6	٧ï	ir		71	~	~		~	~	æ	317	77	-	70004	127	30	IX.		•	100		٠,		~.		
_	Ł	÷	æ	זנ	16	-1	۲I	г.	г	м	٠.			и.	- 1	٠.		2	* 17.	7.5	u	٠.	Α.	-	- 1	и	2:	•	-

BOARD DATE: 18 18 18 18 Blue Sheet #: 🐰

R.P.O.#

Sun State International Trucks

6020 Adamo Drive

Tampa, FL 33619

ORDER CONFIRMED BY: Grady Hilton

PHONE # 813-621-1331 cell-813-760-9472

FAX# 813-628-0527

DELIVERY: 5-months

VENDOR # 306045

REPLACES: ASSET # NEW

DEPT # SW ROW - Solid Waste Right Away Crew

REGISTRATION, TITLE, AND TAGS BEING PAID FOR BY: Lee County

ACCOUNT STRING: ACCOUNT STRING:

OB5340140106.506430

47,000.00

OB5340840100.50630

\$

40,413.44

FLEET MANAGEMENT SPEC #	04-198	QTY:	100	UNIT PRICE
This purchase order is for Solid V	Vaste for one (1) new Clam Bucket Truck.			
Specification #27, option - 12NHM International Model-4300, 33,000 ( automatic transmission,	L. 2005 GVWR package. 230-HP engine, (MD-3560WR) 6-speed	1	\$	46,995.94
	Contracted Items:			
SR515 - 33,000 GVWR with 186" C	A (cab to axle).	1	\$	850.00
04722 - Moisture ejectures.		1	\$	114.00
DSM - Complete set of shop manu	als ONLY. Computer disc.	2	\$	200.00
04EBS - AD. 9 Air Dryer.		1	\$	347.00
3 KEY - Third key.		1	\$	5.00
	Non-Contracted Items:	_		·
increase front axle from 10,000lbs	to 14,000lbs. (GVWR-37,000lbs.)	1	\$	600.00
Increase front tires from 11R22.5 1	14-ply to 12R22.5 16ply.	1	\$	400.00
Increase front brakes from 15" X 4	" to 16.5" X 5",	1	\$	144.00
Tire & Battery disposal fee.		1	\$	10.50
Sheriff's Association fee.		1	\$	50.00
Petersen model-TL3 Loader.		1	\$	37,497.00
-				_
Standard two year warranty.				-
**** This truc	k will be licensed for the road. ****			
	TOTAL AMOUNT OF PURCHASE ORDER:	Clerk Towns	\$	87,413,44

**APPROVED** 

BY: Danny Brashear Operations Manager

DATE: 06/25/04

HP Fax 1230

Log for FLEET MANAGEMENT 2393383234 Jun 25 2004 3:31PM

Last Transaction				· · · ·		
<u>Date</u>	<u>Time</u>	<u>Type</u>	<u>Identification</u>	<u>Duration</u>	<u>Pages</u>	Result
Jun 25	3:30PM	Fax Sent	818136280527	0:51	2	OK



We Provide Quality Products, at Fair Prices, with Excellent Customer Service!

May 21, 2004

RE: Florida Sheriff's Association Bid #27 Page 827

Mr. Ron Bezek Lee County Solid Waste 10550 Buckingham Rd. Ft. Myers, Fl 33905

Dear Mr. Bezek,

2005

BASE SPECIFICATIONS PRICE FOR INTERNATIONAL 4300 SBA 4X2 IS \$46,995.94 FOR 33,000 GVWR

The following is your request for a quote on a Peterson TL3 Loader on an International model 4300 SBA 4X2 Cab and Chassis with 37,000# GVWR.

	<b>\$46,9</b> 95,74	
Increase Front Axle from 10,000# to 14,000#	\$600.00	
Increase Front Tires from 11R22.5 14 Ply to 12R22.5 16Ply	\$400.00	
Increase Front Brakes from 15X4 to 16.5X5	\$144.00	
Increase Wheelbase to 254" with 187" CA. Page 827	\$850.00	
Sheriffs Association Fee	\$50.00	
Tire & Battery Disposal	\$10.50	
Peterson TL3 Loader	\$36,170.00 ·	
Total Delivered Price.	\$85,220,24	
Option:		
04EBS Ad 9 Air Dryer (Page 827).	\$433,00 347	
0A722 Automatic Moisture Ejector (Page 827)	\$114.00	
DSM Computer Disk (Service) Page 829	\$200.00	

I trust this masts with your approval; if so please contact me at (813) 760-8549 cell or (813) 621-1331 office or on our fax at (813) 628-0527.

We appreciate this opportunity to be of service.

consperent

Government/Sales

11-1

36081.29





Prepared For: Lee County B.O.C.C. Division Of Purchasing 2440 Thompson St. Fort Myers, FL 33901 (941)339-6265 Reference ID: N/A May 20, 2004

Presented By: Sun State International Trucks, Inc. Grady Hilton 6020 Adamo Dr. Tampa, FL. 33619 (813)621-1331



### Model Profile 2004 4300 SBA 4x2 (MA025)

APPLICATION:

Utility/Service (Other)

MISSION:

Requested GVWR: 37000, Calc. GVWR: 37000

Calc. Start / Grade Ability: 29.3% / 1.87% @ 55 MPH.

Calc. Geared Speed: 71.2 MPH.

FUEL ECONOMY:

N/A

DIMENSION:

Wheelbase: 254, CA: 186.9, Axle to Frame: 96

ENGINE, DIESEL:

(International DT466) 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM, 2600 RPM Go verned

Speed, # 2 Bell Housing

TRANSMISSION, AUTOMATIC:

{ALLISON 3500\_RDS\_P} Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes O il Level

Sensor, With PTO Provision, Less Retarder, With 80.000-lb GVW & GCW Max.

CLUTCH:

Omit Item (Clutch & Control)

**AXLE, FRONT NON-DRIVING:** 

{International I-140\$} I-Beam Type, 14,000-lb Capacity

**AXLE, REAR, SINGLE:** 

{Dana Spicer 23090S} Single Reduction, 23,000-lb Capacity, With 200 Wheel Ends

Gear Ratio: 5.83

CAB:

Conventional, Steel

TIRE, FRONT:

(2) 12R22.5 UNISTEEL G286A (GOODYEAR) 483 rev/mile, load range H, 16 ply

TIRE, REAR:

(4) 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range H, 16 ply

SUSPENSION, RR, SPRING,

Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring

SINGLE:

## Electronic Parameters Summary 2004 4300 SBA 4x2 (MA025)

May 20, 2004

Engine Unit Code: 012NPP

Attachments: 012VXV (THROTTLE, HAND CONTROL)

Parameter	<u>Value</u>	NOM
CUSTOMER PASSWORD	0000	N/A
MAX SPEED	71	MPH
MIN CRUISE SPEED	35	MPH
MAX CRUISE SPEED	71	MPH
VEHICLE RETARDER	OFF	N/A
MAX PTO ENGINE SPEED	2600	RPM
SET ENGINE SPEED (speed 1)	1000	RPM
RESUME ENGINE SPEED (speed 2)	1500	RPM
DISABLE CAB INTERFACE FOR PTO	NO	NYA
REMOTE THROTTLE FOR PTO CONTROL	NO	NVA
ENGINE RESPONSE RATE FOR PTO	100	RPM/SEC
MAX ROAD SPEED FOR MOBILE CONTROL	20	MPH
TRANSFER CASE STATUS IDLE SHUTDOWN MODE	NEUTRLOP	N/A
SERVICE INTERVAL	OFF OFF	n/a n/a

These electronic parameters have been successfully finalized.

## Vehicle Specifications 2004 4300 SBA 4x2 (MA025)

May 20, 2004

Code	<u>Description</u>	F/R Wt (lb)	Tot Wt
MA02500	Base Chassis, Model 4300 SBA 4X2 with 254 Wheelbase, 186.9 CA, and 96 Axle to Frame.	5827/275 <b>7</b>	8584
1570	TOW HOOK, FRONT (2) Frame Mounted.	8/0	8
1CAH	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL	328/772	1100
1LLE	BUMPER, FRONT Full Width, Aerodynamic, Heavy Duty, Steel	47 <i>i-</i> 4	43
	Includes : PLEASE NOTE: Powder Coated Gray (Argent) Color		
1SAL	CROSSMEMBER, REAR, AF (01)	0/20	20
1WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)	0/0	0
2ADE	AXLE, FRONT NON-DRIVING (International I-140S) I-Beam Type, 14,000-lb Capacity	148/0	148
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers	78/0	78
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free		
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	75/23	98
	Includes  : AIR COMPRESSOR AIR SUPPLY LINE International Engines Naturally-Aspirated  : BRAKE CHAMBERS, SPRING (2) Rear Parking  : BRAKE LINES Color Coded Nylon  : SLACK ADJUSTERS, FRONT Automatic  : SLACK ADJUSTERS, REAR Automatic  : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel  : DRAIN VALVE Twist-Type  : SPRING BRAKE MODULATOR VALVE  : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;		
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)	9/21	30
4JBL	BRAKES, FRONT AIR CAM S-Cam: 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers	110/0	110
	Includes DUST SHIELDS, FRONT BRAKE		
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake	0/251	251
4SBC	AIR COMPRESSOR (Bendix Tu-Fio 550) 13.2 CFM	46/0	46
4WBX	DUST SHIELDS, FRONT BRAKE	3/0	3
4WDM	DUST SHIELDS, REAR BRAKE	0/6	6
5708	STEERING COLUMN Tilting	10/0	10

		•	
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0
5PSA	STEERING GEAR (Sheppard M-100) Power	25/0	25
788E	EXHAUST SYSTEM Single, Horizontal, Stainless Steel Muffler, With Internal Catalytic Converter, Short Tail Pipe, Frame Mounted Right Side, for 2004 Emissions Standard with International 16 Engines	0/0	0
0008	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
, , , , , , , , , , , , , , , , , , ,	Includes : FUSES, ELECTRICAL SAE Blade-Type : TURN SIGNAL SWITCH Self-Cancelling. Headlight Dimmer (with Flash-To-Pass Feature) : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : TURN SIGNALS, FRONT Flush Mounted Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; : DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostics : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature, : WIRING, CHASSIS Color Coded and Continuously Numbered		
8540	HORN, ELECTRIC (2)	4/0	4
8GEJ	ALTERNATOR (Leece-Neville 8LHP2172VAH) Brush Type; 12 Volt 110 Amp. Capacity, Pad Mounted	0/0	0
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2
8MKL	BATTERY SYSTEM (3) {International} Maintenance-Free 12-Volt 1950CCA Total	59/11	70
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers	6/0	6
	Includes : SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior		
8THB	BACK-UP ALARM Electric, 102 dBA	1/1	2
8WCL	HORN, AIR (Grover) Black, Single Trumpet. Air Solenoid Operated, Mounted Behind Bumper on Right Rail	2/0	2
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	0/0	_ 0
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines	1/0	1
LWW8	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	1/0	1
8WWN	STARTING MOTOR (Leece-Neville M100R) 12-Volt; less Thermal Over-Crank Protection	0/0	O

## Vehicle Specifications 2004 4300 SBA 4x2 (MA025)

May 20, 2004

(ib) (ib) (ib) (ib) (ib) (ib) (ib) (ib)				
Replaces All Fuses Except For 5-Amp Fuses  9HAD GRILLE Chrome  9WAY FRONT END Tilting, Fiberglass, With Three Piece Construction  0/0 0/0  10080 PAINT SCHEMATIC, PT-1 Single Color, Design 100  0/0 0/0  10080 PAINT SCHEMATIC, PT-1 Single Color, Design 100  10080 Includes  10761 PAINT TYPE Base Cont/Clear Cost, 1-2 Tone  0/0 0/0  11001 CLUTCH Omit Item (Clutch & Control)  12NPP ENGINE, DIESEL (International DT469) 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM.  12NPP ENGINE, DIESEL (International DT469) 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM.  1000 0/0  12NPP ENGINE, DIESEL (International DT469) 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM.  1000 0/0	Code	Cascription		Tot Wt (ib)
9WAY FRONT END Tilting, Fiberglass, With Three Piece Construction 0/0 (10060) 10060 PAINT SCHEMATIC, PT-1 Single Color, Design 100 0/0 (10060) Includes : PAINT SCHEMATIC ID LETTERS "GA"  10761 PAINT TYPE Base Coet/Clear Cost, 1-2 Tone 0/0 (1006) 11001 CLUTCH Omit Item (Clutch & Control) -577-8 -778  12NPP ENGINE, DIESEL (International DT468) 90 State, 246 HP, 620 lb-ft Torque @ 1400 RPM, 0/0 0/0 12NPP ENGINE, DIESEL (International DT468) 90 State, 246 HP, 620 lb-ft Torque @ 1400 RPM, 0/0 0/0 0/0 12NPP ENGINE, DIESEL (International DT468) 90 State, 246 HP, 620 lb-ft Torque @ 1400 RPM, 0/0 0/0 0/0 0/0 12NPP ENGINE, DIESEL (International DT468) 90 State, 246 HP, 620 lb-ft Torque @ 1400 RPM, 0/0 0/0 0/0 0/0 0/0 0/0 0/0 0/0 0/0 0/	HAX8		0/0	Ó
10080 PAINT SCHEMATIC, PT-1 Single Color, Design 100  Includes PAINT SCHEMATIC ID LETTERS "GA"  10761 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone  11001 CLUTCH Omit Item (Clutch & Control)  12NPP ENGINE, DIESEL (International DT 1695, 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, # 2 Bell Housing Includes PAINT SCHEMATIC RESTRICTION Air Cleaner Mounted FUEL MATTER SEPARATOR Mounted on Engine and FUEL FILTER in a Single Assembly WET TYPE CYLINDER SLEEVES CRUISE CONTROL Electronic; Controls Integral to Steering Wheel RMINE OIL DRAIN FLUG Magnetic OIL FILTER, HGNINE Spin-On Type RMINE OIL DRAIN FLUG Magnetic OIL FILTER, HGNINE Spin-On Type RMINE OIL CHANGE SYSTEM 30 Quart Capacity DAMPER, CRANKSHAFT Viscous FAN Optimized Position  12TSY FAN DRIVE (Borg-Warner SA85) Viscous Screw On Type Includes Inc	9HAD	GRILLE Chrome	0/0	σ
Includes   PAINT SCHEMATIC ID LETTERS "GA"   10761   PAINT TYPE Base Coat/Clear Coat, 1-2 Tone   0/0   0/0   0/0   11001   CLUTCH Omit Item (Clutch & Coatrol)   -57/-8   -75/-8   -7	9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	0/0	0
10761 PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE Base Coet/Clear Coat, 1-2 Tone 0.00 (Control) PAINT TYPE CYLINDER SLEEVES (CAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted Supplies PAINT TYPE CYLINDER SLEEVES (CRUSE CONTROL Electronic Controls Integral to Steering Wheel ENGINE SHUTDOWN Electric, Key Operated (Control Engine and FUEL FILTER in a Single Assembly, ENGINE SHUTDOWN Electronic Controls Integral to Steering Wheel ENGINE SHUTDOWN Electronic Engine Control Engine Engine Control Engine Control Engine Control Engine Engine Control Engine Engine Control Engine Engine Control Engine Control Engine Control Engine Control Engine Engine Control Engine Engine Control Engine Control Engine Control Engine Control Engine Engine Control Engine Engine Control Engine Control Engine Control Engine Control Engine Engine Control Engine Engine Control Engine Control Engine Control Engine Control Engine Control Engine Engine Control Engine Control Engine Control Engine Engine Control Engine Engine Control	10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
11001 CLUTCH Omit Item (Clutch & Control)  12NPP ENGINE, DIESEL (International DT468) 50 State, 245 HP, 620 lb-ft Torque @ 1400 RPM, 200 RPM, 2000 RPM Governed Speed, # 2 Bell Housing  Includes  1 GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted  1 FUELWATER SEPARATOR Mounted on Engine and FUEL FILTER in a Single Assembly, WIT TYPE CYLINDER SLEEVES  1 CRUSS CONTROL Electronic Controls Integrat to Steering Wheel  1 ENGINE SHUTDOWN Electric, Key Operated  1 GOVERNOR Road Speed, Electronic  1 ENGINE OIL DRAIN PLUG Magnetic  2 OIL FILTER, ENGINE Spin-On Type  1 EINGINE OIL CHANGE SYSTEM 30 Quant Capacity  2 DAMPER, CRANKSHAFT Viscous  1 FAN Optimized Position  12TSY FAN DRIVE (Borg-Warner SA85) Viscous Screw On Type  3/0 3  Includes  1 FAN Nyton  12UWW RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 516 Sqin Louvered, With 270 Sqin Charge Air Cooler, 425° Core, With In-Tank Transmission Cooler  Includes  1 ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C)  2 DEAERATION SYSTEM with Surge Tank  RADIATOR HOSES Premium, Rubber  12UXV FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines  0/0 0  12V6B AIR CLEANER Dual Element  12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed, (Range 2 to 20 MPH) Mounted on Steering Wheel  12WYA EAPNDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature				
12NPP ENGINE, DIESEL (International DT466) 50 State, 245 HP, 620 lb-R Torque @ 1400 RPM. 0/0 2600 RPM Governed Speed, # 2 Bell Housing  Includes : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : FUELWAITER SEPARATOR Mounted on Engine and FUEL FILTER in a Single Assembly, : WET TYPE CYLINDER SLEEVES : CRUSE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE SHUTDOWN Electronic; Controls Integral to Steering Wheel : ENGINE SHUTDOWN Electronic; Controls Integral to Steering Wheel : ENGINE OIL CHANGE SYSTEM 30 Quant Capacity : DAMPER, CRANKSHAFT Viscous : FAN Optimized Position  12TSY FAN DRIVE (Borg-Warner SA85) Viscous Screw On Type  Includes : FAN Nylon  12UWV RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 516 Sqln Louvered, 0/0 0 With 270 Sqln Charge Air Cooler, 4 25° Core, With In-Tank Transmission Cooler  Includes : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : RADIATOR HOSES Premium, Rubber  12UXV FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines 0/0 0  12V6B AIR CLEANER Dual Element 8/0 - 8/1  12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, 2/0 2 Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WYA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted  12WYS EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature	10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
Includes   GAUGE, AIR CLEANER RESTRICTION AIr Cleaner Mounted   Includes   GAUGE, AIR CLEANER RESTRICTION AIr Cleaner Mounted   FUEL FILTER in a Single   Assembly,   WET TYPE CYLINDER SLEEVES   CRUISE CONTROL Electronic, Controls Integral to Steering Wheel   ENGINE SHUTDOWN Electric, Key Operated   GOVERNOR Road Speed, Electronic   ENGINE SHUTDOWN Electric, Key Operated   GOVERNOR Road Speed, Electronic   ENGINE OIL DRAIN PLUG Magnetic   OIL FILTER, ENGINE Spin-On Type   ENGINE OIL DRAIN PLUG Magnetic   OIL FILTER, ENGINE Spin-On Type   SMGINE OIL CHANGE SYSTEM 30 Quart Capacity   DAMPER, CRANKSHATT Viscous   FAN Optimized Position   FAN Optimized Position   OIL FILTER FOR SHORE SHATE VISCOUS   FAN Optimized Position   OIL DRAIN FLORE STATEM 30 QUart Capacity   OIL FILTER FOR SHATE VISCOUS   OIL FAN OPTIMIZED POSITION OF OIL FOR SHATE VISCOUS   OIL FAN OPTIMIZED POSITION OF OIL FOR SHATE VISCOUS   OIL FOR SHATE VISCOUS   OIL FOR SHATE VISCOUS   OIL FILTER FOR SHATE VISCOUS	11001	CLUTCH Omit Item (Clutch & Control)	-67/-8	-75
CAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12NPP		0/0	0
includes : FAN Nylon  12UWV RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 516 Sqin Louvered, With 270 Sqin Charge Air Cooler, 4.25° Core, With in-Tank Transmission Cooler  Includes : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : RADIATOR HOSES Premium, Rubber  12UXV FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines  0/0 0 12VBB AIR CLEANER Dual Element  8/0 8 12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WTA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine  10/0 10 12WYS EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature		: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : FUELWATER SEPARATOR Mounted on Engine and FUEL FILTER in a Single     Assembly, : WET TYPE CYLINDER SLEEVES : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE SHUTDOWN Electric, Key Operated : GOVERNOR Road Speed, Electronic : ENGINE OIL DRAIN PLUG Magnetic : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL CHANGE SYSTEM 30 Quant Capacity : DAMPER, CRANKSHAFT Viscous		
200 1200 1200 1200 1200 1200 1200 1200	12TSY	FAN DRIVE (Borg-Warner SA85) Viscous Screw On Type	3/0	3
With 270 Sqln Charge Air Cooler, 4.25° Core, With In-Tank Transmission Cooler    Includes				
: ANTI-FREEZE Shell Rotelia Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : RADIATOR HOSES Premium, Rubber  12UXV FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines 0/0 0  12VBB AIR CLEANER Dual Element 8/0 - 8  12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WTA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted  12WYS EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature 0/0 0	12UWV	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 516 Sqln Louvered, With 270 Sqln Charge Air Cooler, 4.25" Core, With In-Tank Transmission Cooler	0/0	0
AIR CLEANER Dual Element 8/0 - 8  12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, 2/0 2  Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WTA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine 10/0 10  Mounted EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature 0/0 0		: ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank		
12VXV THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WTA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine 10/0 10 Mounted  12WYS EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature 0/0 0	12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines	0/0	0
Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel  12WTA FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine 10/0 10  Mounted EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature 0/0 0	12VBB	ATR CLEANER Dual Element	8/0 ~	8
Mounted  12WYS EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature 0/0 0	12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	2/0	2
	12WTA		10/0	10
	12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap	0/0	0

\_\_\_\_

## Vehicle Specifications 2004 4300 SBA 4x2 (MA025)

May 20, 2004

Code	Description	F/R Wt (lb)	Tot Wt (lb)
13703	OIL COOLER, AUTO TRANSMISSION Air to Oil Type; for Allison	7/0	7
13AGL	TRANSMISSION, AUTOMATIC {ALLISON 3500_RDS_P} Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	196/54	250
	Includes TRANSMISSION OIL PAN Magnet in Oil Pan		
13WBL	TRANSMISSION SHIFT CONTROL (ALLISON) Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0
14AGH	AXLE, REAR, SINGLE (Dana Spicer 23090S) Single Reduction, 23,000-lb Capacity, With 200 Wheel Ends Gear Ratio: 5.83	0/287	287
	Includes : REAR AXLE DRAIN PLUG (1) Magnetic		
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring	0/68	68
15LJN	FUEL/WATER SEPARATOR (Fleetguard) and Fuel Filter With Filter Restriction/Change Indicator, in a Single Assembly, Mounted on Engine; ilo Fuel/Water Separator and Fuel Filter Assembly Included with Engine	0/0	0
15SCD	FUEL TANK Top Draw, D Style, Steel, 50 U.S. Gal., 189 L Capacity, 16" Deep, With Quick Connect Outlet, Mounted Right Side, Under Cab	0/0	0
	Includes : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends		
16030	CAB Conventional, Steel	0/0	0
	includes : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted		·
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0
	Includes  : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter		-
	(		i

## Vehicle Specifications 2004 4300 SBA 4x2 (MA025)

May 20, 2004

<u>Code</u>	Description	F/R Wt (lb)	Tot Wt
16JNT	SEAT, DRIVER (National 2000) Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support	2/0	2
	Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type	<i>;</i>	
16PCP	SEAT, TWO-MAN PASSENGER (Gra-Mag) Integrated Headrest in Both Occupant Positions, Vinyl, Fixed Back, With Under Seat Storage Compartment	175/55	230
	Includes : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt (Center Position)		
16\$DJ	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Sides	2/0	2
16SED	GRAB HANDLE (2) Black, Aluminum; for Cab Entry Mounted Left and Right	4/0	4
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster	0/0	0
	Includes : REFRIGERANT Hydrofluorocarbon HFC-134A : HEATER HOSES Premium		
16WRX	CAB INTERIOR TRIM Deluxe	0/0	0
	Includes  CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets  A PILLAR COVER Molded Plastic, Smoke Gray  HEADLINER Printed Cloth  INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Putl-Out)  DOME LIGHT, CAB Rectangular, Center Mounted, Integral to Console Door Activated, Timed Theater Dimming,  SUN VISOR (2) Padded Vinyl Integral to Console with Driver Side Toll Ticket Strap,  STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Exposed Interior Sheet Metal is Covered  DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors		
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted. Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.	91/0	91
	Includes : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings : PAINT IDENTITY, FRONT WHEELS White	-	
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/67	67
	Includes : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings : PAINT IDENTITY, REAR WHEELS White		
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings	0/0	0

#### Vehicle Specifications 2004 4300 SBA 4x2 (MA025)

May 20, 2004

Code	<u>Description</u>	F/R Wt (lb)	Tot Wt (lb)
7352130179	(4) TIRE, REAR 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range H, 16 ply	0/88	88
7382150164	(2) TIRE, FRONT 12R22.5 UNISTEEL G288A (GOODYEAR) 483 rev/mile, load range H, 16 ply	78/0	78
	Cab Schematic 100GA Location 1: 9219, Winter White Chassis Schematic N/A		,
	Total Component Weight:	7301/4469	11770
	Total Body Allied:	0/0	0

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight, International Truck and Engine Corp. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

## Financial Summary 2004 4300 SBA 4x2 (MA025) (USA DOLLAR)

May 21, 2004

Official Title and Date

Description

Net Sales Price:

<u>Price</u>

\$85,220.24

Approved by Seller:	Accepted by Purchaser:
GOISKUMENT SAKS 05/21/2004	
Official Title and Date	Firm or Business Name
The ready tills	•
uthorized Signature	Authorized Signature and Date
his proposal is not binding upon the seller without Seller's uthorized Signature.	
- -	