Lee County Board Of County Commissioners	
Agenda Item Summary	

Blue Sheet No. 20050143

#### 1. REQUESTED MOTION:

ACTION REQUESTED: Approve the award of Project # PB050221, the purchase of seven new International trucks for Solid Waste, from Mauldin International Trucks, at the Florida Sheriffs Association Bid Award base price of \$57,621 each – plus contract and non-contract options not-to-exceed \$11,428 each – for a total NTE price each of \$69,049. Grand total: \$483,343. (Please note: Solid Waste will bring a blue sheet for Board approval at a later date for personnel requirements.) Also approve transfer of reserves in the amount of \$483,343.

WHY ACTION IS NECESSARY: Purchases exceeding \$50,000 require Board approval.

**WHAT ACTION ACCOMPLISHES**: Provides the Solid Waste Division with the ability to transport solid waste from its three transfer stations.

2. DEPART	MENTAL CAT	ΓEGORY:	3. MEETING DATE	:						
COMMIS	SION DISTRI	CT#	/	28E	3	02-1	5-,	2005		
4 ACTENDA		5 1016								
4. <u>AGENDA</u>	, <b>.</b>			IENT/PU	KPOSE:	6. REQUESTOR OF	INFC	RMALION:		
•		(Specij	• -							
	SENT	_	STATI			A. COMMISSIONEI	₹			
	[INISTRATIV]		-	NANCE		B. DEPARTMENT				
APPI	EALS	X	ADMI CODE		AC-4-1	C. DIVISION	So	lid Waste		
PUBI	LIC		OTHE	R		BY: Lindse	y San	ipson, P.E., Director		
WAL	K ON					11.	/			
TIM	E REQUIRED:	:				Tine	seg	Vanyson !		
BACKGROU	JND: On Februa	ary 1, 2005, the l	Division of	Purchasing	received a req	uest from Solid Waste and Fle	et Man	gement to purchase seven		
new Internationa	I Trucks at the price	es listed in the F	lorida Sher	iffs Associat	ion Bid No. 0	4-12-0823.	,			
OB5340940100.: OB5340940100.: OB5340840100.: Please see att	Upon transfer from reserves, funds will be available in Account Numbers: OB5340940100.506430.183 (\$69,049) OB5340940100.506430.184 (\$69,049) OB5340840100.506430 (\$345,245)  Please see attachments:									
	ment Request for P  Sheriffs Association		2 0922/Ma	uldin Intomo	stionnlia Ossat	•				
	EMENT RECO			uidin interna	monar s Quon	<u> </u>		····		
o. MANAGE	MIDINI RECO	AUNTENDA	10115.							
			9. <u>REC</u>	<u>OMMEN</u>	DED APP	ROVAL:				
A	В	C	D	E		NF .		G		
Department	Purchasing	Human	Other	County	,	Budget Services		County Manager		
Director	or	Resources		Attorne	l l	Suager Ser (1900)		County Manager		
Server diam's	Contracts		ľ	10-	, -	Le La Mil				
Marin Mary	Jant Sheekon	•	3		OA	OM Risk	GC	1. 1		
81205	12-2-05		1	2/3/0	SPAINS	23/3) 3/3/05 2	305	22.05		
10. COMMI	SSION ACTIO	N:			- 63	RECEIV	ED BY			
				Red	. by CoAtty	COUNT	Y ADM			
		APPROV	ED		0.121	<b>≔l</b> 1 6/	1:300			
		DENIED		1	ie: 43405	501705	TV ADM	IN A		
	<del> </del>	DEFERR	ED	Tia	14: 4.25	FORW	ARDED	10: "		
		OTHER	· <del></del>	For	warded To:	- 2	13/06 UP 1	4 44.		
		<u> </u>			io Adan	1				
				سكون	12/02					

# **REQUEST FOR TRANSFER OF FUNDS**

FUND NAME:	Solid Waste System			DATE:	02/03/05	BATCH NO.			
FISCAL YEAR:	FY 04/05	FUND #:	40100	DOC TYPE:	YB	_LEDGER TYPE:		BA	
TO:	Solie	d Waste		Solid Waste Transfr Stations/Disposal					
		ON NAME)			(PR	OGRAM NAME)			
	NOTE: PLEASE LIS FUND #-DEPT/DIV # (EXAMPLE: BB5120	-PROGRAM #-OE					#.		
	ACCOUNT NUMBE	ER	OE	BJECT NAM	IE		DEBIT		
	OB5340940100.5064 OB5340940100.5064 OB5340840100.5064	30.184	Vehicles & Ro Vehicles & Ro Vehicles & Ro	lling Stock		\$	69,049 69,049 345,245		
						TOTAL TO:	\$	483,343	
FROM:				ste Operating Reser	ves				
	ACCOU		OE	1E		CREDIT			
	GC5890140100.5099	910		Reserve for Contingencies				483,343	
						TOTAL FROM:	\$	483,343	
EXPLANATION:	As per bluesheet #B\$	S20050143 dated	2/15/05.						
DIVISIO	N DIRECTOR SIGNA	TURE	DATE	DEPARTME	NT DIREC	TOR SIGNATURE		DATE	
DBS	: APPROVAL	DENIAL		OPERATIO	ONS ANALY	ST SIGNATURE		2/3/05 DATE	
	APPROVAL _	DENIAL		BUDGET OPER	ATIONS M	ANAGER SIGNATU	) i	DATE	
CO. ADMIN.	: APPROVAL <sub>-</sub>	DENIAL		CO.	ADMIN. SI	GNATURE		DATE	
BCC APPROVAL (	ATE .			· -	BCC CH	IAIRMAN SIGNATU	JRE		
BA NO		WTH CODE:			TRANSE	ATE:		DEV. 05/03	



TO: Mr. Jim Lavender, Director

Public Works

# INTEROFFICE MEMOATTACHMENT

#### **SOLID WASTE DIVISION**

Phone: (239) 338-3302 Fax: (239) 461-5871

Date:	January 10, 2005
From:	Lindsey J. Sampson, P.E.
	Director

SUBJECT: Transport of MSW to the Lee Hendry Landfill

The Solid Waste Division has been experiencing an increasing degree of unreliable service from its contracted MSW transfer hauling company. The Division has made inquiries as to the availability of other trucking companies to either supplement the transfer operation or replace the contracted company. Companies performing this type of work are somewhat limited because of the requirement for specialty (walking-floor or live-bottom) trailers. To date, we have been unsuccessful in finding any company that is willing to do either.

Consequently we began analyzing the costs, advantages and disadvantages of performing the work "in-house". Results of our analysis are:

Advantages -

Scheduling and reliability is internal and controlled. Sufficient CDL licensed operators are on hand in the SW Division to provide back-up for regular assigned drivers during sick leave, vacations, etc. Cost is favorable compared to contracting out.

Disadvantages -

Requires additional in-house personnel of approximately 7, Class A CDL licensed drivers. Will require revised management structure and dependable expeditious maintenance program.

Costs -

Projected operating costs are more economical than 'contracted costs'. The County has a significant cost advantage for fuel, insurance, and replacement parts. The following summarizes in-house and contracted operating costs. The analysis indicates a three-year payback (ROI) of the capital cost. The analysis is separated into the tree transfer facilities but the overall transfer operation requires coordination between the facilities in order to maximize efficiencies.

	MSW Transferred Tons / Yr	Capital Cost	FY 05 Contracted Operating Cost	Projected SW Division Operating Cost
WTE *	84,250	571,000	581,503	336,350
Clewiston	22,150	247,250	211,680	144,236
LaBelle	25,000	247,250	167,470	124,526
Total	131,400	\$1,065,500	\$960,650	\$605,115
			ost Difference \$ 355 5,500 / (\$960,000 – \$60	,000 / yr 05,115)

<sup>\*</sup> Anticipates requirement for partial direct haul as per the RFP/Contract for SW Franchise haulers.

= 3 Years

Detailed cost analysis for each facility is attached hereto.

The existing contract with CTI will expire in May, 2005. There is an optional 1 year term extension. The Division has requested, but has not received confirmation from the Contractor that it will continue the transfer service for an additional year at the same rates. We believe that it is unlikely given the recent significant increases for fuel, insurance, and maintenance parts.

Given the above review, it is apparent that in-house operation of the MSW transfer program will benefit the County on an economic basis. Further, the in-house operation will provide the Division with significantly more reliable service and will allow the Division to increase its operational efficiencies. The current situation with the contracted transfer company is problematic and will likely result in increased cost when the occasion arises that the Division must employee other companies to supplement or replace the contracted company due to breech or partial breech of contract. The Division recommends that the required equipment and personnel is obtained in order to bring the transfer operation to an in-house program.

Actual			<b>MSW Hauling</b>	Analysis La	Belle TS			
# weeks	49	50	52	51	50	48		
LaBelle	mon	tue	wed	thu	fri	sat	total	avg/6
lds/y	328.00	244.00	236.00	323.00	183,00	113.00	1,427.00	237.83
lds/d	7.00	5.00	5.00	6.00	4.00	2.00	29.00	4.83
tns/y	6,063.32	4,240.03	4,045.99	5,715.19	3,057.20	1,821.25	24,942.98	4,157.16
tns/d	18.49	17.38	17.14	17.70	16.71	16.12	103.54	17.26

<u>_1</u>	MSW Tons	s/Yr	Loads @	T/Load	<b>24,9</b> - 17.25	42.98	By#weeks By day	Mon 6,063.32 351.50 7.17	<u>Tue</u> 4,240.03 245,80 4.92	234,55	<u>Thu</u> 5,715.19 331.32 6,50	<u>Fri</u> 3,057.20 177.23 3.54	<u>Sat</u> 1,821.25 105.58 2,20
. 1	Hrs/Day		Hrs/Trip		Loads/Day		Reg. Trucks	1.59	1.09	1.00	1.44	0.79	0.88
Λ-F	•	9,00		2.00	•	4.50	•						
Sat		5.00		2.00		2.50							
	Miles/ld Lds/Wk				Miles/ Wk Miles/ Yr		1,730.43 89,982.35						
Capital			Tractors Walkingfloors	i		00.00 00.00 Total	•		Years Use Years Use		Depreciation / Depreciation /		16,392.86 13,250.00
abor	Drivers		Hrs/Day (M-	<del>-</del> )	Hrs/Day (Sa	t)	Wages	Reg Hrs/Wk/l	Orvr	OT Hrs/Wk			
		1.50		9,00		5.00	13.00	60.00		7.50			
					Labor Cost /	Wk		780.00		146.25			
					Fringes / Wk			273.00		29.25	4 000 00		\$ / Yr
/aintenanc	:e		3	.000.00	Tot Lab / Wk	(		1,053.00		175.50	1,228.50	Labor	63,882.00 7,500.00
				,500.00	Per Trk/Yr								11,250.00
<b>Fires</b>					Per Trl/Yr Tires/Trk/Yr			per Tire per Tire					4,000.00 2,400.00
nsurance &	LIGS. etc		1		Per Trl/Yr		200.00	bei ille					2,500.00
	•			,000.00	Per Truck								3,000.00
fuel				2.00	Per Gal		6.00	Mi / Gal					29,994.12
				•							Tot Cost / Yr Tot Cost / Ton		124,526.12 4.99
									FY05	167,470.10	CTI Cst/Tn		6.71
Return on T	ruck Invest	t				5.76	Years				Save per Yr		42,943.98

<u>Total</u> 24,942.98 1,445.97 **28.84** Tons/Day 77.63

**MSW Hauling Analysis Clewiston TS** Actual 40 51 52 50 # weeks 51 Clew mon51 tue52 wed51 thu50 fri51 sat40 total avg/6 236 180 231 198.17 178 268 96 1.189.00 lds/y 5 24.00 4.00 lds/d 3 5 5 3,690,79 tns/v 3232.70 5251.98 4284.28 3154.04 4431.68 1790.06 22,144,74 17.52 19.18 18.65 111.26 18.54 18.16 19.60 18.15 tns/d Wed <u>Total</u> <u>Mon</u> <u>Tue</u> 3,232.70 5,251.98 4,284.28 3.154.04 4.431.68 1,790.06 22,144,74 MSW Tons/Yr 22,144,74 1,194,22 18.54 By#weeks 174.33 283.23 231.04 170.09 238.99 96.53 Loads @ T/Load 3.40 2.41 23.90 By day 3.42 5.45 4.53 4.69 0.94 1.30 1.21 Tons/Day Loads/Dav Req. Trucks 0.95 1.51 1.26 Hrs/Day Hrs/Trip 66.76 M-F 3.60 9.00 2.50 2.50 2.00 5.00 Sat 120.00 Miles/ Wk 2.867.57 Miles/ld Miles Lds/Wk 23.90 Miles/ Yr 149,113.69 16,392.86 1.50 Tractors 76,500.00 114,750.00 7.00 Years Use Depreciation / Trk Capital Depreciation / Trl 13.250.00 53,000.00 132,500,00 10.00 Years Use 2.50 Walkingfloors Total 247,250.00 Reg Hrs/Wk/Drvr OT Hrs/Wk Hrs/Day (M-F) Hrs/Day (Sat) Labor Drivers Wages 7.50 1.50 9.00 5.00 13.00 60.00 780.00 146.25 Labor Cost / Wk \$/Yr 273.00 29.25 Fringes / Wk 63,882.00 175.50 1,228.50 Tot Lab / Wk 1,053.00 Labor 7,500.00 Maintenance 3.000.00 Per Trl/Yr 11,250.00 7.500.00 Per Trk/Yr 4,000.00 Tires 8.00 Per Trl/Yr 200.00 per Tire 2,400.00 200.00 per Tire 8.00 Tires/Trk/Yr 2,500.00 1.000.00 Per Trl/Yr Insurance & IGS, etc 3.000.00 2,000.00 Per Truck 49,704,56 2.00 Per Gal 6.00 Mi / Gal Fuel Tot Cost / Yr 144,236.56 Tot Cost / Ton 6.51 FY05 211,677.66 CTI Cst/Tn 9.56

3.67 Years

Return on Truck Invest

67,441,10

Save per Yr

MSW Hauling Analysis WTE TS # weeks 52 52 52 521 52 WTE tue mon wed thu fri sat total avg/5 936 936 936 lds/y 936 936 4,680.00 936.00 lds/d 18 18 90.00 18.00 18 18 18 16848.00 tns/v 16848.00 16848.00 16848.00 16848.00 84 240.00

tns/y tns/id		48.00 18.00		6848.00 18.00			16848.00 18.00		90.00	16,848.00 <b>18.00</b>			
M-F	MSW Ton	9.00	Loads @	) T/Load	Loads/Day	Tns /day lds/ day Req. Trucks	Mon 16,848.00 324.00 18.00 4.00	Tue 16,848.00 324.00 18.00 4.00	Wed 16,848.00 324.00 18.00	<u>Thu</u> 16,848.00 324.00 18.00	Fri 16,848.00 324.00 18.00	Sat 0.00 0.00 0.00 #DIV/0!	Total 84,240.00 4,680.00 90.00 Tons/Day 81.00
Sat		0.00		2.00									<b>V22</b>
Miles	Miles/Id Lds/Wk	-	·		Miles/ Wk Miles/ Yr	5,400.00 280,800.00							
Capital			Tractors Walkingfloo	rs	76,500.00 53,000.00 Tota	265,000.00		Years Use Years Use		Pepreciation / Pepreciation /		43,714-29 26,500.00	
Labor	Drivers		Hrs/Day (M	I-F)	Hrs/Day (Sat)	Wages	Reg Hrs/Wk	Drvr	OT Hrs/Wk				
		4.00		9.00	0.00	13.00	160.00		20.00				
					Labor Cost / Wk Fringes / Wk Tot Lab / Wk		2,080.00 728.00 2,808.00		390.00 78.00 468.00	3,276.00	Labor	<u>\$ / Yr</u> 170,352.00	
Maintena Tires	ince			7,500.00	Per Trl/Yr Per Trk/Yr Per Trl/Yr	200.00	per Tire					15,000.00 30,000.00 8,000.00	
Insuranc	e & IGS, et	c		1,000.00	Tires/Trk/Yr Per Trl/Yr Per Truck		per Tire					6,400.00 5,000.00 8,000.00	
Fuel			_		Per Gal	6.00	Mi / Gal					93,600.00	
										ot Cost / Yr ot Cost / Ton	ı	336,352.00 3.99	
								FY05	581,503.76	CTI Cst/Tn		6.90	
Return or	Truck Inve	st			2.33	3 Years			8	Save per Yr		245,151.76	

#### MATERIAL REQUEST FORM










Maudlin International Trucks Inc. 4900 N Orange Blossom TR

ADA TO HER PERSONS Jeff Rotella

Orlando, FL. 32810

407-466-6951

DEUNEPNA 90-120 days



SW OPS - Solid Waste / Operations SW OPS - Solid Waste / Operations

Lee County

OB5340940100.506430.183 - \$71,371.00 OB5340940100.506430.184 - \$71,371.00 OB5340840100.506430 - \$339,883.16

FLEET MANAGEMENT SPEC #	05-061 — 05-067	QTY:		
This purchase order is for Solid V road tractors from the Sheriff's As	Vaste / Operations to purchase seven (7) new International ssociation Bid # 04-12-0823.			
2005 International Model-7600 SF. Association Bid (spec # 36) plus t	A 6X4 truck with all the standard options on the Sheriff's the following options:	7	\$	57,621.00
AM/FM radio with speakers.		7	S	276.00
90 degree elbow on the exhaust.		7	\$	17.00
1/4 fenders with mud flaps over the	ne rear axles.	7	\$	120.00
Deck, catwalk around the Pogo st		7	\$	153.00
Air slide fifth wheel upgrade to hi		7	\$	298.00
Tappered frame at the rear.		7	\$	70.00
wet kit, all will include direct mou cab air controls & console, Each	o (2) line hydraulic wet kit and one (1) with a three(3) line int pump, 100 gallon reservoir, aeroquip hoses fittings, in truck will come with one (1) 24" tool mount mounted on the rith a Pogo stick for the hydraulic wet lines.	7	\$	9,150.00
Upgrade one (1) truck to a three (	3) line wet kit.	1	\$	200.00
Surcharge from International for	steel prices and freight.	7	Š	800.00
Freight adjustment since bid.		7	\$	70.00
Sheriff's Association fee, 0.5%.		7	\$	342.88
Trucks will be delivered to: 295	5 Vanburen Street Ft Myers, Florida 33916			
Standard two year warranty.				
Truck will come with three compl	ete sets of keys.	7	N/C	
**** This true	k will be licensed for the road. ****			
	TOTAL AMOUNT OF PURCHASE ORDER:			\$ 300 (\$ 40E)

BY: Danny Brashear

DATE: 02/02/05

# BID AWARD ANNOUNCEMENT

04-12-0823

# PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES, TRUCKS & VANS, & OTHER FLEET EQUIPMENT

Participating Sheriff's Offices & Local Governmental Agencies of the State of Florida

Coordinated By

The

Florida Sheriffs Association, Florida Association of Counties & Florida Fire Chiefs' Association







# BID AWARD ANNOUNCEMENT

04-12-0823

# PURSUIT, ADMINISTRATIVE NON-PURSUIT, UTILITY VEHICLES, TRUCKS & VANS, & OTHER FLEET EQUIPMENT

Participating Sheriff's Offices & Local Governmental Agencies of the State of Florida

Coordinated By

The

Florida Sheriffs Association, Florida Association of Counties & Florida Fire Chiefs' Association







Specifica	ation #33 - 17,500 lb. GVWR Cab & Chassis	891
_	Ford F-550	
	(4x2)	893
	(4x4)	
	Chevrolet Kodiac 4500	
	(4x2)	901
	(4x4)	
	GMC Top Kick 4500	
	(4x2)	ana
	(4x4)	
	GMC TC5C042/TC5C044	. 510
	(4x2)	017
	(4x4)	
	Freightliner M2	921
	(4x2)	005
	International 4200 SBA	920
	(4x2)	000
	(TAL)	928
Specifica	ation #24 OF FOO Ib CVAID Cab & Obassis (4-ro)	000
obecines	ation #34 - 25,500 lb. GVWR Cab & Chassis (4x2)	
	Ford F-650	935
	Chevrolet Kodiac 7500	
	GMC TC7500	
	Freightliner M2	
	International 4200 SBA	
	Kenworth T300	
	Sterling Acterra	959
0		
<b>Specmea</b>	ation #35 - 30,000 lb. GVWR Cab & Chassis (4x2)	
	Ford F-750	
	Chevrolet CC7C042	
	GMC TC7C042	
	Freightliner M2	
	International 4200 SBA	981
	Kenworth T300	
	Peterbilt 335	
	Sterling Acterra	993
	ation #36 - 52,000 lb. GVWR 4x6 Tandem Axle Road Tractor	
Cab &	Chassis (4x2)	997
	Freightliner M2 1	,000
	International 7600 SFA	
	Kenworth T800B	
	Mack C Series	,006
	Peterbilt 385 1	,008
	Sterling LT9500	,010
	Volvo V Series	,012
	ma 💉	
Specifica	ation #37 - 4x4 Loader Backhoe with Canopy 1	,014
	Caterpillar 416	,016
	John Deere 310G	.018

Specifica	ation #33 - 17,500 lb. GVWR Cab & Chassis	891
-	Ford F-550	
	(4x2)	893
	(4x4)	
	Chevrolet Kodiac 4500	
	(4x2)	901
	(4x4)	
	GMC Top Kick 4500	
	(4x2)	909
	(4x4)	
	GMC TC5C042/TC5C044	010
	(4x2)	917
	(4x4)	
	Freightliner M2	021
	(4x2)	025
	International 4200 SBA	020
	(4x2)	020
	(184)	525
Specifica	ation #34 - 25,500 lb. GVWR Cab & Chassis (4x2)	033
opcomo	Ford F-650	
	Chevrolet Kodiac 7500	<del>9</del> 33
	GMC TC7500	
	Freightliner M2	
	International 4200 SBA	
	Kenworth T300	
	Sterling Acterra	
	Sterling Acteria	909
Specifics	ation #35 - 30,000 lb. GVWR Cab & Chassis (4x2)	വരാ
оресте	Ford F-750	
	Chevrolet CC7C042	
	GMC TC7C042	
	Freightliner M2	
	International 4200 SBA	
	Kenworth T300	
	Peterbilt 335	
	Sterling Acterra	993
Specific	ation #36 - 52,000 lb. GVWR 4x6 Tandem Axle Road Tractor	
	Chassis (4x2)	007
Cab o	Freightliner M2	
	International 7600 SFA	
	Kenworth T800B	
	Mack C Series	
	Peterbilt 385	
	Sterling LT9500	I,010
	Volvo V Series	1,012
Cnocle -		
obecine	ation #37 - 4x4 Loader Backhoe with Canopy	1,014
	Caterpillar 416	
	John Deere 310G	1.018







# FLORIDA SHERIFFS ASSOCIATION. FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

## 2005 INTERNATIONAL 7600 SFA Specification #36 52,000 lb. GVWR, 4x6 Tandem Axle Road Tractor (Cab & Chassis)

The International 7600 SFA road tractor purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE: BASE PRICE:

Western \$57.421.00 Northern \$57.421.00 \$57.421.00

Southern \$57,621.00

Purchasers are advised that the above referenced vehicle specification comes equipped as a base unit only. Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have identified and equipped the base unit with those specifications and equipment items required to meet National Standards. Since equipment needs and preferences are going to vary from agency to agency - any additional options required or changes to the base unit desired by the purchaser shall be made through the vendor listed.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate vendor.

#### LEGEND FOR **DELETE/ADD OPTIONS**

Every line will require a **DOLLAR VALUE** 

or one of the following abbreviations: Std. = manufacturer's standard equip.

Incl. = included with base specs. = no additional charge

= not applicable to the vehicle = option not bid by vendor







# FLORIDA SHERIFFS ASSOCIATION. FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

### 2005 INTERNATIONAL 7600 SFA Specification #36 52,000 lb. GVWR, 4x6 Tandem Axle Road Tractor (Cab & Chassis)

The International 7600 SFA road tractor purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE: BASE PRICE: Western \$57,421.00 Northern \$57,421,00 Central \$57,421.00

Southern \$57,621.00

Purchasers are advised that the above referenced vehicle specification comes equipped as a base unit only. Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have identified and equipped the base unit with those specifications and equipment items required to meet National Standards. Since equipment needs and preferences are going to vary from agency to agency - any additional options required or changes to the base unit desired by the purchaser shall be made through the vendor listed.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate vendor.

#### LEGEND FOR DELETE/ADD OPTIONS

Every line will require a **DOLLAR VALUE** or one of the following abbreviations: Std. = manufacturer's standard equip.

Incl. = included with base specs. NC = no additional charge

not applicable to the vehicleoption not bid by vendor NA

VEHICLE:		International 7600 SFA	International 7600 SFA	International 7600 SFA	International 7600 SFA
DEALER:		Mauldin	Mauldin	Mauldin	Mauldin
ZONE:		Western	Northern	Central	Southern
BASE PRI	CE:	\$57,421.00	\$57,421.00	\$57,421.00	\$57,621.00
Order					
Code	Delete Option	ns			All Zones
	Fuller 14210E	3 10 Speed Manua	l with OD		
4091	Delete tractor	package			\$ 1,261.00
Ondon					
Order Code	Add Options				All Zones
13AGV	Allison 4500R approved eq		ssion to include syn	thetic oil, TES 295 or	\$ 12,564.00
		oody with hoist an	d taro		\$ 8,950.00
		ard tilt-type in lieu			N/A
	20 04.0 101110				,

VEHICLE:		International	International	International 7600 SFA	International 7600 SFA
DEALER: ZONE: BASE PRIC	CE:	7600 SFA Mauldin Western \$57,421.00	7600 SFA Mauldin Northern \$57,421.00	Mauldin Central \$57,421.00	Mauldin Southern \$57,621.00
Order Code	Delete Option	as			Ali Zones
4091	Fuller 14210B Delete tractor	10 Speed Manua package	l with OD		\$ 1,261.00
Order Code	Add Options				All Zones
13AGV	approved eq 12 yd. dump b	uivalent oody with hoist an	d tarp	thetic oil, TES 295 or	\$ 12,564.00 \$ 8,950.00
	Low cab forwa	rd tilt-type in lieu	oi standard cab		N/A

## **Danny Brashear - INTERNATIONAL TRACTORS**

From:

"JEFF ROTELLA" < JROTELLA@MAUDLININTL.COM>

To:

"Danny Brashear" < BRASHEDR@leegov.com>

Date:

2/1/2005 4:56 PM

Subject:

INTERNATIONAL TRACTORS

#### DANNY,

FOLLOWING IS THE SUMMARY OF THE FLORIDA SHERIFF TRACTOR SPEC #36 FOR THE UNITS YOU WOULD LIKE.

BASE SPEC 36

\$57621.00

AM-FM RADIO

\$ 276.00

TURN OUT EXHAUST

\$ 17.00

QUARTER FENDERS

\$ 120.00

ACCESS PACKAGE DECK PLATE AND STEPS

\$ 153.00

AIR SLIDE FIFTH WHEEL UPGRADE

\$ 298.00

TAPERED FRAME RAILS

\$ 70.00

STEEL SURCHARGE SINCE ORIGINAL BID

\$ 800.00

FREIGHT ADJUSTMENT SINCE BID

\$ 70.00

WET LINE KIT

\$ 9150.00

TOTAL BEFORE FLA SHERIFF FEE

\$68575.00

FLORIDA SHERIFF FEE .5%

\$ 342.88

TOTAL FOR P.O.

\$68917.88

I FORGOT THE SOUTH DISTRICT BASE PRICE DIFFERENCE OF \$200 FOR DELIVERY IN THE ORIGINAL QUOTE. I ATTACHED A NEW CORRECT PROPOSAL WITH THIS E MAIL.

#### THANK YOU

JEFF ROTELLA **FLEET SALES MANAGER** MAUDLIN INTERNATIONAL TRUCKS 407-466-6951

# **Danny Brashear - INTERNATIONAL TRACTORS**

From:

"JEFF ROTELLA" < JROTELLA@MAUDLININTL.COM>

To:

"Danny Brashear" < BRASHEDR@leegov.com>

Date:

2/1/2005 4:56 PM

Subject:

INTERNATIONAL TRACTORS

#### DANNY,

FOLLOWING IS THE SUMMARY OF THE FLORIDA SHERIFF TRACTOR SPEC #36 FOR THE UNITS YOU WOULD LIKE.

BASE SPEC 36

\$57621.00

AM-FM RADIO

\$ 276.00

TURN OUT EXHAUST

\$ 17.00

QUARTER FENDERS

\$ 120.00

ACCESS PACKAGE DECK PLATE AND STEPS

\$ 153.00

AIR SLIDE FIFTH WHEEL UPGRADE

\$ 298.00

TAPERED FRAME RAILS

\$ 70.00

STEEL SURCHARGE SINCE ORIGINAL BID FREIGHT ADJUSTMENT SINCE BID

\$ 800.00 \$ 70.00

WET LINE KIT

\$ 9150.00

TOTAL BEFORE FLA SHERIFF FEE

\$68575.00

FLORIDA SHERIFF FEE .5%

\$ 342.88

TOTAL FOR P.O.

\$68917.88

I FORGOT THE SOUTH DISTRICT BASE PRICE DIFFERENCE OF \$200 FOR DELIVERY IN THE ORIGINAL QUOTE, I ATTACHED A NEW CORRECT PROPOSAL WITH THIS E MAIL.

#### THANK YOU

JEFF ROTELLA FLEET SALES MANAGER MAUDLIN INTERNATIONAL TRUCKS 407-466-6951

### Danny Brashear - RE: Spec # 36

From:

"JEFF ROTELLA" < JROTELLA@MAUDLININTL.COM>

To:

"Danny Brashear" <BRASHEDR@leegov.com>

Date:

2/1/2005 3:46 PM

Subject: RE: Spec # 36

#### DANNY,

FINALLY ATTACHED IS A QUOTE FOR THE TRACTORS WITH THE ITEMS REQUESTED. ADD \$200.00 FOR THE THIRD HOSE ON THE 3 LINE TRACTOR.

#### THANK YOU

JEFF ROTELLA FLEET SALES MANAGER MAUDLIN INTERNATIONAL TRUCKS 407-466-6951

----Original Message----

From: Danny Brashear [mailto:BRASHEDR@leegov.com]

Sent: Tuesday, February 01, 2005 9:16 AM

To: JROTELLA@MAUDLININTL.COM

**Subject:** RE: Spec # 36

Jeff.

Thank you.

I'm working on purchasing seven (7) tractors.

Can you send me a quote for this truck with the following options:

- 1. Six (6) trucks will need a two (2) line wet kit and one (1) truck needs a three (3) line wet kit.
- 2. AM/FM radio with speakers.
- 90 degree elbow on the exhaust.
- 4. 1/4 fenders with mud flaps over the rear axles.
- 5. Small tool boxes mounted on one side.
- 6. Pogo sticks.
- 7. Deck, catwalk around the pogo stick.
- 8. Air slide fifth wheel (high clearance fifth wheel).

Please send me a quote for these trucks, as soon as you can. The department needs to go to the board quickly.

Thank you.

DRB.

## Danny Brashear - RE: Spec # 36

From:

"JEFF ROTELLA" < JROTELLA@MAUDLININTL.COM>

To:

"Danny Brashear" <BRASHEDR@leegov.com>

Date:

2/1/2005 3:46 PM

Subject: RE: Spec # 36

#### DANNY,

FINALLY ATTACHED IS A QUOTE FOR THE TRACTORS WITH THE ITEMS REQUESTED. ADD \$200.00 FOR THE THIRD HOSE ON THE 3 LINE TRACTOR.

#### THANK YOU

JEFF ROTELLA FLEET SALES MANAGER MAUDLIN INTERNATIONAL TRUCKS 407-466-6951

----Original Message----

From: Danny Brashear [mailto:BRASHEDR@leegov.com]

Sent: Tuesday, February 01, 2005 9:16 AM

To: JROTELLA@MAUDLININTL.COM

Subject: RE: Spec # 36

Jeff.

Thank you.

I'm working on purchasing seven (7) tractors.

Can you send me a quote for this truck with the following options:


- 1. Six (6) trucks will need a two (2) line wet kit and one (1) truck needs a three (3) line wet kit.
- 2. AM/FM radio with speakers.
- 3. 90 degree elbow on the exhaust.
- 4. 1/4 fenders with mud flaps over the rear axles.
- 5. Small tool boxes mounted on one side.
- 6. Pogo sticks.
- 7. Deck, catwalk around the pogo stick.
- 8. Air slide fifth wheel (high clearance fifth wheel).

Please send me a quote for these trucks, as soon as you can. The department needs to go to the board quickly.


Thank you.

DRB.

# **DISTRICT MAP**



# DISTRICT MAP









# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

# 2005 INTERNATIONAL 7600 SFA Specification #36 52,000 lb. GVWR, 4x6 Tandem Axle Road Tractor (Cab & Chassis)

The International 7600 SFA road tractor purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE: BASE PRICE: Western \$57,421.00 Northern \$57,421.00

Central \$57,421.00 Southern \$57.621.00

Purchasers are advised that the above referenced vehicle specification comes equipped as a base unit only. Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have identified and equipped the base unit with those specifications and equipment items required to meet National Standards. Since equipment needs and preferences are going to vary from agency to agency – any additional options required or changes to the base unit desired by the purchaser shall be made through the vendor listed.

**NOTE:** An official listing of all add/delete options and their prices should be obtained from the appropriate vendor.

#### LEGEND FOR DELETE/ADD OPTIONS

Every line will require a **DOLLAR VALUE** or one of the following abbreviations:

Std. = manufacturer's standard equip.

Incl. = included with base specs.

NC = no additional charge

NA = not applicable to the vehicle
 = option not bid by vendor







# FLORIDA SHERIFFS ASSOCIATION, FLORIDA ASSOCIATION OF COUNTIES & FLORIDA FIRE CHIEFS' ASSOCIATION

### 2005 INTERNATIONAL 7600 SFA Specification #36 52,000 lb. GVWR, 4x6 Tandem Axle Road Tractor (Cab & Chassis)

The International 7600 SFA road tractor purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$57,421.00	\$57,421.00	\$57,421.00	\$57,621.00

Purchasers are advised that the above referenced vehicle specification comes equipped as a base unit only. Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have identified and equipped the base unit with those specifications and equipment items required to meet National Standards. Since equipment needs and preferences are going to vary from agency to agency - any additional options required or changes to the base unit desired by the purchaser shall be made through the vendor listed.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate vendor.

#### LEGEND FOR DELETE/ADD OPTIONS

Every line will require a DOLLAR VALUE or one of the following abbreviations: Std. = manufacturer's standard equip.

Incl. = included with base specs.

= no additional charge not applicable to the vehicle

option not bid by vendor

VEHICLE: DEALER: ZONE: BASE PRI	CE:	International 7600 SFA Mauldin Western \$57,421.00	International 7600 SFA Mauldin Northern \$57,421.00	International 7600 SFA Mauldin Central \$57,421.00	International 7600 SFA Mauldin Southern S57,621,00
Order Code	Delete Option	ns			All Zones
4091	Fuller 14210B Delete tractor	10 Speed Manual package	with OD		\$ 1,261.00
Order Code	Add Options				All Zones
13AGV			ion to include synt	hetic oil, TES 295 or	\$ 12,564.00
		oody with hoist and ard tilt-type in lieu o			\$ 8,950.00 N/A

VEHICLE: DEALER: ZONE: BASE PRI	CE:	International 7600 SFA Mauldin Western \$57,421.00	International 7600 SFA Mauldin Northern 857,421.00	International 7600 SFA Mauldin Central \$57,421.00	International 7600 SFA Mauldin Southern 557,621.00
Order Code	Delete Optic	ons			All Zones
4091	Fuller 14210 Delete tracto	B 10 Speed Manua r package	I with OD		\$ 1,261.00
Order Code	Add Options	· · · · · · · · · · · · · · · · · · ·			All Zones
13AGV	Allison 4500 approved e		ssion to include syn	thetic oil, TES 295 o	r \$ 12,564.00
	12 yd. dump	body with hoist an vard tilt-type in lieu			\$ 8,950.00 N/A


Prepared For: Floriida Sheriffs Association Lynn Meek P.O. BOX 12519 TALLAHASSEE, FL 32317 1850-8772165

Reference ID: SPEC #36



February 01, 20

Presented E
MAUDLIN INTERNATIONAL TRUCKS II
Jeff Rote
4900 N ORANGE BLOSSOM
ORLANDO, FL 328
(407)295-60



# Model Profile 2005 Diamond SPEC™ 7600 SFA 6x4 (SF547)

MISSION: Requested GCWR: 80000. Catc. GVWR: 52000

Calc. Start / Grade Ability: 13.7% / 1.43% @ 55 MPH.

Calc. Geared Speed: 70.5 MPH.

FUEL ECONOMY: N/A

DIMENSION: Wheelbase: 191, CA: 116, Usable CA: 116., Axle to Frame: 55

ENGINE, DIESEL: {Cummins ISM 350V} 50 State 335 HP @ 2100 RPM Governed Speed; 1450 lb-ft

Torque @ 1200 RPM; 350 Peak HP (Max)

TRANSMISSION, MANUAL: {Fuller FR-14210B} 10-Speed Manual, With Air Shift

CLUTCH: {Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15

.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwil-

Adjust(Manual) Feature, With 3200 lb Plate Load, 1450 lb-ft Torque Capacity

AXLE, FRONT NON-DRIVING: {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

AXLE, REAR, TANDEM: {Meritor RT-40-145} Single Reduction 40,000-lb Capacity With 200 Wheel Ends

Gear Ratio: 3.58

CAB: Conventional, Steel

TIRE, FRONT: (2) 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range G, 14 ply

TIRE, REAR: (8) 11R22.5 G164 RTD M+S (GOODYEAR) 499 rev/mile, load range G, 14 ply

SUSPENSION, REAR, TANDEM: {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity Wi

**Rubber Center Bushings** 


Prepared For:

Floriida Sheriffs Association Lynn Meek P.O. BOX 12519 TALLAHASSEE, FL 32317 1850-8772165 Reference ID: SPEC #36



February 01, 20

Presented E
MAUDLIN INTERNATIONAL TRUCKS II
Jeff Rote
4900 N ORANGE BLOSSOM
ORLANDO, FL 328
(407)295-60



#### Model Profile 2005 Diamond SPEC™ 7600 SFA 6x4 (SF547)

MISSION: Requested GCWR: 80000. Catc. GVWR: 52000

Calc. Start / Grade Ability: 13.7% / 1.43% @ 55 MPH.

Calc. Geared Speed: 70.5 MPH.

FUEL ECONOMY: N/A

DIMENSION: Wheelbase: 191, CA: 116, Usable CA: 116., Axle to Frame: 55

ENGINE, DIESEL: {Cummins ISM 350V} 50 State 335 HP @ 2100 RPM Governed Speed; 1450 lb-ft

Torque @ 1200 RPM; 350 Peak HP (Max)

TRANSMISSION, MANUAL: {Fuller FR-14210B} 10-Speed Manual, With Air Shift

CLUTCH: {Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15

.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwil-

Adjust(Manual) Feature, With 3200 lb Plate Load, 1450 lb-ft Torque Capacity

AXLE, FRONT NON-DRIVING: {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

AXLE, REAR, TANDEM: {Meritor RT-40-145} Single Reduction 40,000-lb Capacity With 200 Wheel Ends

Gear Ratio: 3.58

CAB: Conventional, Steel

TIRE, FRONT: (2) 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range G, 14 ply

TIRE, REAR: (8) 11R22.5 G164 RTD M+S (GOODYEAR) 499 rev/mile, load range G, 14 ply

SUSPENSION, REAR, TANDEM: {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity Wi

**Rubber Center Bushings** 

#### <u>Vehicle Specifications</u> 2005 7600 SFA 6x4 (SF547)

Code	<u>Description</u>
SF54700	Base Chassis, Model 7600 SFA 6X4 with 191 Wheelbase, 116 CA, 116. Usable CA, and 55 Axle to Frame.
1616	FRAME RAILS WITH TAPERED REAR
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back
	Includes : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WHG	WHEELBASE RANGE 191" (485cm) Through and Including 256" (650cm)
2ARW	AXLE, FRONT NON-DRIVING (Meritor MFS-12-143A) Wide Track, I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
	Includes  : AIR COMPRESSOR AIR SUPPLY LINE International Engines Naturally-Aspirated  : AIR COMPRESSOR AIR SUPPLY LINE Cummins, Caterpillar Engines Turbo-Charged  : BRAKE CHAMBERS, SPRING (2) Rear Parking  : BRAKE LINES Color Coded Nylon  : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab  : HOSE TENDER To Secure the Trailer Hoses When Not in Use; Back of Cab Mounted  : SLACK ADJUSTERS, FRONT Automatic  : SLACK ADJUSTERS, FRONT Automatic  : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights Instrument Panel Mounted (Blink: Lights with Headlight Switch in "OFF" or "ON" Position)  : TRAILER CONNECTIONS 12' Coiled Trailer Electrical Supply Cable (with 7-Way Connector) and 12' Coiled Trailer Brake Hoses (Nylon)  : DRAIN VALVE Twist-Type  : HAND CONTROL VALVE, AIR Mounted on Steering Column  : TRACTOR PROTECTION VALVE  : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;  : TURN SIGNAL SWITCH Manual Cancelling
4732	DRAIN VALVE (Berg) Manual; With Pull Chain, for Air Tank
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER (Bendix AD-9) With Heater
4JBL	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
	Includes : DUST SHIELDS, FRONT BRAKE
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic

#### <u>Vehicle Specifications</u> 2005 7600 SFA 6x4 (SF547)

Code	Description
SF54700	Base Chassis, Model 7600 SFA 6X4 with 191 Wheelbase, 116 CA, 116. Usable CA, and 55 Axle to Frame.
1616	FRAME RAILS WITH TAPERED REAR
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL.
1LLA	BUMPER, FRONT Steel, Swept Back
	Includes : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WHG	WHEELBASE RANGE 191" (485cm) Through and Including 256" (650cm)
2ARW	AXLE, FRONT NON-DRIVING (Meritor MFS-12-143A) Wide Track, I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
	Includes  : AIR COMPRESSOR AIR SUPPLY LINE International Engines Naturally-Aspirated  : AIR COMPRESSOR AIR SUPPLY LINE Cummins, Caterpillar Engines Turbo-Charged  : BRAKE CHAMBERS, SPRING (2) Rear Parking  : BRAKE LINES Color Coded Nylon  : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab  : HOSE TENDER To Secure the Trailer Hoses When Not in Use; Back of Cab Mounted  : SLACK ADJUSTERS, FRONT Automatic  : SLACK ADJUSTERS, REAR Automatic  : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights Instrument Panel Mounted (Blink: Lights with Headlight Switch in "OFF" or "ON" Position)  : TRAILER CONNECTIONS 12' Coiled Trailer Electrical Supply Cable (with 7-Way Connector) and 12' Coiled Trailer Brake Hoses (Nylon)  : DRAIN VALVE Twist-Type  : HAND CONTROL VALVE, AIR Mounted on Steering Column  : TRACTOR PROTECTION VALVE  : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;  : TURN SIGNAL SWITCH Manual Cancelling
4732	DRAIN VALVE (Berg) Manual; With Pull Chain, for Air Tank
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER (Bendix AD-9) With Heater
4JBL	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
	Includes : DUST SHIELDS, FRONT BRAKE
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic

#### Vehicle Specifications 2005 7600 SFA 6x4 (SF547)

Code	<u>Description</u>
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4NCE	BRAKES, REAR, AIR CAM 16.5" $\times$ 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
	Includes: : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions
4SPA	AIR COMPRESSOR (Cummins) 18.7 CFM
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PSA	STEERING GEAR (Sheppard M-100) Power
7BAJ	EXHAUST SYSTEM Single, Horizontal Muffler Mounted Below the Rails and Vertical Right Side Frame Mounted Aluminized Steel Tail Pipe and Tail Pipe Guard
7MAL	TAIL PIPE Turnback Type, Non-Bright Finish. for Single Non-Bright Finish Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	Includes  : BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab  : TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature)  : HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels  : HORN, ELECTRIC Single  : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light  : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector  : STARTER SWITCH Electric Key Operated  : TURN SIGNALS, FRONT Flush Mounted Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers;  : DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostics  : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted  : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature,  : WIRING, CHASSIS Color Coded and Continuously Numbered
8GEJ	ALTERNATOR {Leece-Neville 8LHP2172VAH} Brush Type; 12 Volt 110 Amp. Capacity, Pad Mounted
8MEZ	BATTERY SYSTEM (International) Maintenance-Free, (2) 12-Volt 1850CCA Total
8RGS	RADIO (International) AM/FM Stereo With Weatherband, Clock, Includes Multiple Dual Cone Speakers
·· <b>-</b>	Includes : SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
, 8THB	BACK-UP ALARM Electric, 102 dBA
8WCL	HORN, AIR (Grover) Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WWM	STARTING MOTOR {Leece-Neville MS2} 12-Volt; less Thermal Over-Crank Protection

#### <u>Vehicle Specifications</u> 2005 7600 SFA 6x4 (SF547)

Code	<u>Description</u>
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4NCE	BRAKES, REAR, AIR CAM 16.5" $\times$ 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
	Includes : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions
4SPA	AIR COMPRESSOR (Cummins) 18.7 CFM
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PSA	STEERING GEAR (Sheppard M-100) Power
7BAJ	EXHAUST SYSTEM Single, Horizontal Muffler Mounted Below the Rails and Vertical Right Side Frame Mounted Aluminized Steel Tail Pipe and Tail Pipe Guard
7MAL	TAIL PIPE Turnback Type, Non-Bright Finish. for Single Non-Bright Finish Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	Includes  BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab  TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature)  HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels  HORN, ELECTRIC Single  PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light  STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector  STARTER SWITCH Electric Key Operated  TURN SIGNALS, FRONT Flush Mounted Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers;  DATA LINK CONNECTOR in Cab For Vehicle Programming and Diagnostics  WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted  WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Wash and Intermittent Feature,  WIRING, CHASSIS Color Coded and Continuously Numbered
8GEJ	ALTERNATOR (Leece-Neville 8LHP2172VAH) Brush Type; 12 Volt 110 Amp. Capacity, Pad Mounted
8MEZ	BATTERY SYSTEM (International) Maintenance-Free, (2) 12-Volt 1850CCA Total
8RGS	RADIO (International) AM/FM Stereo With Weatherband, Clock, Includes Multiple Dual Cone Speakers
	Includes : SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8THB	BACK-UP ALARM Electric, 102 dBA
8WCL	HORN, AIR (Grover) Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WWM	STARTING MOTOR (Leece-Neville MS2) 12-Volt; less Thermal Over-Crank Protection