

Agenda Item Summary

1. ACTION REQUESTED/PURPOSE: Approve award of Project # EX050666, the purchase of one new International truck-tractor for Parks, from International Truck and Engine Corporation, at the prices given in Florida State Contract # 070-700-05-1 – grand total price (including non-contract options): \$58,641.

2. WHAT ACTION ACCOMPLISHES: Provides Parks with a new truck-tractor to transport heavy equipment to various park locations. The new vehicle replaces asset number 019566 which has reached its life expectancy and has met Fleet Management’s replacement criteria requirements (please see Attachment #3).

3. MANAGEMENT RECOMMENDATION: Approve as stated.

4. Departmental Category: II CIAA **5. Meeting Date:** 08-30-2005

6. Agenda: <input checked="" type="checkbox"/> Consent <input type="checkbox"/> Administrative <input type="checkbox"/> Appeals <input type="checkbox"/> Public <input type="checkbox"/> Walk-On	7. Requirement/Purpose: (specify)		8. Request Initiated: Commissioner Department <u>Parks & Recreation</u> Division By: <u>John Yarbrough, Director</u>
	<input type="checkbox"/> Statute		
	<input type="checkbox"/> Ordinance		
	<input checked="" type="checkbox"/> Admin. Code <u>AC-4-1</u>		
	<input type="checkbox"/> Other		

9. Background: On August 2, 2005, the Division of Purchasing received a request from Parks and Fleet Management to purchase one new International truck-tractor at the prices given in Florida State Contract # 070-700-05-1.

Funds are available: JB5191059401.506430

Please see attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract # 070-700-05-1
- (3) Repair History of Equipment Being Replaced

10. Review for Scheduling:

Department Director	Purchasing or Contracts	Human Resources	Other	County Attorney	Budget Services				County Manager/P.W. Director
					Analyst	Risk	Grants	Other	
<i>M. Williams</i> 8/11/05	<i>[Signature]</i>			<i>[Signature]</i> 8/11/05	<i>CA</i> 8/13/05	<i>58</i> 8/18/05	<i>[Signature]</i> 8/18/05	<i>[Signature]</i> 8/18/05	<i>[Signature]</i>

11. Commission Action:

- Approved
- Deferred
- Denied
- Other

RECEIVED BY
CO. ATTY.
FORWARDED TO:
Co. Mac
8-17-05

RECEIVED BY
COUNTY ADMIN:
[Signature]
COUNTY ADMIN
FORWARDED TO:
[Signature]



LEE COUNTY

ATTACHMENT #1

DIVISION OF
FLEET MANAGEMENT

To: Janet Sheehan, Purchasing Director
From: Marilyn L. Rawlings, Fleet Manager
Date: 8/2/2005
Re: Truck-Tractor

Please prepare a Blue Sheet for the purchase of one (1) International truck-tractor from International Truck & Engine Corporation for the Department of Parks & Rec.

ACTION REQUESTED/PURPOSE:

Approve the State Contract (contract #070-700-05-1) purchase of one (1) International Model-4400 truck-tractor and contracted items for \$48,549 and approve the purchase of non-contract items for \$10,092, for a total cost of \$58,641 to International Truck & Engine Corporation.

WHY ACTION IS NECESSARY:

Board approval is required, as this expenditure will exceed \$50,000.

WHAT ACTION ACCOMPLISHES:

This purchase will provide the Department of Parks & Recreation with a new truck-tractor to transport all the heavy equipment to the different parks. This new truck will replace asset # 019566 which has met Fleet Management's replacement criteria.

MANAGEMENT RECOMMENDATIONS:

Approve this request to give the department a new truck-tractor.

Funds for this purchase are available from account string #: JB5191059401.506430

BACKGROUND:

Lee County Fleet Management received a request from Parks & Recreation to replace their only truck-tractor that has become too costly to maintain. (See back-up for details)

Medium and Heavy Trucks

070-700-05-1

Effective: 1/4/2005 through 5/31/2006



[Rate this contract](#)



[View survey Results](#)

Special Notice regarding the Delivery of Sterling Trucks

Certification

Contract Administrator

Price Sheet

Ordering Instructions

Contract Documents

070-700-498	TRUCK TRACTOR, SINGLE AXLE, CLASS 8, 50,000 LB. GCWR (4X2)
34-S	
NOTE:	This detailed specification is not complete unless it is used in conjunction with all conditions of the Technical Specifications.
INTENDED USE	TOWING A FIFTH WHEEL TYPE SEMI TRAILER AND TRANSPORTING UP TO TWO INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.
	*GCWR 50,000 lbs.
	*GVWR - Gross Vehicle Weight Rating is the total maximum weight of a fully equipped, fully loaded truck.
10	ENGINE:
A	Diesel engine, 7.2L, 260 Gross HP (per the latest issue of SAE J1349) and 800 lbs.-ft. Gross Torque, minimum. The following engines, or approved equivalent, are acceptable: CAT C7: 7.2L, 275 Gross HP, 800 lbs.-ft. Gross Torque CUMMINS ISC: 8.3L, 260 Gross HP, 800 lbs.-ft. Gross Torque DURAMAX 7800: 7.8L, 275 Gross HP, 800 lbs.-ft. Gross Torque INT DT-466: 7.6L, 260 Gross HP, 800 lbs.-ft. Gross Torque MERCEDES-BENZ MBE900: 7.2L, 280 Gross HP, 800 lbs.-ft. Gross Torque
B	Standard cooling system with antifreeze.
C	Dry type air cleaner with service (restriction) indicator.
D	Engine protection system, at a minimum, must be activated by low engine oil pressure, and high engine temperature. System shall, at a minimum, include a warning light(s) and derate (ramp down) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
E	Single vertical or horizontal muffler and vertical exhaust pipe with rain cap.
F	Speed/cruise control.
12	ELECTRICAL SYSTEM:
A	Minimum 100 amps 12 v. alternator.
B	Batteries to have a minimum total of 1100 CCA @ 0 degrees F.
20	TRANSMISSION: Minimum 6-speed automatic transmission with provisions for a PTO. Allison 3000RDS or approved equivalent.
30	AXLES & SUSPENSION:
A	Steel front axle and suspension, minimum 12,000 lbs. capacity.
B	Front shock absorbers.
C	Front wheel oil-lubricated bearings and seals.
D	Single speed rear axle and suspension, minimum 23,000 lbs. capacity. Rear axle ratio is to be a 6.14/6.17 for 2200 RPM engines, 6.43/6.50 for 2400, 6.83 for 2500 RPM engines, or the closest possible ratio available that will provide a top speed of approximately 65 MPH.
E	Front wheel hubs and rear axle shall be filled with synthetic lubricant.
F	Auxiliary rear springs, if available.
40	PERFORMANCE ITEMS:
A	Factory installed speedometer, odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash mounted engine hourmeter.
B	Power steering.
50	COMFORT ITEMS:
A	Factory installed AM-FM radio.
B	Air conditioner with integral heater and defroster.
C	Arm rests both sides, if available; sunvisors, both sides.
D	Tinted glass all windows, including windshield.
60	SAFETY ITEMS:
A	Air horn(s), mounted under the cab or hood, or behind the front bumper.
B	Standard electric horn.
C	Daytime running lights.
D	Outside mirrors, left and right side. Mirrors to be 6 inches x 12 inches, minimum, with convex mirrors on both sides. Mirrors and brackets shall be of rust and corrosive resistance materials such as stainless steel, aluminum, coated metals or composite materials. Painted mirrors and brackets are not acceptable.
E	Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB (A). Factory or dealer installed.
F	Rear quarter fenders, plastic, rubber or stainless steel. Factory or dealer installed.
G	NO VENDOR ADVERTISING OR IDENTIFICATION WILL BE PERMITTED ON FENDERS.
H	Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.
I	NO VENDOR ADVERTISING OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.
J	All access steps shall be self-cleaning slip-resistant grating.
62	BRAKES:
A	ABS air brake system, minimum 13.2 cfm air compressor.
B	Spring applied parking brake.
C	Front and rear automatic slack adjusters.
D	Front and rear dust shields.
E	Outboard mounted brake drums, front and rear, if available. (NOTE: Allows brake repair without removing axle hubs.)
F	Low air pressure warning indicator.
G	Air dryer with heater. Bendix AD-9, AD-IP, AD-IS, Wabco System Saver 1200 or approved equivalent.
70	TIRES & WHEELS:
A	Six (6) 11R22.5H (16PR) or larger, tubeless, radial tires with highway tread.
B	All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
C	Front, inside rear and outside rear wheels to be fully interchangeable.
80	CHASSIS, FRAME, CAB:
A	Minimum 35,000 lbs. GVWR, 50,000 lbs. GCWR, factory certified.
B	Minimum 1,373,000 in-lbs. RBM to rear end of frame, factory reinforced if necessary.
C	Cab-to-axle dimension of 84-86 inches.
D	Factory installed fuel tank(s), minimum 100 U.S. gallons.
E	Front tow hooks or tow pins.
F	Standard front bumper.

070-700-498		TRUCK TRACTOR, SINGLE AXLE, CLASS 8, 50,000 LB. GCWR (4X2)
3001		"No-Spin" or driver control traction differential (DCDL) on rear axle.
	CODE	14877
	PRICE	\$779.00
5001		Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.
	CODE	N/A
6001		Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the vehicle.)
	CODE	Front Clearance Indicators
	PRICE	\$66.00
6201		Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section 62. G. Unit must be installed by the vehicle manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.
	CODE	ClearDrain
	PRICE	\$682.00
7001		Tubeless radial tires with on/off highway tread for rear only. Bid four (4) 11R22.5H (16PR) or larger tires for on/off highway use. Rear tires to be General D450, Goodyear G164 RTD, Michelin XDE or approved equivalent.
	CODE	4-7382130155
	PRICE	\$88.00
8001		Full height cab guard. Guard to be all welded aluminum construction. Minimum 84 inches wide and 67 inches high. To include provision to hang chains and binders. Must include window (approx. 36 inches W x 18 inches H) to allow vision out of the back of the cab. East Mfg. Co. "Steel Hauler Model" Part No. 099-30105-00, Koneta "Black Max" Part No. DB 1010, Merritt "Cab Guard II" Part No. 96-1120-001 or approved equivalent. Bidder must include the cost for any additional CA dimension, if required. State manufacturer and model no.
	MFR.	East MFG
	MODEL NO.	99-30105-00
	CODE	99-30105-00
	PRICE	\$1,498.00
8201		Special state color. DOT Yellow (DuPont Centari L9069A, Freightliner/Sterling 3258, GM 86, International 4421).
	CODE	4421
	PRICE	N/C
8202		Two-tone colors. Manufacturer's standard two-tone colors.
	CODE	35200, 9219, 4421
	PRICE	\$165.00
8203		Aerodynamic package. Bid to include roof air deflector and side extensions, if available. State all equipment included in bid.
	CODE	N/A
8204		High back air suspension passenger seat. Bid in lieu of the matching fixed base passenger seat specified in Section 82.B.
	CODE	16RPV
	PRICE	\$311.00



INTERNATIONAL TRUCK AND ENGINE CORPORATION

2400 COMMERCE AVENUE - BLDG. 1100 - SUITE 100, DULUTH, GA 30088

T 678 584 2700

F 678 584 2791

TRUCK GROUP

August 1, 2005

Danny Brashear
 Lee County Fleet Manager
 2955 Van Buren St.
 Fort Myers, FL 33916

Danny:

Per your request, please find pricing and specifications off the State of Florida Contract # 070-700-05-1 for a spec: 498 single axle truck tractor.

'08 International Model 4400 SBA 4x2 Central District	\$45,436.00
3001 No spin differential	779.00
6001 Front clearance indicators	68.00
6201 Automatic air brake drain system	682.00
8001 Full height cab guard	1,498.00
7001 (4) 11R22.5 16 ply Gdy G-164 RTD	88.00

Non-Contract Options:

1) Automatic volume back up alarm	N/C
2) 4 corner strobe light	776.00
3) Hyd wet line kit with pogo stick	9,124.00
4) Quarter fenders - aluminum	<u>192.00</u>

Total: \$58,641.00

Please don't hesitate to call me if you have any questions or need to make any changes.

Sincerely,

Bill Parham
 National Accounts Manager
 Phone: (678) 376-0069
 Fax: (770) 963-3083
 E-mail: bill.parham@nav-international.com

INTERNATIONAL*

August 01, 2008

Prepared For:
 Lee County, FL
 Danny Brashner
 4050 Esplanade Way
 Tallahassee, FL 32309
 1850-4888367

Presented By:
 International Truck and Engine Corp.
 Parham Bldg
 2400 COMMERCE AVE
 BLD. 1100 - SUITE 100
 DULUTH, GA 300964955
 (678)584-2777

Reference ID: N/A

Model Profile
2006 4400 SBA 4x2 (MA035)

APPLICATION: MRD Beverage Tractor
MISSION: Requested GCWR: 50000. Calc. GVWR: 35000
 Calc. Start / Grade Ability: 20.8% / 1.47% @ 55 MPH.
 Calc. Geared Speed: 72 MPH.
FUEL ECONOMY: 7.1 MPG @ 55 MPH
DIMENSION: Wheelbase: 144, CA: 76.9, Axle to Frame: 35
ENGINE, DIESEL: (International DT488 High Torque) 50 State, 260 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM
 Governed Speed, # 2 Bell Housing
TRANSMISSION, AUTOMATIC: (ALLISON 3000_RDS_F) Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level
 Sensor, With PTO Provision, Lissa Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH: Over Item (Clutch & Control)
AXLE, FRONT NON-DRIVING: (International I-120SG) I-Beam Type, 12,000-lb Capacity
AXLE, REAR, SINGLE: (Dana Spicer 230900) Single Reduction, 23,000-lb Capacity, With Driver Control Locking Differential,
 With 200 Wheel Ends
 Gear Ratio: 6.17
CAB: Conventional, Steel
TIRE, FRONT: (2) 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range H, 16 ply
TIRE, REAR: (4) 11R22.5 G164 RTD M+S (GOODYEAR) 499 rev/mile, load range H, 16 ply
SUSPENSION, RR, SPRING, SINGLE: Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring

<u>Code</u>	<u>Description</u>
MA03500	Base Chassis, Model 4400 SBA 4X2 with 144 Wheelbase, 76.9 CA, and 35 Aids to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted.
1616	FRAME RAILS WITH TAPERED REAR
1CAE	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 456.0" (11582mm) Maximum OAL
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WEH	WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)
2ADD	AXLE, FRONT NON-DRIVING (International I-120SG) I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE International Engines Naturally-Aspirated : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HOSE TENDER To Secure the Trailer Hoses When Not in Use; Back of Cab Mounted : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted : TRAILER CONNECTIONS 12' Coiled Trailer Electrical Supply Cable (with 7-Way Connector) and 12' Coiled Trailer Brake Hoses (Nylon) : DRAIN VALVE Twist-Type : HAND CONTROL VALVE, AIR Mounted on Steering Column : TRACTOR PROTECTION VALVE : GAUGE, AIR PRESSURE Air 1 and Air 2 Gauges; Located in Instrument Cluster
4774	SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Aids Rating up to 23,000-lbs for Single Aides or 46,000-lbs for Tandem Aides
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4ERC	BRAKE CHAMBERS, SPRING Relocated To Rear Of Rear Axle For Maximum Ground Clearance
4JBG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
4NCE	BRAKES, REAR, AIR CAM 16.6" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake
4SBC	AIR COMPRESSOR (Bendix Tu-Flo 550) 13.2 CFM
4WBX	DUST SHIELDS, FRONT BRAKE
4WDM	DUST SHIELDS, REAR BRAKE
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PSA	STEERING GEAR (Sheppard M-100) Power
7BBH	EXHAUST SYSTEM Single, Horizontal, Stainless Steel Muffler with Internal Catalytic Converter, Vertical Non-Bright Tail Pipe and Tail Pipe Guard; Frame Mounted Right Side BOC; for 2004 Emissions Standards With International I6 Engines

<u>Code</u>	<u>Description</u>
7MAL	TAIL PIPE Turnback Type, Non-Bright Finish, for Single Non-Bright Finish Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : FUSES, ELECTRICAL SAE Blade-Type : TURN SIGNAL SWITCH Self-Canceling, Headlight Dimmer (with Flash-To-Pass Feature) : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STOP, TURN, TAIL & BRAKE LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics in Cab : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Switch : WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER
8GEJ	ALTERNATOR (Lescage-Neville BLHP2172VAH) Brush Type; 12 Volt 110 Amp. Capacity, Pad Mounted
8MEP	BATTERY SYSTEM (International) Maintenance-Free (2) 12-Volt 1300CCA Total.
8REY	RADIO (Panasonic CQR-111) AM/FM, With Cassette Player, Includes Multiple Dual Cone Speakers <u>Includes</u> : SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
8WCL	HORN, AIR (Grover) Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WPS	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights
8WPP	ENGINE SHUTDOWN Automatic; With 30 Second Delay, With International Engines
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WWN	STARTING MOTOR (Lescage-Neville M100R) 12-Volt; less Thermal Over-Crank Protection
9HAD	GRILLE Chrome
9WAY	FRONT END Tiling, Fiberglass, With Three Piece Construction
10060	PAINTE SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"
10781	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10EWW	FIFTH WHEEL, STATIONARY (FONTAINE SL6FMA-D64-2) 7.69" Above Top of Frame; Left Hand Roadside Release
10WPR	MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps
10WPY	MUD FLAPS, REAR Black Rubber, Anti-Sail Less Logo; Less Holders
11001	CLUTCH Omit Item (Clutch & Control)
12NPU	ENGINE, DIESEL (International DT466 High Torque) 50 State, 280 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : FUEL/WATER SEPARATOR and FUEL FILTER in a Single Assembly, Mounted on Engine : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control

<u>Code</u>	<u>Description</u>
	: WET TYPE CYLINDER SLEEVES : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE SHUTDOWN Electric, Key Operated : GOVERNOR Road Speed, Electronic : ENGINE OIL DRAIN PLUG Magnetic : OIL FILTER, ENGINE Spin-On Type : FAN Optimized Position
12TSY	FAN DRIVE (Borg-Warner SA85) Viscous Screw On Type <u>Includes</u> : FAN Nylon
12UWT	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 630 SqIn Louvered, With 270 SqIn Charge Air Cooler, 4.25" Core <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : RADIATOR HOSES Premium, Rubber
12UXV	FEDERAL EMISSIONS for 2004; for International VT365, DT466 and DT570 Engines
12VBC	AIR CLEANER Single Element
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12VYC	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for CEC II Electronic Engines
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
12WYS	EXPANDED ENGINE TEMP EFFECTS to Allow Higher Engine Operating Temperature Range; Includes Nylon Surge Tank and 15 psi Pressure Cap
13AGH	TRANSMISSION, AUTOMATIC (ALLISON 3000_RDS_IP) Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Loss Retarder, With 80,000-lb GVW & GCW Max. <u>Includes</u> : TRANSMISSION OIL PAN Magnet In Oil Pan
13WBL	TRANSMISSION SHIFT CONTROL (ALLISON) Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WDK	OIL COOLER, AUTO TRANSMISSION Water to Oil Type in Combination With Air to Oil Type, for Auto or Auto Shift Transmissions
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
14AGJ	AXLE, REAR, SINGLE (Dana Spicer 23090D) Single Reduction, 23,000-lb Capacity, With Driver Control Locking Differential, With 200 Wheel Ends Gear Ratio: 6.17 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
14WLB	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oil; 30 thru 39.99 Pints
15DMN	FUEL TANK (2) Top Draw, D Style, Steel, 50 U.S. Gal., Total Capacity 100 U.S. Gal., 378 L; 16" Tank Depth, Mounted Under Cab Left and Right Side <u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel <u>Includes</u>

<u>Code</u>	<u>Description</u>
	<ul style="list-style-type: none"> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Wall, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted
16HBA	GAUGE CLUSTER English With English Electronic Speedometer
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter
16JNT	SEAT, DRIVER (National 2000) Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumber Support
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PJH	SEAT, PASSENGER (Gra-Mag) Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Sides
16VBW	CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") for Increased Cooling System Requirements
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKB	AIR CONDITIONER (International Blend-Air) With Integral Heater & Defroster
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : REFRIGERANT Hydrofluorocarbon HFC-134A : HEATER HOSES Premium
16WRX	CAB INTERIOR TRIM Deluxe
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smoke Gray : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) : DOME LIGHT, CAB Rectangular, Door Activated, Timed Theater Dimming, Center Mounted, Integral to Console : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console : STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat the Back Panel is Only Partially Covered and with a Full Bench Seat the Back Panel is : DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
16WSK	CAB REAR SUSPENSION Air Bag Type
16ZGE	ACCESS, FRAME Non-Bright, Step Mounted Left Side, With One Deck Plate and Grab Handle
	<p><u>Includes</u></p> <ul style="list-style-type: none"> : GRAB HANDLE (1) Exterior, Back of Cab
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stub (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.
	<p><u>Includes</u></p>

INTERNATIONAL***Vehicle Specifications
2006 4400 SBA 4x2 (MA636)****August 01, 2006**

<u>Code</u>	<u>Description</u>
	: WHEEL SEALS, FRONT Grease Lubricated, includes Wheel Bearings : PAINT IDENTITY, FRONT WHEELS White
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs <u>Includes</u> : WHEEL SEALS, REAR Oil Lubricated, includes Wheel Bearings : PAINT IDENTITY, REAR WHEELS White
29580	WHEEL SEALS, FRONT (International) Oil-Lubricated Wheel Bearings
29WVA	WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil
7382130118	(4) TIRE, REAR 11R22.5 G164 RTD M+S (GOODYEAR) 489 rev/mile, load range H, 16 ply
7382130155	(2) TIRE, FRONT 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range H, 16 ply
810004	FIFTH WHEEL LOCATION 04.0' Ahead of Rear Axle Centerline Cab Schematic 100GA Location 1: 9219, WINTER WHITE Chassis Schematic N/A
6201	Automatic-Adjustable volume backup alarm. - TSC Springfield Automatic air brake drain system "Cleardrain" - TSC Springfield TSC Handling - TSC Springfield
6001	Front clearance indicators - TSC Springfield Aluminum Quarter Fenders. - TSC Springfield

Description

Merritt Aluminum Cab Guard 68" high X 70" wide with window, Chain rack & Tray.
Star RSK244P four corner strobe kit.
Hydraulic wet line kit per Lee County, FL specifications.

Quote per Jim Hardee Equipment 7/28/05 Quote #3979 from Janet.

When completed ship to Wallace Intl 2761 East Edison Ave Ft. Myers, FL 33916
Dealer contact Jim Bronckosky 239-334-1000

**EQUIPMENT HISTORY
COST & QTY PER METER**

DATE: 8/2/2005

Report based on information from 8/1/1995 - 8/1/2005.
Totals for monitor group - TT - Truck, Tractor, Diesel.

Equipment List For Parks & Rec

Report based on information from 8/1/1995 - 8/1/2005, grouped by , presented in EQUIPMENT TOTALS format

TRUCK - TRACTOR

<u>Asset #</u>	<u>Year</u>	<u>Make</u>	<u>Model</u>	<u>Department</u>	<u>Current Odometer</u>	<u>Fuel CPM</u>	<u>Maint & Repair CPM</u>	<u>Accident CPM</u>	<u>Operating CPM</u>	<u>Total CPM</u>
019566	1995	INTERNATIONAL	4700	PARKS 155	85390	0.085	0.360	0.002	\$0.445	\$0.447

As you can see, asset #019566 is the only truck-tractor that Parks & Rec has. The truck is 10-years old and the maintenance cost has reached 82% of the purchased price. This truck has also met all the criteria for replacement with Fleet Management.

Based on 120 months of life, this truck has exceeded the expected life by 9 months.

Based on 50% of the new purchased price of \$34,900, the maintenance cost is at \$28,6992.25.

Based on 75,000 miles of life, this truck has 85,390 miles on it.

ATTACHMENT #3