

**Lee County Board Of County Commissioners
Agenda Item Summary**

Blue Sheet No. 20051263

1. ACTION REQUESTED/PURPOSE: Approve award of Project # EX050767 for the purchase of one International cab and chassis truck with a 14' flat bed body from International Truck & Engine Corporation for the Department of Transportation, at the prices given in Florida State Contract No. 070-700-05-1 – grand total price (including non-contract options): \$71,155.

2. WHAT ACTION ACCOMPLISHES: Provides DOT with a new flat bed truck to support tractors, equipment, and manpower for lane closers and work zones. This new truck will replace asset #019418 which has meet Fleet Management's replacement criteria (please see Attachment #3).

3. MANAGEMENT RECOMMENDATION: Approve as stated.

4. Departmental Category: 9

C9A

5. Meeting Date: 09-27-2005

- 6. Agenda:**
- Consent
 - Administrative
 - Appeals
 - Public
 - Walk-On

- 7. Requirement/Purpose: (specify)**
- Statute
 - Ordinance
 - Admin. Code AC-4-1
 - Other

8. Request Initiated:

Commissioner _____
 Department Transportation
 Division _____
 By: Scott Gilbertson, Director

9. Background: On September 1, 2005, the Division of Purchasing received a request from DOT and Fleet Management to purchase one new International flat bed truck at the prices given in Florida State Contract # 070-700-05-1.

Funds are available: JB5191059401.506430

Please see attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract # 070-700-05-1/International Quote
- (3) Repair History of Equipment Being Replaced

10. Review for Scheduling:

Department Director	Purchasing or Contracts	Human Resources	Other	County Attorney	Budget Services				County Manager/P.W. Director
					Analyst	Risk	Grants	Mgr.	
<i>Mawling</i>	<i>Joint Decision 9-2-05</i>		<i>9/7/05</i>	<i>9/8/05</i>	<i>RK 9/8</i>	<i>9/8/05</i>	<i>RK For RS 9/8</i>	<i>9/8/05</i>	<i>KS 9/8/05</i>

11. Commission Action:

- Approved
- Deferred
- Denied
- Other

RECEIVED BY
 COUNTY ADMIN:
 9-8-05
 12:00
 COUNTY ADMIN
 FORWARDED TO:
 9/8/05
 SPN

REC'D 9/8/05
 by CO. ATTY.
 8:00 AM
 CO. ATTY.
 FORWARDED TO:
 Co. Mgr.
 9-8-05



DIVISION OF FLEET MANAGEMENT

To: Janet Sheehan, Purchasing Director
From: Marilyn L. Rawlings, Fleet Manager *MR*
Date: 9/1/2005
Re: Flat bed Truck

Please prepare a Blue Sheet for the purchase of one (1) International truck, cab and chassis with the 14' flat bed from International Truck & Engine Corporation for the Department of Transportation.

ACTION REQUESTED/PURPOSE:

Approve the State Contract (contract #070-700-05-1) purchase of one (1) International Model-4300, cab and chassis and contracted items for \$41,020 and approve the purchase of non-contract items for \$30,135, for a total cost of \$71,155 to International Truck & Engine Corporation.

WHY ACTION IS NECESSARY:

Board approval is required, as this expenditure will exceed \$50,000.

WHAT ACTION ACCOMPLISHES:

This purchase will provide the Department of Transportation with a new 14' flat bed truck to support tractors, equipment and manpower for lane closers and work zones. This new truck will replace asset # 019418 which has met Fleet Management's replacement criteria.

MANAGEMENT RECOMMENDATIONS:

Approve this request to give the department a new 14' flat bed truck.

Funds for this purchase are available from account string #: JB5191059401.506430

BACKGROUND:

Lee County Fleet Management received a request from DOT/Operations to replace their flat bed truck that has become too costly to maintain. (See back-up for details)

Medium and Heavy Trucks

070-700-05-1

Effective: 1/4/2005 through 5/31/2006



[Rate this contract](#)



[View survey Results](#)

Special Notice regarding the Delivery of Sterling Trucks

[Certification](#)
[Contract Administrator](#)
[Price Sheet](#)
[Ordering Instructions](#)
[Contract Documents](#)

878-788-186 (8D-33,000)	CHASSIS-CAB, SINGLE AXLE, CLASS 7, 33,000 LBS. GVWR (4x2)
NOTE:	This detailed specification is not complete unless it is used in conjunction with all conditions of the Technical Specifications.
INTENDED USE	INSTALLATION OF VARIOUS TYPES OF AFTERMARKET BODIES RANGING FROM 19 FEET TO 24 FEET IN LENGTH AND TRANSPORTING UP TO THREE INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.
	*GVWR 33,000 lbs.
	PAYLOAD CAPACITY 21,750 LBS. (APPROX)
	*GVWR - Gross Vehicle Weight Rating is the total maximum weight of a fully equipped, fully loaded truck.
10	ENGINE:
A	Diesel engine, 5.9L, 210 Gross HP (per the latest issue of SAE J1349) and 605 lbs.-ft. Gross Torque, minimum. The following engines, or approved equivalent, are acceptable: CAT C7: 7.2L, 210 Gross HP, 605 lbs.-ft. Gross Torque CUMMINS ISB: 5.9L, 245 Gross HP, 660 lbs.-ft. Gross Torque DURAMAX 7800: 7.8L, 215 Gross HP, 660 lbs.-ft. Gross Torque INT VT365: 6.0L, 230 Gross HP, 620 lbs.-ft. Gross Torque MERCEDES-BENZ MBE900: 6.4L, 210 Gross HP, 605 lbs.-ft. Gross Torque
B	Standard cooling system with antifreeze.
C	Dry type air cleaner with service (restriction) indicator.
D	Engine protection system, at a minimum, must be activated by low engine oil pressure, and high engine temperature. System shall, at a minimum, include a warning light(s) and derate (ramp down) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
E	Horizontal exhaust.
12	ELECTRICAL SYSTEM:
A	Minimum 100 amps 12 v. alternator.
B	Batteries to have a minimum total of 1100 CCA @ 0 degrees F.
20	TRANSMISSION: Minimum 6-speed (International may bid a 5-speed) automatic transmission with provisions for a PTO. Allison 3000RDS or approved equivalent.
30	AXLES & SUSPENSION:
A	Steel front axle and suspension, minimum 12,000 lbs. capacity.
B	Front shock absorbers.
C	Front wheel oil-lubricated bearings and seals.
D	Single speed rear axle and suspension, minimum 21,000 lbs. capacity. Rear axle ratio is to be a 6.14/6.43/6.50 for 2400 RPM engines, 6.50/6.83/6.86 for 2500 RPM engines, 6.43/6.50 for a 2800 RPM engine, or the closest possible ratio available that will provide a top speed of approximately 65 MPH.
E	Front wheel hubs and rear axle shall be filled with synthetic lubricant.
F	Auxiliary rear leaf spring(s) or rubber helper.
40	PERFORMANCE ITEMS:
A	Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, pressure gauge and dash mounted engine hourmeter.
B	Power steering.
50	COMFORT ITEMS:
A	Factory installed AM-FM radio.
B	Air conditioner with integral heater and defroster.
C	Arm rests both sides, if available; mirrors, both sides.
D	Tinted glass all windows, including windshield.
60	SAFETY ITEMS:
A	Air horn(s), mounted under the cab or hood, or behind the front bumper.
B	Standard electric horn.
C	Outside mirrors, left and right side. Mirrors to be 6 inches x 12 inches, minimum, with convex mirrors on both sides. Mirrors and brackets shall be of rust and corrosive resistance materials such as stainless steel, aluminum, coated metals or composite materials. Painted mirrors and brackets are not acceptable.
D	Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB (A). Factory or dealer installed.
E	Rain Flaps: Splash and spray suppression rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.
F	NO VENDOR ADVERTISING OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.
G	All access steps shall be self-cleaning slip-resistant grating.
H	Daytime running lights.
62	BRAKES:
A	ABS air brake system, minimum 13.2 cfm air compressor.
B	Spring applied parking brake.
C	Front and rear automatic slack adjusters.
D	Front and rear dust shields.
E	Outboard mounted brake drums, front and rear, if available. (NOTE: Allows brake repair without removing axle hubs.)
F	Low air pressure warning indicator.
G	Air dryer with heater. Bendix AD-9, AD-1P, AD-IS, Wabco System Server 1200 or approved equivalent.
70	TIRES & WHEELS:
A	Six (6) 275/80R22.5G (14PR) or 295/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread.
B	All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
C	Front, inside rear and outside rear wheels to be fully interchangeable.
80	CHASSIS, FRAME, CAB:
A	Minimum 33,000 lbs. GVWR, factory certified.
B	Minimum 1,740,000 in-lbs RBM frame.
C	Cab-axle dimension of 84 - 86 inches.
D	Factory installed fuel tank(s), minimum 70 U.S. gallons.
E	Front tow hooks or tow pins.
F	Standard front bumper.

82	CAB EQUIPMENT:
	A. Conventional cab, with tilt-type hood and fender assembly.
	B. Full-width bench seat or individual driver seat with two-man passenger seat.
	C. Grab handle(s) for cab entry, located at each entry door.
	D. Manufacturer's standard paint and colors.
	E. Rear cab window with fixed tinted glass.
90	CONDITIONS:
A.	Bidder shall provide a manufacturer's print-out (Ford "DORA"/"Commercial Truck Tools", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customs/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the vehicle bid meets all the requirements of this specification. Also, any dealer installed aftermarket components, if specified, must be noted on the manufacturer's print-out.
B.	Welding shall not be permitted on the frame side rails, nor shall the frame rails be cut to lengthen or shorten the wheelbase. Wheelbase modifications are allowed only by sliding the suspension with the "AE" dimension affected accordingly (excess length behind the rear axle may be cut off as required). Any wheelbase modification shall result in a wheelbase and frame combination that is identical to one available from the manufacturer.
C.	Paint numbers are referenced only to identify colors.
COMMODITY NO.	DESCRIPTION
878-788-186	CHASSIS-CAB, SINGLE AXLE, CLASS 7, 33,000 LBS. GVWR (4x2)
MAKE	International 4200 SBA 4x2
Western District	
CONTRACTOR	International
DISCOUNT*	
MODEL	4200 SBA 4x2
PRICE	\$39,594.00
Northern District	
CONTRACTOR	International
DISCOUNT*	
MODEL	4200 SBA 4x2
PRICE	\$39,434.00
Central District	
CONTRACTOR	International
DISCOUNT*	
MODEL	4200 SBA 4x2
PRICE	\$39,398.00
Southern District	
CONTRACTOR	International
DISCOUNT*	
MODEL	4200 SBA 4x2
PRICE	\$39,566.00
*Discount for Vehicle picked up by ordering Eligible User at Contractor's place of business.	
Approximate delivery time required ARO:	90
878-788-186	CHASSIS-CAB, SINGLE AXLE, CLASS 7, 33,000 LBS. GVWR (4x2)
OPTIONS:	
1001	Delay in warranty start date to allow for body installation. (Warranty to become effective when vehicle is placed in service rather than at time of delivery).
CODE	Up Date to Service Date by Customer
PRICE	N/C
1002	Extended engine warranty, covering 100% of parts and labor for all engine parts between crankshaft pulley and flywheel. Bid for a period of 60 months/150,000 miles/6500 hours. The remaining terms, other than the above, to be in accordance with the engine manufacturer's published warranty this is closest to each warranty bid. Submit two copies of the standard engine warranty and of each special warranty bid. Also, submit two copies of all extended engine warranties that are normally available to commercial customers and commercial list prices for same. CONSULT THE DEALER FOR EXACT COVERAGE OF THIS WARRANTY.
CODE	94182G
PRICE	\$685.00
2001	Power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-air switch and indicator light Chelsea 440, Muncie TG Series or approved equivalent. For manual transmission only. State manufacturer and model no. bid.
MFR.	CHELSEA
MODEL NO.	440
CODE	CHELSEA 440
PRICE	\$617.00
2002	"Hot Shift" power take-off (PTO) with a SAE standard, keyed output shaft, installed. To include a dash mounted electric-over-hydraulic switch and indicator light. Chelsea 276, Muncie CS Series or approved equivalent. For automatic transmission only. State manufacturer and model no. bid.
MFR.	CHELSEA
MODEL NO.	271
CODE	CHELSEA 271
PRICE	\$1,000.00

878-760-186		CHASSIS-CAB, SINGLE AXLE, CLASS 7, 33,000 LBS. GVWR (4x2)	
2003	Electronic PTO overpump control. Chelsea, Muncie or approved equivalent. For automatic transmission only. State manufacturer and model no. bid.		
	MFR.		CHELSEA
	MODEL NO.		EOS
	CODE		CHELSEA EOS
	PRICE		\$354.00
2004	Manual transmission, 6-speed minimum, with provisions for a PTO. Transmission must have a minimum low gear reduction of 9.01:1. Rear axle ratio shall be a 4.10/4.11 for 2400 RPM engines, 4.30/4.33 for 2500 RPM engines, 4.88/4.89 for 2800 RPM engines, or the closest possible ratio available that will provide a top speed of approximately 65 MPH. Transmission shall be filled with synthetic lubricant. State manufacturer and model no. bid.		
	MFR.		FULLER
	MODEL NO.		FS-6406N
	CODE		13GMS, 13WLA, 11LEG
	PRICE (CREDIT)		-\$5,163.00
2005	Automatic transmission, 6-speed minimum (International may bid a 5-speed), with provisions for a PTO. Allison 3500RDS or approved equivalent. Bid in lieu of the 3000RDS in the base truck. State manufacturer and model no. bid.		
	MFR.		ALLISON
	MODEL NO.		ALLISON 3500_RDS_F
	CODE		13AGL
	PRICE		N/C
			FOR SUBSTANTIAL OFF ROAD USE, LOOSE DRY SAND, AND SPONGY SOIL OR LOOSE GRAVEL
3001	"No-Spin" or driver control traction differential (DCDL) on rear axle.		
	CODE		14877
	PRICE		\$775.00
5001	Rain shields over door windows, both sides. Auto Ventshade Co. (1-800-241-7219) or approved equivalent. Factory or dealer installed.		
	CODE		N/A
6001	Front clearance indicators. Factory or dealer installed. (Indicators shall be approximately 36 inches in length located on the left and right front corners of the vehicle.)		
	CODE		FRONT CLEARANCE INDICATORS
	PRICE		\$66.00
6201	Automatic air brake drain system. ClearDrain System or approved equivalent. Bid in lieu of the air dryers specified in Section G2. G. Unit must be installed by the vehicle manufacturer. Dealer installed units are not acceptable. SEE SPECIFICATION ADS-1.		
	CODE		CLEARDRAIN
	PRICE		\$602.00
7001	Tubeless radial tires with on/off highway tread for rear only. Bid four (4) 11R22.5G (14PR) or larger tires for on/off highway use and two (2) 11R22.5G (14PR) or larger tires for highway use. Rear tires to be Bridgestone M711, General D450, Goodyear G164 RTD, Michelin XDE or approved equivalent.		
	FRONT TIRE CODE		2-7372130135
	REAR TIRE CODE		4-7372130116
	PRICE		\$65.00
8001	Pintle hook, installed. To be swivel type and must have a capacity of 49,000 lbs. gross trailer weight and 9800 lbs. vertical load, minimum. Hook shall be installed no more than 14 inches forward from the end of the body as measured from the center of the eye. Holland Model PH-760, Wallace Model B30 or approved equivalent. State manufacturer and model no. bid. PURCHASER MUST SPECIFY BODY LENGTH AND TYPE (DUMP, STAKE, ETC.) IN ORDER FOR THE DEALER TO INSTALL THE PINTLE HOOK IN THE PROPER LOCATION.		
	MFR.		WALLACE
	MODEL NO.		B-30
	CODE		WALLACE B-30
	PRICE		\$354.00
8002	Air brake package for straight truck and trailer. Full trailer air brake controls with air lines, glad hands and wiring routed to the rear end of the frame.		
	CODE		84619, 88TMC, GLAD HANDS
	PRICE		\$374.00
8003	Optional cab-axle dimension (CA) 102-105 inches. Minimum 1,740,000 in.-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		102"
	CA CODE		01WEB
	PRICE		N/C
8004	Optional cab-axle dimension (CA) 108-113 inches. Minimum 1,740,000 in.-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		108"
	CA CODE		01WEB
	PRICE		N/C

878-700-106		CHASSIS-CAB, SINGLE AXLE, CLASS 7, 33,000 LBS. GVWR (4x2)	
8005	Optional cab-axle dimension (CA) 120-123 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		102"
	CA CODE		01WEC
	PRICE		570.00
8006	Optional cab-axle dimension (CA) 126-129 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		127.9"
	CA CODE		01WEC
	PRICE		570.00
8007	Optional cab-axle dimension (CA) 133-138 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		138"
	CA CODE		01WEC
	PRICE		570.00
8008	Optional cab-axle dimension (CA) 141-144 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		141.9"
	CA CODE		01WEC
	PRICE		570.00
8009	Optional cab-axle dimension (CA) 147-150 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		150"
	CA CODE		01WEC
	PRICE		570.00
8010	Optional cab-axle dimension (CA) 153-156 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		153.9"
	CA CODE		01WEC
	PRICE		570.00
8011	Optional cab-axle dimension (CA) 168-170 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		169"
	CA CODE		01WEC
	PRICE		570.00
8012	Optional cab-axle dimension (CA) 186-188 inches. Minimum 1,740,000 in-lbs. RBM frame.		
	FRAME CODE		01CAD
	CA LENGTH		187"
	CA CODE		01WED, 01SAL
	PRICE		828.00
8201	Special state color. DOT Yellow (DuPont Cental L9069A, Freightliner/Sterling 3258, GM 86, International 4421).		
	CODE		4421
	PRICE		NAC
8202	Two-tone colors. Manufacturer's standard two-tone colors.		
	CODE		35200, 9219, 4421
	PRICE		5165.00



INTERNATIONAL TRUCK AND ENGINE CORPORATION

2400 COMMERCE AVE., BUILDING 1100, SUITE 100, DULUTH, GA 30090

T 678 864 2700

F 678 864 2791

TRUCK GROUP

August 31, 2005

**Danny Brashear
Lee County Fleet Management
2955 Van Buren Street
Fort Myers, FL 33916**

Danny:

Per your request, please find specifications and pricing off the State of Florida Contract # 070-700-05-1 for a base spec: 106 to mount a 14 ft. flat stake body.

'06 International Model 4300 SBA 4x2 Central District	\$ 39,338.00
3001 No spin differential	779.00
7001 (2) 11R22.5 Gdy G-149 steer and (4) 11R22.5 G-164	85.00
6001 Front clearance indicators	66.00
6201 Automatic air brake drain system ("Cleardrain")	682.00
8005 181" W.B. 114" C.A. 91" A.F.	70.00

Non-Contract Options:

1) DT466 245 hp	2,085.00
2) AM-FM-CD radio	140.00
3) 14 ft. flat bed with 24" high fold down sides	8,988.00
4) Gulf Industries Safe Stop Attenuator installed by Wallace Intl	18,697.00
5) 7 Way trailer connection for Attenuator	225.00

Total \$ 71,155.00

Danny, please review the specs to see if we need to add or delete any options.

Sincerely,

**Bill Parham
National Accounts
Phone: (678) 376-0069
Fax: (770) 963-3063
E-mail: bill.parham@nav-international.com**





1315 Neptune Drive
 Boynton Beach, FL 33426-8403

Phone: 561-424-0442 ext 100
 Fax: 561-424-0644
 E-mail: KRathbun@AdFab.com

Quotation

Quote Number:
 7184
 Quote Date:
 Aug 22, 2005
 Page:
 1

Quoted to:
 NAVISTAR INTERNATIONAL TRANS
 BUILDING #1100, SUITE #100
 2400 COMMERCE AVENUE
 DULUTH, GA 30096

Attention:
 BILL PARHAM
 RE: LEE COUNTY FLEET
 DANNY BRASHEAR 239-461-5607

678-584-2700

Good Thru	Payment Terms	Sales Rep
Sep 21, 2005	Net 30 Days	Kyle J. Rathbun

Quantity	Description
	WE ARE PLEASED TO QUOTE THE FOLLOWING:
1.00	ADVANCED TRUCK EQUIPMENT FLAT BED. MODEL - FBM1-14. LENGTH - 14'. WIDTH - 8'.
1.00	54" HIGH BULKHEAD WITH EXPANDED METAL COVERED WINDOW.
2.00	STIRRUP STEPS AND ASSIST HANDLES ON BULKHEAD, ONE EACH SIDE.
14.00	24" HIGH FOLD DOWN SIDES WITH FORMED TOP RAIL.
14.00	3/16" SMOOTH PLATE FLOOR WITH FORMED BODY SIDE RAILS (PER FOOT).
1.00	DELETE STAKE POCKETS.
1.00	4" STRUCTURAL CHANNEL CROSSMEMBERS ON 16" CENTERS.
1.00	6" STRUCTURAL CHANNEL LONGSILLS WITH GUSSETS.
1.00	PAIR REAR MUD FLAPS.
1.00	FULL WIDTH REAR BOLSTER PLATE.
1.00	CLEAN, PRIME AND PAINT BLACK.
1.00	BUMPER - UNDER RIDE PROTECTION.
1.00	RECESSED LIGHTS AND REFLECTORS PER FMVSS-108 WITH WIRING IN PROTECTIVE LOOM.
1.00	AUDIBLE BACK-UP ALARM.
4.00	15 JOULE QUAD FLASH POTTED STROBE LIGHTS WITH IN-CAB CONTROLLER.
1.00	DOT ARROW BOARD WITH IN-CAB CONTROLLER.
2.00	48" X 18" X 18" STEEL UNDERBODY BOXES; ONE INSTALLED EACH SIDE.
1.00	INSTALLED ON CUSTOMER'S INTERNATIONAL CHASSIS WITH 25,800 GWR AND 114" C/A.
1.00	CLEAN AND DELIVER TRUCK TO LEE COUNTY FLEET FACILITY.
1.00	DELIVERY - APPROXIMATELY 30 DAYS A.R.C.

Date: _____ Accepted by: _____ P.O. # (if required) _____

For the BODY you wish you had!

--	--

**EQUIPMENT HISTORY
COST & QTY PER METER**

PAGE: 1
DATE: 8/31/2005
TIME: 15:16

grouped by Equipment Class, presented in EQUIPMENT TOTALS format
Report based on information from 1/1/1991 - 8/31/2005,

Truck, Tanker, Diesel

Asset #	Year	Make	Model	Department	Current Odometer	Fuel CPM	Maint & Repair CPM	Accident CPM	Operating CPM	Total CPM
019394	1991	INTERNATIONAL	4600	PARKS 001	33386	0.043	1.221	0.000	\$1.264	\$1.264
019418	1991	INTERNATIONAL	4600	TOP BKPAT	63225	0.084	0.767	0.000	\$0.851	\$0.851
019972	1985	INTERNATIONAL	1954	SW HAZWST	400876	0.000	0.025	0.000	\$0.025	\$0.025
049199	2004	INTERNATIONAL	4400	TOP LS SUP	16948	0.322	0.356	0.000	\$0.678	\$0.678

As you can see, asset #019394 is the oldest truck that Parks & Rec has. The truck is 14-years old and the maintenance cost is currently at 95% of the purchased price. This truck has also met all the criteria for replacement with Fleet Management.

Based on 120 months of life, this truck has exceeded the expected life by 50 months.
Based on 50% of the new purchased price of \$42,926, the maintenance cost is at \$40,758.76.
Based on 75,000 miles of life, this truck has 33,386 miles on it.