

**Lee County Board Of County Commissioners
Agenda Item Summary**

Blue Sheet No. 20051554

1. ACTION REQUESTED/PURPOSE: Approve the award of Project # PB060061, the purchase of one International Tractor Truck for Solid Waste, from Mauldin International Trucks, at the Florida Sheriffs Association Bid price (including non-contract options in the amount of \$11,756.74) of \$77,131.74.

2. WHAT ACTION ACCOMPLISHES: Provides Solid Waste with a new road tractor to be used for hauling ash from the WTE plant to the landfill for disposal.

3. MANAGEMENT RECOMMENDATION: Approve as stated.

4. Departmental Category: 8 **CBA** **5. Meeting Date:** 11-15-2005

6. Agenda: <input checked="" type="checkbox"/> Consent <input type="checkbox"/> Administrative <input type="checkbox"/> Appeals <input type="checkbox"/> Public <input type="checkbox"/> Walk-On	7. Requirement/Purpose: (specify)		8. Request Initiated: Commissioner _____ Department _____ Division Solid Waste By: <u>Lindsey Sampson, Director</u>
	<input type="checkbox"/> Statute	_____	
	<input type="checkbox"/> Ordinance	_____	
	<input checked="" type="checkbox"/> Admin. Code	AC-4-1	
	<input type="checkbox"/> Other	_____	

9. Background: On October 14, 2005, the Division of Purchasing received a request from Solid Waste and Fleet Management to purchase one International Tractor Truck at the prices listed in the Florida Sheriffs Association Bid No. 05-13-0822/Spec #36.

Funds are available: OB5340840100.506430

Please see attachments:

- (1) Department Request for Purchase
- (2) Florida Sheriff's Association Bid/Mauldin International's Quote

10. Review for Scheduling:

Department Director	Purchasing or Contracts	Human Resources	Other	County Attorney	Budget Services				County Manager/P.W. Director
<i>M. Wickham</i> 10/27/05	<i>Robert Shickler</i> 10-21-05 <i>RAH</i>	<i>NA</i>		<i>James</i> <i>11/1/05</i>	<i>Analyst</i> <i>11/1/05</i>	<i>Risk</i> <i>11/1/05</i>	<i>Grants</i> <i>11/1/05</i>	<i>Mgr.</i> <i>11/1/05</i>	<i>J. Sander</i> 11-1-05

11. Commission Action:

- Approved
- Deferred
- Denied
- Other

Rec. by CoAtty
Date: 11/1/05
Time: 12:00pm
Forwarded to: Admin 11/1/05 2:30pm

RECEIVED BY COUNTY ADMIN: <i>MM</i>
11-1-05
3:36
COUNTY ADMIN FORWARDED TO: <i>PLC</i>
11-3-05
11am



LEE COUNTY

**DIVISION OF
FLEET MANAGEMENT**

To: Janet Sheehan, Purchasing Director
From: Marilyn L. Rawlings, Fleet Manager
Date: 10/14/2005
Re: International Tractor Truck

Please prepare a Blue Sheet for the purchase of one (1) International Tractor Truck from International Truck & Engine Corporation for the Department of Solid Waste.

ACTION REQUESTED/PURPOSE:

Approve the Sheriff's Association Bid # 05-13-0822, purchase of one (1) International Model-7600 Tractor Truck for \$65,375 and approve the purchase of non-contract items in the amount of \$11,756.74 for a total cost of \$77,131.74 to International Truck & Engine Corporation.

WHY ACTION IS NECESSARY:

Board approval is required, as this expenditure will exceed \$50,000.

WHAT ACTION ACCOMPLISHES:

This purchase will provide the Department of Solid Waste with a new Road Tractor that will be used for hauling ash from the WTE to the landfill for disposal.

MANAGEMENT RECOMMENDATIONS:

Approve this request to give the department a new Tractor Truck.

Funds for this purchase are available from account string #:

OB5340840100.506430

BACKGROUND:

Lee County Fleet Management received a request from Solid Waste to purchase a new Tractor Truck for their ash hauling program.

MATERIAL REQUEST FORM

Non-Surcharge

FLEET MANAGEMENT SPEC # 05-160

REGISTRATION TITLE AND TAGS BEING PAID FOR BY Lee County

BOARD DATE _____
FILE # _____

REG. # _____

VENDOR Mauldin International Trucks, Inc.
4900 N. Orange Blossom Trail
Orlando, FL 32810

VENDOR # 316070

ORDER CONFIRMED BY Jeff Rotella

PHONE 407-295-9777
407-295-9727
EMAIL jrotella@maudlinintl.com

DELIVERY 120-days

REPLACES ASSET # NEW

DEPT SW OPS - Solid Waste Operations

REGISTRATION TITLE AND TAGS BEING PAID FOR BY Lee County

ACCOUNT STRING OB5340840100.506430

FLEET MANAGEMENT SPEC #	05-160	QTY:	UNIT PRICE
This PO is opened for Solid Waste to purchase one (1) new semi tractor. This purchase order is based off of the Sheriff's Association Bid #05-13-0822, spec # 36.			
2006 International Model 7600 SFA 4X6, on-off highway tractor with the following option: GCWR-80,000lbs., Wheel base-191", CA-116", Axle to frame-66", engine-Diesel Cummins ISM 350V, Transmission-Fuller model-FR14210B 10-speed manual with air shifter, gear ratio-4.63, front tires-11R22.5 G149 and rear tires-11R22.5 G164.		1	\$ 63,150.00
Contracted Options:			
Tractor package: to include valves, trailer lines & frame access.		1	\$ 315.00
5th wheel - 24" air slide.		1	\$ 1,910.00
Non-Contract Options:			
Tilt steering wheel.		1	\$ 130.00
Tow hooks.		1	\$ 52.00
Relocated brake chambers.		1	\$ 49.00
Frame access.		1	\$ 171.00
Turn back tailpipe.		1	\$ 21.00
Wet line kit to include: secondary power for tarp, light weight full rear fenders, pogo stick and cat walk.		1	\$ 10,950.00
FSA fee of .5%.		1	\$ 383.74
Warranty			
Standard two year warranty.			
Subtotal for all options:		-	
**** This truck will be licensed for the road. ****			\$ -
TOTAL AMOUNT OF PURCHASE ORDER:			

APPROVED

BY: Danny Brashear
Operations Manager

DATE: 10/14/05



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

**2006 INTERNATIONAL 7600 SFA
Specification #36
52,000 lb. GVWR, 4x6 Tandem Axle Truck/Tractor
(Cab & Chassis)**

The International 7600 SFA (SF547) truck/tractor purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by manufacturer by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$63,050.00	\$62,850.00	\$62,850.00	\$63,150.00

Purchasers are advised that the above referenced vehicle specification comes equipped as a base unit only. Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have identified and equipped the base unit with those specifications and equipment items required to meet National Standards. Since equipment needs and preferences are going to vary from agency to agency - any additional options required or changes to the base unit desired by the purchaser shall be made through the vendor listed.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate vendor.

**LEGEND FOR
DELETE/ADD OPTIONS**
Every line will require a **DOLLAR VALUE** or one of the following abbreviations:
Std. = manufacturer's standard equip.
Incl. = included with base specs.
NC = no additional charge
NA = not applicable to the vehicle
— = option not bid by vendor

VEHICLE:	International	International	International	International
	7600 SFA	7600 SFA	7600 SFA	7600 SFA
DEALER:	Maudlin	Maudlin	Maudlin	Maudlin
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$63,050.00	\$62,850.00	\$62,850.00	\$63,150.00 ✓

Order Code	Delete Options	All Zones
15SCE	Delete 2nd fuel tank	\$ 270.00

Order Code	Add Options	All Zones
12CWV	Engine: 1SM 385V	\$ 1,177.00
13GHW	Transmission: RTO 14908LL 10 speed	\$ 2,771.00
13GRE	Transmission: RTLO 14913A 13 speed	\$ 2,638.00
13GKK	Transmission: RTLO 14918 18 speed	\$ 3,304.00
64K	64,000 lb. GVW package	\$ 4,693.00
13AGV	Allison 4500RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent	\$ 15,220.00
	Fuller RTL016908LL 10-speed, or approved equivalent, to include synthetic oil	NA
	Fuller RTL016913 13-speed, or approved equivalent, to include synthetic oil	NA
	Fuller RTL016918 18-speed, or approved equivalent, to include synthetic oil	NA
4092	Tractor Package: to include valves, trailer lines & frame access	\$ 315.00 ✓
10EYD	5th Wheel - stationary w/left hand release	\$ 1,190.00
10GCK	5th Wheel - 24" air slide	\$ 1,810.00 ✓
1GBP	Double Frame: full steel insert	\$ 1,210.00
2AEU	Front Axle: 16,000 lb rating to include equal capacity steering gear and springs	\$ 1,722.00
2AEW	Front Axle: 20,000 lb. rating to include equal capacity steering gear and springs	\$ 2,442.00
14ULU	Rear Suspension: 40,000 lb air ride	\$ 991.00
14GJL/14UHK	Rear Suspension: 46,000 lb Chalmers, Hendrickson, Mack, Volvo "T" ride or equivalent	\$ 1,953.00
14GJL/14ULT	Rear Suspension: 46,000 lb air ride	\$ 2,746.00
	Rear Axle: 46,000 lb Arvin Meritor, Eaton, Mack, or equivalent (incl. with 46,000 suspension)	Incl.
LOCAL 12	Lift Axle: Pusher / Tag 12,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ 4,966.00
14WLM	Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels	\$ 5,855.00
	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks	\$ 1,725.00
12851	Front Engine PTO Provision (FEPTO)	\$ 261.00
	Hydraulic Wet Line Kit for Low Boy application	\$ 4,400.00
	Hydraulic Wet Line Kit for trailer dump application	\$ 3,600.00
	Hydraulic Wet Line Kit for transfer trailer/or walking floor	\$ 4,900.00
12YD	12 yd. dump body with hoist and tarp	\$ 12,420.00

VEHICLE:	International 7600 SFA	International 7600 SFA	International 7600 SFA	International 7600 SFA
DEALER:	Maudlin	Maudlin	Maudlin	Maudlin
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$63,050.00	\$62,850.00	\$62,850.00	\$63,150.00

**Order
Code**

Add Options (cont'd)

All Zones

16YD	16 yd. steel dump body with hoist and electric tarp system	\$ 13,520.00
20YD	20 yd. steel dump body with hoist and electric tarp system	\$ 14,210.00
	Low Cab Forward (LCF) Tilt Type Cab	NA
	LCF with right hand steering	NA
	LCF with dual steering	NA
	LCF Low Profile with left hand steering	NA
	LCF Low Profile with dual steering	NA
	LCF Low Profile with dual steering & right hand stand up	NA

INTERNATIONAL®


October 14, 2005

LEE COUNTY FLEET
DANNY BRASHEAR
2955 VAN BUREN ST
FORT MYERS, FL 33916-
(239)461 - 5607
Reference ID: LEE NEW



Diamond SPEC™

MAUDLIN INTL. TRKS., INC.
JEFF ROTELLA
4900 North Orange Blossom TR
ORLANDO FL 32779
(407)295-9777



Model Profile

2006 Diamond SPEC™ 7600 SFA 6X4 (SF547)

APPLICATION:	Low-Boy Tractor
MISSION:	Requested GCWR: 80000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 16.60% / 1.36% @ 55 MPH Calc. Geared Speed: 0 MPH
FUEL ECONOMY:	N/A
DIMENSION:	Wheelbase: 191.0, CA: 116.0, Axle to Frame: 55.0
ENGINE, DIESEL:	{Cummins ISM 350V} 50 State 335 HP @ 2100 RPM Governed Speed; 1450 lb-ft Torque @ 1200 RPM; 350 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller FRO-14210C} 10-Speed Manual, With Overdrive, With Air Shift
CLUTCH:	{Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwik-Adjust(Manual) Feature, With 3200 lb Plate Load, 1450 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor RT-40-145} Single Reduction 40,000-lb Capacity With 200 Wheel Ends Gear Ratio: 4.63
CAB:	Conventional, Steel
TIRE, FRONT:	(2) 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range G, 14 ply
TIRE, REAR:	(8) 11R22.5 G164 RTD M+S (GOODYEAR) 499 rev/mile, load range G, 14 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
PAINT:	Cab Schematic 100GR Location 1: 9219, Winter White Chassis Schematic N/A

Code	Description
SF54700	Base Chassis, Model 7600 SFA 6X4 with 191.0 Wheelbase, 116.0 CA, and 55.0 Axle to Frame.
1616	FRAME RAILS WITH TAPERED REAR
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : PLEASE NOTE: Powder Coated Gray (Argent) Color
1WHG	WHEELBASE RANGE 191" (485cm) Through and Including 256" (650cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Cummins, Caterpillar Engines Turbo-Charged : AIR COMPRESSOR AIR SUPPLY LINE International Engines Naturally-Aspirated : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE Air 1 and Air 2 Gauges; Located in Instrument Cluster : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HAND CONTROL VALVE, AIR Mounted on Steering Column : HOSE TENDER To Secure the Trailer Hoses When Not in Use; Back of Cab Mounted : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted : TRACTOR PROTECTION VALVE : TRAILER CONNECTIONS 12' Coiled Trailer Electrical Supply Cable (with 7-Way Connector) and 12' Coiled Trailer Brake Hoses (Nylon) : TURN SIGNAL SWITCH Manual Cancelling
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} With Heater
4JBL	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers <u>Includes</u> : DUST SHIELDS, FRONT BRAKE
4NCE	BRAKES, REAR, AIR CAM 16.5" x 7.0"; Includes MGM TR3030 Long Stroke Brake Chamber and Heavy Duty Spring Actuated Parking Brake <u>Includes</u> : BRAKE CHAMBERS, SPRING Inverted with ALL "Walking Beam" type Suspensions
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM

<u>Code</u>	<u>Description</u>
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PSA	STEERING GEAR {Sheppard M-100} Power
7BAJ	EXHAUST SYSTEM Single, Horizontal Muffler Mounted Below the Rails and Vertical Right Side Frame Mounted Aluminized Steel Tail Pipe and Tail Pipe Guard
7MAL	TAIL PIPE Tumbuck Type, Non-Bright Finish. for Single Non-Bright Finish Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: BATTERY BOX Steel with Fiberglass Cover; Mounted Right Side, Back of Cab
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HEADLIGHTS (2) Sealed Beam Halogen, 5" X 7" Rectangular, with Chrome Plated Bezels
	: HORN, ELECTRIC Single
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Flash-To-Pass Feature)
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Switch
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8GEJ	ALTERNATOR {Leece-Neville 8LHP2172VAH} Brush Type; 12 Volt 110 Amp. Capacity, Pad Mounted
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total
8RGS	RADIO {International} AM/FM Stereo With Weatherband, Clock, Includes Multiple Dual Cone Speakers
	<u>Includes</u>
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior
8THB	BACK-UP ALARM Electric, 102 dBA
8WCL	HORN, AIR {Grover} Black, Single Trumpet, Air Solenoid Operated, Mounted Behind Bumper on Right Rail
8WWM	STARTING MOTOR {Leece-Neville MS2} 12-Volt; less Thermal Over-Crank Protection
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9593	FENDER EXTENSIONS Omit
9HAD	GRILLE Chrome
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u>
	: PAINT SCHEMATIC ID LETTERS "GR"
	: PAINT SCHEMATIC ID LETTERS "GS"

<u>Code</u>	<u>Description</u>
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10GCB	FIFTH WHEEL, AIR SLIDE {FONTAINE SL7ATB875012} 12" Slide, Cast Top Plate, 8.75 Above Top of Frame, Left Hand Release
10WPR	MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps
10WTR	QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted.
11MDX	CLUTCH {Eaton Fuller EP1552} Easy-Pedal Plus, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, Soft Clutch 7-Spring Damper, Mechanical Pull-Type Control, With Kwik-Adjust(Manual) Feature, With 3200 lb Plate Load, 1450 lb-ft Torque Capacity
	<u>Includes</u>
	: CLUTCH RELEASE BEARING Greasable
12CWX	ENGINE, DIESEL {Cummins ISM 350V} 50 State 335 HP @ 2100 RPM Governed Speed; 1450 lb-ft Torque @ 1200 RPM; 350 Peak HP (Max)
	<u>Includes</u>
	: AIR CLEANER with Vacuator; Remote Mounted
	: CRUISE CONTROL Electronic
	: ENGINE OIL DRAIN PLUG Magnetic
	: ENGINE SHUTDOWN Electric, Key Operated
	: FUEL FILTER Engine Mounted
	: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
	: GOVERNOR Electronic
	: OIL FILTER, ENGINE Spin-On Type
	: THROTTLE, HAND CONTROL Electronic, Instrument Panel Mounted
	: TIMER Idle Shutdown
	: WATER FILTER Engine Mounted
12TKS	FAN DRIVE {Borg-Warner K26} With On/Off Control
	<u>Includes</u>
	: FAN Nylon
12UVP	RADIATOR Cross Flow, Series System; 1150 SqIn Aluminum Radiator Core and 1030 SqIn Charge Air Cooler
	<u>Includes</u>
	: ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C)
	: DEAERATION SYSTEM with Surge Tank
	: RADIATOR HOSES Premium, Rubber
12UXT	FEDERAL EMISSIONS for 2002; for Cummins ISM Engines
12VBC	AIR CLEANER Single Element
13GHL	TRANSMISSION, MANUAL {Fuller FRO-14210C} 10-Speed Manual, With Overdrive, With Air Shift
	<u>Includes</u>
	: CLUTCH BRAKE Torque Limiting
	: FILL PLUG, MAGNETIC
14GRB	AXLE, REAR, TANDEM {Meritor RT-40-145} Single Reduction 40,000-lb Capacity With 200 Wheel Ends
	<u>Includes</u>
	: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light
	: REAR AXLE DRAIN PLUG (2) Magnetic

<u>Code</u>	<u>Description</u>
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor(Rockwell) Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
15DMR	FUEL TANK (2) Top Draw; D Style, Steel, 70 U.S. Gal., 265L, Total Capacity 140 U.S. Gal., 530L; 19" Tank Depth, Mounted Under Cab Left and Right Side
	<u>Includes</u> : FUEL LINES Nylon Tubing With O-Ring Snap-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel
	<u>Includes</u> : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK Located on Rear Wall, Centered Above Rear Window : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Pillar Mounted, One Each Side : STEP (2) Two Steps Per Door
16HBA	GAUGE CLUSTER English With English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Single Chamber Air Lumbar Support
16PJH	SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back
	<u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDJ	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84", Brackets Breakaway Type, With 102" Wide Spacing, With 7.44" sq. Convex Both Sides
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster
	<u>Includes</u> : FRESH AIR FILTER : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A
16WKY	FRESH AIR FILTER for HVAC
16WLE	STORAGE POCKET, DOOR Molded Plastic, Smoke Gray, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic, Smoke Gray

<u>Code</u>	<u>Description</u>
	: CAB INTERIOR TRIM PANELS Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat the Back Panel is Only Partially Covered and with a Full Bench Seat the Back Panel is
	: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nets and CB Radio Pocket; Smoke Gray with Black Netting Over Storage Pockets
	: DOME LIGHT, CAB Rectangular, Door Activated, Timed Theater Dimming, Center Mounted, Integral to Console
	: DOOR TRIM PANELS (2) Molded Plastic; Driver and Passenger Doors
	: HEADLINER Printed Cloth
	: INSTRUMENT PANEL TRIM Molded Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out)
	: STORAGE POCKET, DOOR (1) Molded Plastic, Smoke Gray, Full-Length; Driver Door
	: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
16ZGM	ACCESS, FRAME Non-Bright, Step Mounted Left Side, With One Flush Mounted Deck Plate and Grab Handle
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs.
	<u>Includes</u>
	: PAINT IDENTITY, FRONT WHEELS White
	: WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs
	<u>Includes</u>
	: PAINT IDENTITY, REAR WHEELS White
	: WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
7372130116	(8) TIRE,REAR 11R22.5 G164 RTD M+S (GOODYEAR) 499 rev/mile, load range G, 14 ply
7372130155	(2) TIRE,FRONT 11R22.5 G149 RSA (GOODYEAR) 501 rev/mile, load range G, 14 ply
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline
	Cab Schematic 100GR
	Location 1: 9219, Winter White
	Chassis Schematic N/A
	Services Section:
40AMJ	WRTY,LTD, BASIC VEHICLE DSPEC (Diamond SPEC) To 12-Month/Unlimited Mileage; Includes Diamond Emergency Breakdown Service, With 90-Day Towing
1	WET LINE KIT AND FENDERS
	DMV FEE
	STEEL SURCHARGE 5000 AND 7000

(USA DOLLAR)

Description

Price

Net Sales Price:		\$77,131.74
Memo Item(s):		
Total Federal Excise Tax	\$0.00	
:	\$383.74	
Warranty:	\$0.00	
Body/Allied Equipment:	\$10,950.00	
Note: Memo item(s) shown here are included in the above Net Sales Price.		

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

**This proposal is not binding upon the seller
without Seller's Authorized Signature**

Official Title and Date

INTERNATIONAL*

Body Allied/Equipment
2006 7600 SFA 6X4 (SF547)

October 14, 2005

(USA DOLLAR)

Description

Price

WET LINE KIT AND FENDERS

\$10,950.00

Total Body Allied/Equipment: \$10,950.00