



- ① CAST IN PLACE FLEX PIPE CONNECTION BOOT W/SERIES 300 S.S. CLAMP C-923 AND RUBBER BOOT
- ② STUB PIPE
- ③ CONCRETE TO SPRING LINE OF PIPE
- ④ COMPRESSION COUPLING CONNECTION OR APPROVED EQUAL
- ⑤ MANHOLE WALL
- ⑥ TEE
- ⑦ MASONRY ANCHORS MIN. ONE TIE PER TWO SQ. FT. OF CONTACT AREA FOR DROP CONNECTIONS TO EXISTING M.H.S. ONLY
- ⑧ CAST IN PLACE FLEX PIPE CONNECTION BOOT W/SERIES 300 S.S. CLAMP C-923 AND RUBBER BOOT
- ⑨ 90° MITERED BEND
- ⑩ SQUARE, CONCRETE ENCASEMENT CLASS "C"
- ⑪ SDR 26 PVC PIPE



**NOT TO SCALE**

	<b>LEE COUNTY UTILITIES ENGINEERING</b> <small>1500 MONROE STREET FORT MYERS, FLORIDA 33901</small>	
	<b>TITLE: MANHOLE 4' DROP OR GREATER</b>	
<small>REVISION:</small> 3/21/24	<small>DETAIL NO:</small> S-09.dwg	